




ABOVEGROUND STORAGE TANK PROGRAM

Tanks 1,100 Gallons and Less Capacity



Farm, residential, and heating oil tanks this size
(for fuels used on the premises - not for resale)
 are exempt from MPCA storage tank regulations.

All Other Tanks 1,100 Gallons and Less Capacity

Within 500 feet of a surface water

- Tanks over 110 gallons capacity must be registered. This includes indoor tanks.
- Tanks must have full secondary containment with:
 - ✓ 110 percent capacity for largest tank in area; and
 - ✓ materials reasonably impervious to and compatible with product stored
- Permits: All tanks are required to have a permit. A completed registration form is your permit application. If your tanks are registered and you have adequate secondary containment - you have a permit. No fee.

Beyond 500 feet of a surface water

- Tanks over 110 gallons capacity must be registered. This includes indoor tanks.
- Tanks must have reasonable safeguards to prevent a release into the environment, such as:
 - ✓ concrete pad or floor;
 - ✓ location away from drains;
 - ✓ sorbent material on site;
 - ✓ good spill plan on site; or
 - ✓ other methods which achieve pollution prevention.
- Permits: All tanks are required to have a permit. A completed registration form is your permit application. If your tanks are registered and you have taken reasonable safeguards to prevent a release - you have a permit. No fee.

Fire code or local ordinances may be more stringent than MPCA requirements.

MPCA Regional Offices			
(call for more information or assistance)			
Duluth	218/723-4660	Brainerd	218/828-2492
Detroit Lakes	218/847-1519	Marshall	507/537-7146
Rochester	507/285-7343	St. Paul	612/297-8679
Toll Free		1-800-657-3864	