

WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: SPP City/County: Clearwater Sampling Date: 6/2/2014
 Applicant/Owner: Enbridge State: WI Sampling Point: CLC5078_900RDa2W
 Investigator(s): EAB/RAJ Section, Township, Range: _____
 Landform (hillslope, terrace, etc.): Depression Local relief (concave, convex, none) CL
 Slope (%): 0 - 2% Lat.: 47.401229 Long.: -95.256671 Datum: _____
 Soil Map Unit Name: 40B NWI Classification: _____
 Are climatic/hydrologic conditions of the site typical for this time of the year? ☒ (If no, explain in remarks)
 Are vegetation ☐, soil ☐, or hydrology ☐ significantly disturbed? Are "normal circumstances" present? ☒
 Are vegetation ☐, soil ☐, or hydrology ☐ naturally problematic? ☐
 (If needed, explain any answers in remarks)

SUMMARY OF FINDINGS

Hydrophytic vegetation present? <u>Y</u> Hydric soil present? <u>Y</u> Indicators of wetland hydrology present? <u>Y</u>	Is the sampled area within a wetland? <u>Y</u> If yes, optional wetland site ID: _____
Remarks: (Explain alternative procedures here or in a separate report.) The wetland community is dominated by meadow willow and lies adjacent to a roadside ditch.	

HYDROLOGY

Primary Indicators (minimum of one is required; check all that apply)		Secondary Indicators (minimum of two required)	
☒ Surface Water (A1) ☒ High Water Table (A2) ☒ Saturation (A3) ☐ Water Marks (B1) ☐ Sediment Deposits (B2) ☐ Drift Deposits (B3) ☐ Algal Mat or Crust (B4) ☐ Iron Deposits (B5) ☐ Inundation Visible on Aerial Imagery (B7) ☐ Sparsely Vegetated Concave Surface (B8)	☐ Water-Stained Leaves (B9) ☐ Aquatic Fauna (B13) ☐ Marl Deposits (B15) ☐ Hydrogen Sulfide Odor (C1) ☐ Oxidized Rhizospheres on Living Roots (C3) ☐ Presence of Reduced Iron (C4) ☐ Recent Iron Reduction in Tilled Soils (C6) ☐ Thin Muck Surface (C7) ☐ Other (Explain in Remarks)	☐ Surface Soil Cracks (B6) ☐ Drainage Patterns (B10) ☐ Moss Trim Lines (B16) ☐ Dry-Season Water Table (C2) ☐ Crayfish Burrows (C8) ☐ Saturation Visible on Aerial Imagery (C9) ☐ Stunted or Stressed Plants (D1) ☒ Geomorphic Position (D2) ☐ Shallow Aquitard (D3) ☐ Microtopographic Relief (D4) ☐ FAC-Neutral Test (D5)	
Field Observations: Surface water present? Yes ☒ Water table present? Yes ☒ Saturation present? Yes ☒ (includes capillary fringe)		Depth (inches): <u>1</u> Depth (inches): <u>0</u> Depth (inches): <u>0</u>	Indicators of wetland hydrology present? <u>Y</u>
Describe recorded data (stream gauge, monitoring well, aerial photos, previous inspections), if available:			
Remarks: Soils are saturated and standing water is present throughout much of the community.			

VEGETATION - Use scientific names of plants

Sampling Point:

CLC5078_900RDa2W

Tree Stratum			Plot Size (30 ft)			Absolute % Cover	Dominant Species	Indicator Status
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
					0	=	Total Cover	

Sapling/Shrub Stratum			Plot Size (15 ft)			Absolute % Cover	Dominant Species	Indicator Status
1		<i>Salix petiolaris</i>				70	Y	FACW
2		<i>Salix bebbiana</i>				10	N	FACW
3								
4								
5								
6								
7								
8								
9								
10								
					80	=	Total Cover	

Herb Stratum			Plot Size (5 ft)			Absolute % Cover	Dominant Species	Indicator Status
1		<i>Carex tenera</i>				25	Y	FAC
2		<i>Poa pratensis</i>				25	Y	FACU
3		<i>Solidago gigantea</i>				10	N	FACW
4		<i>Calamagrostis canadensis</i>				5	N	OBL
5		<i>Phalaris arundinacea</i>				1	N	FACW
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
					66	=	Total Cover	

Woody Vine Stratum			Plot Size (30 ft)			Absolute % Cover	Dominant Species	Indicator Status
1								
2								
3								
4								
5								
					0	=	Total Cover	

50/20 Thresholds

	20%	50%
Tree Stratum	0	0
Sapling/Shrub Stratum	16	40
Herb Stratum	13	33
Woody Vine Stratum	0	0

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across all Strata: 3 (B)

Percent of Dominant Species that are OBL, FACW, or FAC: 66.67% (A/B)

Prevalence Index Worksheet

Total % Cover of:

OBL species	5	x 1 =	5
FACW species	91	x 2 =	182
FAC species	25	x 3 =	75
FACU species	25	x 4 =	100
UPL species	0	x 5 =	0
Column totals	146 (A)		362 (B)
Prevalence Index = B/A =		<u>2.48</u>	

Hydrophytic Vegetation Indicators:

☒ Rapid test for hydrophytic vegetation

☒ Dominance test is >50%

☒ Prevalence index is ≤3.0*

Morphological adaptations* (provide supporting data in Remarks or on a separate sheet)

☐ Problematic hydrophytic vegetation* (explain)

*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines - All woody vines greater than 3.28 ft in height.

Hydrophytic vegetation present? Y

Remarks: (Include photo numbers here or on a separate sheet)
 Willows dominate the community, with hydrophytes present in the herbaceous layer. Kentucky blue grass may survive due to the sandy soils.

SOIL

Sampling Point: CLC5078_900RDa2W

[illegible]