

WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: SPP City/County: Aitkin Sampling Date: 6/16/2014
 Applicant/Owner: Enbridge State: MN Sampling Point: AI2C5146_230a1W
 Investigator(s): JRT/KJA Section, Township, Range: _____
 Landform (hillslope, terrace, etc.): Depression Local relief (concave, convex, none): CC
 Slope (%): 0 - 2% Lat.: 46.637643 Long.: -93.310341 Datum: _____
 Soil Map Unit Name: 202 NWI Classification: _____
 Are climatic/hydrologic conditions of the site typical for this time of the year? ☒ (If no, explain in remarks)
 Are vegetation ☐, soil ☐, or hydrology ☐ significantly disturbed? Are "normal
 Are vegetation ☐, soil ☐, or hydrology ☐ naturally problematic? circumstances" present? ☒
 (If needed, explain any answers in remarks)

SUMMARY OF FINDINGS

Hydrophytic vegetation present? <u>Y</u> Hydric soil present? <u>Y</u> Indicators of wetland hydrology present? <u>Y</u>	Is the sampled area within a wetland? <u>Y</u> If yes, optional wetland site ID: _____
Remarks: (Explain alternative procedures here or in a separate report.) The wetland is a ditch feature that extends to adjacent properties on both sides of the tract. The ditch is located along an overgrown access road. Vegetation is dominated by Bebb's willow and sedge species.	

HYDROLOGY

Primary Indicators (minimum of one is required; check all that apply)		Secondary Indicators (minimum of two required)	
☒ Surface Water (A1) ☒ High Water Table (A2) ☒ Saturation (A3) ☐ Water Marks (B1) ☐ Sediment Deposits (B2) ☐ Drift Deposits (B3) ☐ Algal Mat or Crust (B4) ☐ Iron Deposits (B5) ☐ Inundation Visible on Aerial Imagery (B7) ☐ Sparsely Vegetated Concave Surface (B8)	☐ Water-Stained Leaves (B9) ☐ Aquatic Fauna (B13) ☐ Marl Deposits (B15) ☐ Hydrogen Sulfide Odor (C1) ☐ Oxidized Rhizospheres on Living Roots (C3) ☐ Presence of Reduced Iron (C4) ☐ Recent Iron Reduction in Tilled Soils (C6) ☐ Thin Muck Surface (C7) ☐ Other (Explain in Remarks)	☐ Surface Soil Cracks (B6) ☐ Drainage Patterns (B10) ☐ Moss Trim Lines (B16) ☐ Dry-Season Water Table (C2) ☐ Crayfish Burrows (C8) ☐ Saturation Visible on Aerial Imagery (C9) ☐ Stunted or Stressed Plants (D1) ☒ Geomorphic Position (D2) ☐ Shallow Aquitard (D3) ☐ Microtopographic Relief (D4) ☒ FAC-Neutral Test (D5)	
Field Observations: Surface water present? Yes ☒ Water table present? Yes ☒ Saturation present? Yes ☒ (includes capillary fringe)		Depth (inches): <u>3</u> Depth (inches): <u>0</u> Depth (inches): <u>0</u>	Indicators of wetland hydrology present? <u>Y</u>
Describe recorded data (stream gauge, monitoring well, aerial photos, previous inspections), if available:			
Remarks: Three inches of standing water were observed at the sample point.			

VEGETATION - Use scientific names of plants
Sampling Point:

AI2C5146_230a1W

Tree Stratum				Plot Size (30 ft)		Absolute % Cover	Dominant Species	Indicator Status
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
						0	= Total Cover	

Sapling/Shrub Stratum				Plot Size (15 ft)		Absolute % Cover	Dominant Species	Indicator Status
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
						40	Y	FACW
						25	Y	FACW
						65	= Total Cover	

Herb Stratum				Plot Size (5 ft)		Absolute % Cover	Dominant Species	Indicator Status
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
						35	Y	OBL
						20	Y	FACW
						15	Y	FACW
						70	= Total Cover	

Woody Vine Stratum				Plot Size (30 ft)		Absolute % Cover	Dominant Species	Indicator Status
1								
2								
3								
4								
5								
						0	= Total Cover	

50/20 Thresholds

	20%	50%
Tree Stratum	0	0
Sapling/Shrub Stratum	13	33
Herb Stratum	14	35
Woody Vine Stratum	0	0

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across all Strata: 5 (B)

Percent of Dominant Species that are OBL, FACW, or FAC: 100.00% (A/B)

Prevalence Index Worksheet

Total % Cover of:

OBL species	<u>35</u>	x 1 =	<u>35</u>
FACW species	<u>100</u>	x 2 =	<u>200</u>
FAC species	<u>0</u>	x 3 =	<u>0</u>
FACU species	<u>0</u>	x 4 =	<u>0</u>
UPL species	<u>0</u>	x 5 =	<u>0</u>
Column totals	<u>135</u> (A)		<u>235</u> (B)
Prevalence Index = B/A =			<u>1.74</u>

Hydrophytic Vegetation Indicators:

 Rapid test for hydrophytic vegetation

☒ Dominance test is >50%

☒ Prevalence index is ≤3.0*

Morphological adaptations* (provide supporting data in Remarks or on a separate sheet)

 Problematic hydrophytic vegetation* (explain)

*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines - All woody vines greater than 3.28 ft in height.

Hydrophytic vegetation present? Y

Remarks: (Include photo numbers here or on a separate sheet)

The wetland sample point is dominated by Bebb's willow and speckled alder with two different sedges and sensitive fern. Bare ground and shallow open water are present within the ditch-like wetland.

SOIL

Sampling Point: AI2C5146_230a1W

[illegible]