WETLAND DETERMINATION DATA FORM Great Plains Region

| Project/Site: Applicant: Investigators Soil Unit: Landform: Slope (%): | I133A Side slope 0 - 2% | L3R Enbridge NTT/KRG/EAB | Latitude: | 48.52 | _ Loc | Subregio cal Relief: Longitude: | NW CC | A or LRR): I Classification: | MLRA 56 | | Date:06/25/14County:MarshallState:MNSample Point:u-158n48w9-a1 | |
|---|--|--|---------------------------|---|-----------------------------|---|---|--|--|-------------|--|--|
| Are climatic/l Are Vegetation Are Vegetation | hydrologic cc on ⊐ Soil on ⊐ Soil | nditions on the sit □, or Hydrology □, or Hydrology | te typical t ⊏signific | for this cantly | s time of yea disturbed? | | plain in rema | | ☑ Yes | □ No | Section: Township: Range: Dir: | |
| SUMMARY C | | | | | | | | | | | | |
| Hydrophytic Y Wetland Hyd | - | | - | No No | | | | | | Is Present? | nt Within A Wetland? No | |
| Remarks: | | point is located in | | - | cultural field | dominated | d by suga | ar beets. | | | | |
| | | | | Ŭ | | | , , | | | | | |
| HYDROLOG | Y | | | | | | | | | | | |
| Wetland Hy | A1 - Surface A2 - High Wa A3 - Saturatio B1 - Water M B2 - Sedimen B3 - Drift Dep B4 - Algal Ma B5 - Iron Dep B7 - Inundatio | ter Table on arks it Deposits oosits t or Crust | | ly; Mir | | B11 - Salt B13 - Aqua C1 - Hydro C2 - Dry S C3 - Oxidiz | Crust atic Fauna gen Sulfic eason Wa ed Rhizos nce of Re Juck Surfa | a de Odor ater Table spheres on Living educed Iron | | Secondary: | B6 - Surface Soil Cracks B8 - Sparsely Vegetated Concave Surface B10 - Drainage Patterns C3 - Oxidized Rhizospheres on Living Roots (tilled) C8 - Crayfish Burrows C9 - Saturation Visible on Aerial Imagery D2 - Geomorphic Position D5 - FAC-Neutral Test D7 - Frost-Heaved Hummocks (LRR F) | |
| Field Observ Surface Wate Water Table Saturation Pr Describe Rec | er Present? Present? resent? | Yes Yes Yes stream gauge, mon | | Depth: Depth: Depth: II, aeri | | (in.) (in.) (in.) evious insp | pections), | , if available: | Wetland H | lydrology ∣ | Present? N | |
| Remarks: | No wetland | hydrology indicate | ors prese | nt. | | | | | | | | |
| SOILS | ntion (Decor | iha ta tha danth n | | | | | | | | | | |
| | | ibe to the depth ne etion, RM=Reduced M | | | | | | | | | | |
| | | | | | I | | | | · | | 1 | |
| | | Matrix | | | | | Mottl | | | · | | |
| Depth (In.) | | Color (Moist) | | % | Color (N | vioist) | % | Туре | Location | Texture | Remarks | |
| 0-10 10-18 | Hue_10YR Hue_10YR | | | 100 70 | Hue_10YR | 4/1 | 30 | D | M | | | |
| 10-10 | | Z/ 1 | | 70 | | 4/1 | 30 | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | 1 | 1 | 1 | | |
| | | | | | | | | | | | | |
| NRCS Hydric Soil Field Indicators (check here A1- Histosol A2 - Histic Epipedon A3 - Black Histic A4 - Hydrogen Sulfide A5 - Stratified Layers (LRR F) A9 - 1 cm Muck (LRR FGH) A11 - Depleted Below Dark Surface A12 - Thick Dark Surface S1 - Sandy Mucky Mineral S2 - 2.5 cm Mucky Peat or Peat (LRR G, H) S3 - 5 cm Mucky Peat or Peat (LRR F) S4 - Sandy Gleyed Matrix | | | | if indicators are not present): S5 - Sandy Redox S6 - Stripped Matrix F1 - Loamy Mucky Mineral F2 - Loamy Gleyed Matrix F3 - Depleted Matrix F6 - Redox Dark Surface F7 - Depleted Dark Surface F8 - Redox Depressions F16 - High Plains Depressions (MLRA 72, 73) | | | | | Indicators for Problematic Soils ¹ A9 - 1 cm Muck (LRR I, J) A16 - Cost Prairie Redox (LRR F, G, H) S7 - Dark Surface (LRR G) F16 - High Plains Depressions (LRR H, outisde MLRA 72, 73) F18 - Reduced Vertic TF2 - Red Parent Material TF12 - Very Shallow Dark Surface Other (Explain in Remarks) | | | |
| | | | | | | | | | | | | |
| Restrictive Laye | r Type: | | | | Depth: | | | Hvdric So | il Present? | ' N | | |
| Restrictive Layer | , , , , , , , , , , , , , , , , , , , | oil indicators pres | ont The r | | | | | - | il Present? | ° <u>N</u> | - | |

WETLAND DETERMINATION DATA FORM Great Plains Region

| Project/Site: | e: L3R | | | | Sample Point: u-158n48w9-a1 |
|---------------|---|------------------|----------|--------------------|---|
| | | | | | |
| VEGETATIO | | e non-native sp | becies.) | | |
| Tiee Stratum | (Plot size: 30 ft. radius) Species Name | <u>% Cover</u> | Dominant | Ind.Status | Dominance Test Worksheet |
| 1. | | <u>/// UUVU.</u> | Jonnana | <u>IIId.Otatee</u> | |
| 2. | | | | | Number of Dominant Species that are OBL, FACW, or FAC: 0 (A) |
| 3. | | | | | |
| 4. | 1 | | | | Total Number of Dominant Species Across All Strata: 1 (B) |
| 5. | | | | | |
| 6. | | | | | Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B) |
| 7. | | | | | |
| 8. | | | | | Prevalence Index Worksheet |
| 9. | | | | | Total % Cover of: Multiply by: |
| 10. | | | | | OBL spp.0x1 =0FACW spp.0x2 =0FAC spp.0x3 =0FACU spp.0x4 =0 |
| I | Total Cover = _ | 0 | | | FACW spp. 0 $X 2 = 0$ |
| Seeling/Shrub | Otration (Distaires 15 ft redius) | | | | $\begin{array}{c c} FAC \text{ spp.} & 0 \\ \hline \end{array} & X & 3 = \\ \hline \end{array} & 0 \\ \hline \end{array} \\ \hline \\ \\ \hline \end{array} \\ \hline \end{array} \\ \hline \end{array} \\ \hline \\ \\ \hline \end{array} \\ \hline \end{array} \\ \hline \end{array} \\ \hline \\ \\ \hline \end{array} \\ \hline \end{array} \\ \hline \\ \\ \hline \end{array} \\ \hline \end{array} \\ \hline \\ \\ \hline \end{array} \\ \\ \hline \end{array} \\ \\ \hline \\ \\ \hline \end{array} \\ \\ \hline \end{array} \\ \\ \hline \\ \\ \hline \end{array} \\ \\ \\ \hline \end{array} \\ \\ \\ \hline \end{array} \\ \\ \hline \end{array} \\ \\ \\ \\$ |
| Sapling/Shrub | Stratum (Plot size: 15 ft. radius) | | | | $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| 2. | | | | | - 0 = 0 = 100 |
| 3. | | | | | Total <u>30</u> (A) <u>150</u> (B) |
| 4. | | | | | |
| 5. | | | | | Prevalence Index = $B/A = 5.000$ |
| 6. | | | | | |
| 7. | | | | | |
| 8. | | | | | Hydrophytic Vegetation Indicators: |
| 9. | | | | | Rapid Test for Hydrophytic Vegetation |
| 10. | | | | | Dominance Test is > 50% |
| | Total Cover = | 0 | | _ | Prevalence Index is ≤ 3.0 * |
| | | | | | Morphological Adaptations (Explain) * |
| | (Plot size: 5 ft. radius) | | | | Problem Hydrophytic Vegetation (Explain) * |
| 1. | Beta vulgaris | 30 | Y | NI | |
| 2. | | | | | * Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. |
| 3. | | | | | |
| 4. | | | | | Definitions of Vegetation Strata: |
| 5. 6 | | | | | |
| | | | | | Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height. |
| 8. | | | | | |
| 9. | <u> </u> | | | | Sapling/Shrub - Woody plants less than 3 in. DBH, regardless of height. |
| 10. | | | | | |
| 11. | | | | | - |
| 12. | | | | | Herb - All herbaceous (non-woody) plants, regardless of size. |
| 13. | | | | | |
| 14. | | | | | |
| 15. | | | | | Woody Vines - All woody vines, regardless of height. |
| | Total Cover = _ | 30 | | | |
| | | | | | |
| Woody Vine S | Stratum (Plot size: 30 ft. radius) | | | | |
| 1. | | | | | |
| 2. | | | | | |
| 3. | | | | | Hydrophytic Vegetation Present? N |
| 5. | | | | | |
| 4. | Total Cover = | 0 | | | |
| Remarks: | The upland vegetation consists of planted sug | | | | |
| Remains. | The upland vegetation consists of planted sur | gar beets. | | | |
| ļ | | | | | |
| Additional | | | | | |
| Additional F | Remarks: | | | | |
| | | | | | |
| | | | | | |
| | | | | | |