WETLA	ND DETERMINA	TION DATA FO	DRM - Great P	lains Region
	City/County: Mars	hall		Sampling Date: 2016-07-11
Applicant/Owner: Enbridge		State: Min	nnesota	Sampling Point: w-156n46w7-aa1
Investigator(s): ZCW			ship, Range: <u>S</u> 7	
Landform (hillslope, terrace, etc.): Depression			ef (concave, cor	nvex, none): <u>CL</u> Slope (%): <u>0-2%</u>
Latitude: <u>48.341905111492</u>	Longitude:	-96.62086162	<u>.</u>	
Datum: NAD83				
Soil Map Unit Name: 116F				NWI Classification: N/A
Are climatic/hydrologic conditions on the site typi	cal for this time of	f year? (if no, exp	olain in Remark	s): Yes
Are Vegetation <u>No</u> , Soil <u>No</u> , or Hydrology <u>I</u> Are Vegetation <u>No</u> , Soil <u>No</u> , or Hydrology <u>No</u>				
SUMMARY OF FINDINGS - Attach site map sho	wing sampling po	oint locations, tra	ansects, import	ant features, etc.
Hydrophytic Vegetation Present?	Yes	-	npled Area	
Hydric Soil Present?	······································		Vetland?	Yes
Wetland Hydrology Present?	Yes		ional Wetland S	Site ID: w-156n46w7-aa
VEGETATION - Use scientific names of plants	5.			
	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30	) % Cover	Species?	Status	Number of Dominant Species
1				That Are OBL, FACW, or FAC: <u>1</u> (A)
2				Total Number of Dominant
3				Species Across All Strata: 2 (B)
4				Percent of Dominant Species
Conting (Christ Structure (Digt Sizes 15	0	= Total Cover		That Are OBL, FACW, or FAC: 50 (A/B)
Sapling/Shrub Stratum (Plot Size: 15) 1				Prevalence Index worksheet: Total % Cover of: Multiply by:
2.				OBL species         15.00         x 1         15
3.				FACW species 50.00 x 2 100
4		_		FACU species <u>10.00</u> x 3 <u>100</u>
5				UPL species 0.00 x 4 0
	0	= Total Cover		Column Totals <u>100</u> (A) <u>245</u> (B)
Herb Stratum (Plot Size: 5)				Prevalence Index = B/A = 2.45
1. Poa palustris	45.00	Yes	FACW	Hydrophytic Vegetation Indicators:
2. Phleum pratense 3. Typha X glauca	<u>25.00</u> 15.00	Yes No	_ FACU OBL	<u>no</u> 1 - Rapid Test for Hydrophytic Vegetation
4. Juncus tenuis	10.00	No	FAC	no 2 - Dominance Test is > 50% yes 3 - Prevalence Index is $\leq 3.0^{1}$
5. Phalaris arundinacea	5.00	No	FACW	4 - Morphological Adaptations <sup>1</sup> (Provide
6.				supporting data in Remarks or on a separate sheet)
7.				Problematic Hydrophytic Vegetation <sup>1</sup>
8				(Explain)
9.				<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present,
				unless disturbed or problematic.
10				-
	100	= Total Cover		
Woody Vine Stratum (Plot Size: 30 )				
1				_
2.				
	0	= Total Cover		
% Bare Ground in Herb Stratum				Hydrophytic Vegetation Present? <u>Yes</u>
Remarks:				
1				

						ounping.	oint: w-156n46
rofile Description: (Describe to th	ne depth needeo	l to document the i	ndicator or con	firm the at	osence of indica	tors.)	
Depth Matrix		Redox Fe	atures				
inches) Color (moist)	%	Color (moist)	% Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remar	ks
					· · ·		
ype: C=Concentration, D=Depletion, RM	M=Reduced Matrix,	MS=Masked Sand Grain	ns.			<sup>2</sup> Location: PL	=Pore Lining, M=Ma
dric Soil Indicators:					Indicators for I	Problematic Hydric Soil <sup>3</sup> :	
Histosol (A1)		Sandy Gleyed N	Matrix (S4)		🗌 1cm Muc	ck (A9) ( <b>LRR I, J</b> )	
Histic Epipedon (A2)		Sandy Redox (S	55)		🗌 Coast Pra	irie Redox (A16)( <b>LRR K, L, F</b>	۶)
Black Histic (A3)		Stripped Matrix	x (S6)		Dark Surf	ace (S7) ( <b>LRR G</b> )	
7					_	ns Depressions (F16)	
Hydrogen Sulfide (A4)			Mineral (F1) (LRR H	(, L)			
Stratified Layers (A5)		Loamy Gleyed I	Matrix (F2)		(LRR H out	tside of MLRA 72 & 73)	
1cm Muck (A9) ( <b>LRR F, G, H</b> )		Depleted Matri	ix (F3)		Reduced	Vertic (F18)	
Depleted Below Dark Surface (A11	)	Redox Dark Sur	rface (F6)		Red Parer	nt Material (F21)	
Thick Dark Surface (A12)		Depleted Dark	Surface (F7)		Very Shal	low Dark Surface (TF12)	
7							
J Sandy Mucky Mineral (S1)		Redox Depressi			Uther (ex	plain in remarks)	
2.5cm Mucky Peat or Peat (S2)(LRI -	R G, H)	High Plains Dep	pressions (F16)		<sup>3</sup> Indicators of k	hydrophytic vegetation and	
					indicators of i		
5cm Mucky Peat or Peat (S3) (LRR	F)	(MLRA 72 &	k 73 of LRR H)			logy must be present, unle	SS
☐ 5cm Mucky Peat or Peat (S3) (LRR	F)	(MLRA 72 &	k 73 of LRR H)				ss
Scm Mucky Peat or Peat (S3) (LRR  strictive Layer (if present):	F)	(MLRA 72 &	k 73 of LRR H)		wetland hydrol		55
	F)	(MLRA 72 &	k 73 of LRR H)	Hydri	wetland hydrol disturbed or pr	oblematic.	55
strictive Layer (if present):	F)	(MLRA 72 &	& 73 of LRR H)	Hydri	wetland hydrol	oblematic.	ss
estrictive Layer (if present): Type:	F)	(MLRA 72 &	& 73 of LRR H)	Hydri	wetland hydrol disturbed or pr	oblematic.	ss
strictive Layer (if present): Type: Depth (inches): marks:					wetland hydrol disturbed or pr	oblematic.	ss
strictive Layer (if present): Type: Depth (inches):					wetland hydrol disturbed or pr	oblematic.	ss 
strictive Layer (if present): Type: Depth (inches): marks: mple point taken in ditch. No digging ir					wetland hydrol disturbed or pr	oblematic.	SS
strictive Layer (if present): Type: Depth (inches): marks: mple point taken in ditch. No digging ir YDROLOGY					wetland hydrol disturbed or pr	oblematic.	SS
strictive Layer (if present): Type: Depth (inches): marks: mple point taken in ditch. No digging ir <b>/DROLOGY</b>					wetland hydrol disturbed or pr	oblematic.	ss 
trictive Layer (if present):  Type: Depth (inches): marks: mple point taken in ditch. No digging ir  (DROLOGY etland Hydrology Indicators:	n ditches. Hydric so	ls assumed based on ve			wetland hydrol disturbed or pr c Soil Present? <u>Ye</u> :	oblematic.	
trictive Layer (if present): Type: Depth (inches): narks: mple point taken in ditch. No digging ir <b>/DROLOGY</b> etland Hydrology Indicators:	n ditches. Hydric so	ls assumed based on ve			wetland hydrol disturbed or pr c Soil Present? <u>Ye</u> :	oblematic. s	
trictive Layer (if present): Type: Depth (inches): narks: mple point taken in ditch. No digging ir <b>/DROLOGY</b> etland Hydrology Indicators: mary Indicators (minimum of on	n ditches. Hydric so	Is assumed based on ve	egetation and hydr		wetland hydrol disturbed or pr c Soil Present? <u>Ye</u> <u>Second</u>	oblematic. s	m of two require
strictive Layer (if present): Type: Depth (inches): marks: mple point taken in ditch. No digging ir <b>/DROLOGY</b> etland Hydrology Indicators: mary Indicators (minimum of on Surface Water (A1)	n ditches. Hydric so	Is assumed based on ve eck all that apply) Salt Crust (B11)	agetation and hydr		wetland hydrol disturbed or pr c Soil Present? <u>Ye</u> <u>Second</u>	ary Indicators (minimu Surface Soil Cracks (B6)	m of two require
trictive Layer (if present):  Type: Depth (inches): marks:  mple point taken in ditch. No digging in <b>/DROLOGY</b> etland Hydrology Indicators:  mary Indicators (minimum of on Surface Water (A1) High Water Table (A2)	n ditches. Hydric so	Is assumed based on ve eck all that apply) Salt Crust (B11) Aquatic Invertebr	egetation and hydr rates (B13) Odor (C1)		wetland hydrol disturbed or pr c Soil Present? <u>Ye</u> <u>Second</u>	ary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca	ım of two require ve Surface (B8)
trictive Layer (if present):  Type: Depth (inches): narks:  mple point taken in ditch. No digging in <b>/DROLOGY</b> etland Hydrology Indicators:  mary Indicators (minimum of on Surface Water (A1) High Water Table (A2) Saturation (A3)	n ditches. Hydric so	Is assumed based on ve eck all that apply) Salt Crust (B11) Aquatic Invertebr Hydrogen Sulfide Dry-Season Water	egetation and hydr rates (B13) Odor (C1)	ology.	wetland hydrol disturbed or pr c Soil Present? Ye: Second	ary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Concar Drainage Patterns (B10)	ım of two require ve Surface (B8)
strictive Layer (if present): Type: Depth (inches): marks: mple point taken in ditch. No digging in <b>/DROLOGY</b> etland Hydrology Indicators: mary Indicators (minimum of on Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1)	n ditches. Hydric so	Is assumed based on ve eck all that apply) Salt Crust (B11) Aquatic Invertebr Hydrogen Sulfide Dry-Season Water	egetation and hydr rates (B13) Odor (C1) r Table (C2)	ology.	wetland hydrol disturbed or pr c Soil Present? Ye: Second	ary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Concar Drainage Patterns (B10) Oxidized Rhizospheres or	ım of two require ve Surface (B8)
trictive Layer (if present):  Type: Depth (inches): marks: mple point taken in ditch. No digging in <b>/DROLOGY</b> etland Hydrology Indicators: mary Indicators (minimum of on Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2)	n ditches. Hydric so	Is assumed based on ve eck all that apply) Salt Crust (B11) Aquatic Invertebr Hydrogen Sulfide Dry-Season Water Oxidized Rhizospl	rates (B13) Odor (C1) r Table (C2) heres on Living Ro	ology.	wetland hydrol disturbed or pr c Soil Present? Ye: Second	ary Indicators (minimu surface Soil Cracks (B6) Sparsely Vegetated Concar Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled)	im of two require ve Surface (B8) a Living Roots (C3)
trictive Layer (if present): Type: Depth (inches): marks: mple point taken in ditch. No digging in <b>/DROLOGY</b> etland Hydrology Indicators: mary Indicators (minimum of on Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)	n ditches. Hydric so	Is assumed based on ve eck all that apply) Salt Crust (B11) Aquatic Invertebr Hydrogen Sulfide Dry-Season Water Oxidized Rhizospi (where not tilled)	rates (B13) Odor (C1) r Table (C2) heres on Living Ro	ology.	wetland hydrol disturbed or pr c Soil Present? Yet Second	ary Indicators (minimu surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8)	im of two require ve Surface (B8) a Living Roots (C3)
trictive Layer (if present): Type: Depth (inches): narks: mple point taken in ditch. No digging in <b>/DROLOGY</b> etland Hydrology Indicators: mary Indicators (minimum of on Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4)	n ditches. Hydric so	Is assumed based on ve eck all that apply) Salt Crust (B11) Aquatic Invertebr Hydrogen Sulfide Dry-Season Water Oxidized Rhizospt (where not tilled) Presence of Redu	rates (B13) Odor (C1) r Table (C2) heres on Living Ro icced Iron (C4) e (C7)	ology.	wetland hydrol disturbed or pr c Soil Present? Yes Second	ary Indicators (minimu surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria	im of two require ve Surface (B8) a Living Roots (C3)
strictive Layer (if present): Type: Depth (inches): marks: mple point taken in ditch. No digging in <b>YDROLOGY</b> etland Hydrology Indicators: imary Indicators (minimum of on Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Image	e is required; ch	Is assumed based on ve eck all that apply) Salt Crust (B11) Aquatic Invertebr Hydrogen Sulfide Dry-Season Water Oxidized Rhizosph (where not tilled) Presence of Redu Thin Muck Surfac	rates (B13) Odor (C1) r Table (C2) heres on Living Ro icced Iron (C4) e (C7)	ology.	wetland hydrol disturbed or pr c Soil Present? Yei Second	ary Indicators (minimu surface Soil Cracks (B6) Sparsely Vegetated Concar Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2)	um of two require ve Surface (B8) a Living Roots (C3) Il Imagery (C9)
strictive Layer (if present): Type: Depth (inches): marks: mple point taken in ditch. No digging in <b>YDROLOGY</b> etland Hydrology Indicators: imary Indicators (minimum of on Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Image etld Observations:	e is required; ch	Is assumed based on ve eck all that apply) Salt Crust (B11) Aquatic Invertebr Hydrogen Sulfide Dry-Season Water Oxidized Rhizosph (where not tilled) Presence of Redu Thin Muck Surfac	rates (B13) Odor (C1) r Table (C2) heres on Living Ro icced Iron (C4) e (C7)	ology.	wetland hydrol disturbed or pr c Soil Present? Yei Second	ary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Concar Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5)	um of two require ve Surface (B8) h Living Roots (C3)
strictive Layer (if present): Type: Depth (inches): marks: mple point taken in ditch. No digging in <b>/DROLOGY</b> etland Hydrology Indicators: mary Indicators (minimum of on Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Image etla Observations: rface Water Present?	e is required; ch e is required; ch 	Is assumed based on ve eck all that apply) Salt Crust (B11) Aquatic Invertebr Hydrogen Sulfide Dry-Season Water Oxidized Rhizospi (where not tilled) Presence of Redu Thin Muck Surfac Other (Explain in Depth (inche	egetation and hydr rates (B13) Odor (C1) r Table (C2) heres on Living Ro- iced Iron (C4) e (C7) Remarks)	ology.	wetland hydrol disturbed or pr c Soil Present? Yei Second	ary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Concar Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5)	um of two require ve Surface (B8) h Living Roots (C3)
strictive Layer (if present): Type: Depth (inches): marks: mple point taken in ditch. No digging in <b>YDROLOGY</b> etland Hydrology Indicators: imary Indicators (minimum of on Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Image etld Observations: rface Water Present? ater Table Present?	e is required; ch e is required; ch en ditches. Hydric so en ditc	Is assumed based on ve eck all that apply) Salt Crust (B11) Aquatic Invertebr Hydrogen Sulfide Dry-Season Water Oxidized Rhizospi (where not tilled) Presence of Redu Thin Muck Surfac Other (Explain in Depth (inche	rates (B13) Odor (C1) r Table (C2) heres on Living Ro iced Iron (C4) ie (C7) Remarks) es)es)	ology.	wetland hydrol disturbed or pr c Soil Present? Yei Second yes yes	ary Indicators (minimu surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (D	Im of two require ve Surface (B8) D Living Roots (C3) Il Imagery (C9)
strictive Layer (if present): Type: Depth (inches): marks: mple point taken in ditch. No digging in <b>/DROLOGY</b> etland Hydrology Indicators: mary Indicators (minimum of on Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Image etla Observations: rface Water Present?	e is required; ch e is required; ch 	Is assumed based on ve eck all that apply) Salt Crust (B11) Aquatic Invertebr Hydrogen Sulfide Dry-Season Water Oxidized Rhizospi (where not tilled) Presence of Redu Thin Muck Surfac Other (Explain in Depth (inche	rates (B13) Odor (C1) r Table (C2) heres on Living Ro iced Iron (C4) ie (C7) Remarks) es)es)	ology.	wetland hydrol disturbed or pr c Soil Present? Yei Second yes yes	ary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Concar Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5)	um of two require ve Surface (B8) n Living Roots (C3) Il Imagery (C9)

Remarks:

US Army Corps of Engineers

Great Plains Region – Version 2.0

## Site Photograph 1

Sampling Point: w-156n46w7-aa1



Latitude: 48.3419045247588

Longitude: -96.6208305303907

Direction: Southeast

Circular 39: 2

Eggers & Reed: Fresh (Wet) Meadow

Remarks: