# WETLAND DETERMINATION DATA FORM
## Great Plains Region

| | | | |
|---|---|---|---|
| Project/Site: | L3R | | Date: 08/20/14 |
| Applicant: | Enbridge | | County: Marshall |
| Investigators: | RAJ/BEH | Subregion (MLRA or LRR): MLRA 56 | State: MN |
| Soil Unit: | I23A | NWI Classification: | |
| Landform: | Depression | Local Relief: LC | Sample Point: **w-157n47w16-i1** |
| Slope (%): | 8 - 15% | Latitude: 48.41581 Longitude: -96.727234 Datum: | |
| Are climatic/hydrologic conditions on the site typical for this time of year? (If no, explain in remarks) | | ☑ Yes ☐ No | Section: |
| Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? | | Are normal circumstances present? | Township: |
| Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? | | ☑ Yes ☐ No | Range: Dir: |

## SUMMARY OF FINDINGS

Hydrophytic Vegetation Present? Yes
Wetland Hydrology Present? Yes
Hydric Soils Present? Yes
Is This Sampling Point Within A Wetland? **Yes**

Remarks: The wetland is a Shrub-Carr community in a swale. The wetland complex also includes a seasonally-flooded basin community and shallow marsh community.

## HYDROLOGY

**Wetland Hydrology Indicators** (Check all that apply; Minimum of one primary or two secondary required)**:**

Primary:
- ☐ A1 - Surface Water
- ☐ A2 - High Water Table
- ☐ A3 - Saturation
- ☑ B1 - Water Marks
- ☐ B2 - Sediment Deposits
- ☐ B3 - Drift Deposits
- ☐ B4 - Algal Mat or Crust
- ☐ B5 - Iron Deposits
- ☐ B7 - Inundation Visible on Aerial Imagery
- ☐ B9 - Water-Stained Leaves
- ☐ B11 - Salt Crust
- ☐ B13 - Aquatic Fauna
- ☐ C1 - Hydrogen Sulfide Odor
- ☐ C2 - Dry Season Water Table
- ☐ C3 - Oxidized Rhizospheres on Living Roots (not tille
- ☐ C4 - Presence of Reduced Iron
- ☐ C7 - Thin Muck Surface
- ☐ Other (Explain)

Secondary:
- ☐ B6 - Surface Soil Cracks
- ☐ B8 - Sparsely Vegetated Concave Surface
- ☐ B10 - Drainage Patterns
- ☐ C3 - Oxidized Rhizospheres on Living Roots (tilled)
- ☐ C8 - Crayfish Burrows
- ☐ C9 - Saturation Visible on Aerial Imagery
- ☑ D2 - Geomorphic Position
- ☑ D5 - FAC-Neutral Test
- ☐ D7 - Frost-Heaved Hummocks (LRR F)

**Field Observations:**

Surface Water Present? Yes ☐ Depth: _____ (in.)
Water Table Present? Yes ☐ Depth: _____ (in.)
Saturation Present? Yes ☐ Depth: _____ (in.)

**Wetland Hydrology Present?** Y

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Water marks are obvious on the Equisetum stems. Indicators of wetland hydrology are present.

## SOILS

Profile Description (Describe to the depth needed to document the indicator or confirm the absence of indicators.)
(Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered/Coated Sand Grains; Location: PL=Pore Lining, M=Matrix)

| Depth (In.) | Matrix Color (Moist) | | Matrix % | Mottles Color (Moist) | | Mottles % | Mottles Type | Mottles Location | Texture | Remarks |
|---|---|---|---|---|---|---|---|---|---|---|
| 0-2 | Hue_10YR | 3/1 | 100 | | | | | | MMI | the mineral component is silty clay |
| 2-12 | Hue_10YR | 5/1 | 60 | Hue_10YR | 4/4 | 5 | C | M | S | |
| | | | | Hue_10YR | 4/1 | 35 | C | M | S | streaking |
| 12-20 | Hue_10YR | 3/1 | 90 | | | | | | LS | |
| 12-20 | Hue_10YR | 5/1 | 5 | Hue_10YR | 4/6 | 5 | C | M | S | redox concentrations associated with depleted sand veins |
| | | | | | | | | | | |

**NRCS Hydric Soil Field Indicators** (check here if indicators are not present)**:** ☐

- ☐ A1- Histosol
- ☐ A2 - Histic Epipedon
- ☐ A3 - Black Histic
- ☐ A4 - Hydrogen Sulfide
- ☐ A5 - Stratified Layers (LRR F)
- ☐ A9 - 1 cm Muck (LRR FGH)
- ☑ A11 - Depleted Below Dark Surface
- ☐ A12 - Thick Dark Surface
- ☐ S1 - Sandy Mucky Mineral
- ☐ S2 - 2.5 cm Mucky Peat or Peat (LRR G, H)
- ☐ S3 - 5 cm Mucky Peat or Peat (LRR F)
- ☐ S4 - Sandy Gleyed Matrix
- ☑ S5 - Sandy Redox
- ☐ S6 - Stripped Matrix
- ☐ F1 - Loamy Mucky Mineral
- ☐ F2 - Loamy Gleyed Matrix
- ☐ F3 - Depleted Matrix
- ☐ F6 - Redox Dark Surface
- ☐ F7 - Depleted Dark Surface
- ☐ F8 - Redox Depressions
- ☐ F16 - High Plains Depressions (MLRA 72, 73 of LRR H)

**Indicators for Problematic Soils[1]**
- ☐ A9 - 1 cm Muck (LRR I, J)
- ☐ A16 - Coast Prairie Redox (LRR F, G, H)
- ☐ S7 - Dark Surface (LRR G)
- ☐ F16 - High Plains Depressions (LRR H, outside MLRA 72, 73)
- ☐ F18 - Reduced Vertic
- ☐ TF2 - Red Parent Material
- ☐ TF12 - Very Shallow Dark Surface
- ☐ Other (Explain in Remarks)

[1]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

**Restrictive Layer** Type: _____ Depth: _____

**Hydric Soil Present?** Y

Remarks: The soil profile fits the criteria for two hydric soil indicators.

# WETLAND DETERMINATION DATA FORM
## Great Plains Region

Project/Site: L3R | Sample Point: **w-157n47w16-i1**

**VEGETATION** (Species identified in all uppercase are non-native species.)

Tree Stratum (Plot size: 30 ft. radius)

| | Species Name | % Cover | Dominant | Ind.Status |
|---|---|---|---|---|
| 1. | | | | |
| 2. | | | | |
| 3. | | | | |
| 4. | | | | |
| 5. | | | | |
| 6. | | | | |
| 7. | | | | |
| 8. | | | | |
| 9. | | | | |
| 10. | | | | |
| | Total Cover = | 0 | | |

Sapling/Shrub Stratum (Plot size: 15 ft. radius)

| | | | | |
|---|---|---|---|---|
| 1. | *Salix interior* | 40 | Y | FACW |
| 2. | *Salix eriocephala* | 20 | Y | FACW |
| 3. | *Populus deltoides* | 5 | N | FAC |
| 4. | | | | |
| 5. | | | | |
| 6. | | | | |
| 7. | | | | |
| 8. | | | | |
| 9. | | | | |
| 10. | | | | |
| | Total Cover = | 65 | | |

Herb Stratum (Plot size: 5 ft. radius)

| | | | | |
|---|---|---|---|---|
| 1. | *Equisetum hyemale* | 40 | Y | FACW |
| 2. | *Typha X glauca* | 5 | N | OBL |
| 3. | *Carex emoryi* | 3 | N | OBL |
| 4. | | | | |
| 5. | | | | |
| 6 | | | | |
| 7. | | | | |
| 8. | | | | |
| 9. | | | | |
| 10. | | | | |
| 11. | | | | |
| 12. | | | | |
| 13. | | | | |
| 14. | | | | |
| 15. | | | | |
| | Total Cover = | 48 | | |

Woody Vine Stratum (Plot size: 30 ft. radius)

| | | | | |
|---|---|---|---|---|
| 1. | | | | |
| 2. | | | | |
| 3. | | | | |
| 5. | | | | |
| 4. | | | | |
| | Total Cover = | 0 | | |

### Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ***100.0%*** (A/B)

### Prevalence Index Worksheet

| Total % Cover of: | | Multiply by: | |
|---|---|---|---|
| OBL spp. | 8 | x 1 = | 8 |
| FACW spp. | 100 | x 2 = | 200 |
| FAC spp. | 5 | x 3 = | 15 |
| FACU spp. | 0 | x 4 = | 0 |
| UPL spp. | 0 | x 5 = | 0 |
| Total | 113 (A) | | 223 (B) |

Prevalence Index = B/A = ***1.973***

### Hydrophytic Vegetation Indicators:

| | |
|---|---|
| | Rapid Test for Hydrophytic Vegetation |
| X | Dominance Test is > 50% |
| X | Prevalence Index is ≤ 3.0 * |
| | Morphological Adaptations (Explain) * |
| | Problem Hydrophytic Vegetation (Explain) * |

* Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

### Definitions of Vegetation Strata:

**Tree -** Woody plants 3 in. (7.6cm) or more in diameter at breast height (DBH), regardless of height.

**Sapling/Shrub -** Woody plants less than 3 in. DBH, regardless of height.

**Herb -** All herbaceous (non-woody) plants, regardless of size.

**Woody Vines -** All woody vines, regardless of height.

**Hydrophytic Vegetation Present?** Y

Remarks: The Shrub-Carr community is dominated by sandbar willow with an herbaceous layer dominated by common scouring rush.

**Additional Remarks:**