WETLAND DETERMINATION DATA FORM Great Plains Region

Project/Site:		L3R								Date: 09/29/14	_	
Applicant: Enbridge							County: Pennington	_				
	Investigators: MRK/OTG				_Subregior	•	State: MN	_				
Soil Unit:	159A						I Classification:			450.40.0.4		
Landform:	Dip		1 - Co. J. 40 O		cal Relief:		4504667	Datima		Sample Point: w-152n43w9-a1		
Slope (%):	0 - 2%	onditions on the site	Latitude: 48.0		Longitude:			Datum: ☑ Yes	□ No	Continue		
					ai : (ii no, exp					Section:		
Are Vegetation		I □, or Hydrology I □, or Hydrology	•			Ale	e normal circum ☑ Yes	□ No	esent?	Township: Range: Dir:		
Are Vegetation			Haturally pro	bblematic:			<u> </u>	□ I N O		Range: Dir:		
Hydrophytic \			Yes					Hydric Soi	ls Present?	Vas		
Wetland Hyd				Yes			Hydric Soils Present? Is This Sampling Poir					
		d sample point is lo		adside ditch	running ald	ng a gra	avel road	io Triio Cai	mpinig r on	it within a would in the		
- Komano.	THE Welland			adorate artern	arii ii ig aic	nig a git	270110441					
HYDROLOG	Υ											
		inators (Chaok all	that apply: M	inimum of on	o primary	or two o	ooondory roquir	rad).				
Primary:		icators (Check all	that apply; w	inimum of or	e primary	or two s	econdary requir	ea):	Secondary:			
	A1 - Surface	Water			B11 - Salt (Crust			<u>Secondary.</u>	<u>-</u> B6 - Surface Soil Cracks		
	A2 - High Wa				B13 - Aqua					B8 - Sparsely Vegetated Concave	Surface	
	A3 - Saturation				C1 - Hydro					B10 - Drainage Patterns		
	B1 - Water M				C2 - Dry Se			Dooto (not till		C3 - Oxidized Rhizospheres on Livi	ng Roots (tilled)	
	B2 - Sedimer B3 - Drift Dep	•			C3 - Oxidiz		spheres on Living	Roots (not till		C8 - Crayfish Burrows C9 - Saturation Visible on Aerial Im	agery	
	B4 - Algal Ma				C7 - Thin M				✓	D2 - Geomorphic Position	agory	
	B5 - Iron Dep				Other (Expl	lain)			✓	D5 - FAC-Neutral Test		
		on Visible on Aerial Im	nagery							D7 - Frost-Heaved Hummocks (LR	R F)	
	B9 - water-S	tained Leaves										
Field Observ	vatione											
Surface Water		Voc. □	Donth		(in)							
Water Table		Yes □ Yes □	Depth Depth		_ (in.) _ (in.)			Wetland F	Hydrology	Present? Y		
Saturation Pr		Yes \square	Depti		- (in.)					_		
			<u> </u>		<u> </u>							
	<u> </u>	stream gauge, moni			<u>.</u>							
Remarks:	The wetland	d sample point is lo	ocated in a dif	ich and supp	orts hydrop	ohytic ve	getation.					
SOUS												
SOILS Profile Descri	intion (Descr	ibe to the depth ne	eded to docu	ment the indi	cator or co	nfirm th	e absence of in	dicators)				
		etion, RM=Reduced Ma										
			·		·		<u> </u>	•				
		Matrix				Mottl	es					
Depth (In.)		Color (Moist)	%	Color (Moist)	%	Туре	Location	Texture	Remarks		
NRCS Hydr	ic Soil Field	Indicators (ch	neck here if in	dicators are i	not present	t):		•				
1		•			•	,			Indicators	for Problematic Soils ¹		
	A1- Histosol			S5 - Sandy R	edox				A9 - 1 cm M	/luck (LRR I, J)		
□ A2 - Histic Epipedon □ S6 - Stripped Matrix □									t Prairie Redox (LRR F, G, H)			
	□ A3 - Black Histic □ F1 - Loamy Mucky Mineral □ S7 - Dark Surface (LRR G)							,				
	A4 - Hydrogen Sulfide								2, 73)			
	A5 - Stratified Layers (LRR F)											
	A11 - Depleted Below Dark Surface							☐ TF12 - Very Shallow Dark Surface				
			13 1 <i>)</i>							nydropnytic vegetation and wetiand nydrolog ed or problematic.	y must be present,	
	S4 - Sandv G	leyed Matrix							arnood alotarb	ed of problematic.		
	S4 - Sandy G	leyed Matrix								ed of problematic.		
		•		Danth			Updala Ca	il Droomto		ed of problematic.		
Restrictive Layer	r Type:			Depth				il Present?	Υ Υ	position and dominance of hydr		

WETLAND DETERMINATION DATA FORM

Great Plains Region

Project/Site	: L3R				Sample Point: w-152n43w9-a1				
VEGETATIO	(Species identified in all uppercase ar	e non-native	species.)						
Tree Stratum	(Plot size: 30 ft. radius)								
	<u>Species Name</u>	% Cover	Dominant	Ind.Status	Dominance Test Worksheet				
1.									
2.					Number of Dominant Species that are OBL, FACW, or FAC: 2 (A)				
3.									
4.					Total Number of Dominant Species Across All Strata: 2 (B)				
5.					(-)				
6.					Percent of Deminant Species That Are ORL FACIAL or FAC: 100.09/ (A/P)				
					Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)				
7.					December on the deservition benefit				
8.					Prevalence Index Worksheet				
9.					Total % Cover of: Multiply by:				
10.					OBL spp 0				
	Total Cover =	0			FACW spp. 95 $x 2 = 190$				
					FAC spp. $0 X 3 = 0$				
Sapling/Shrub	Stratum (Plot size: 15 ft. radius)				OBL spp. 0				
1.					$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
2.									
3.					Total 05 (A) 100 (P)				
					Total <u>95</u> (A) <u>190</u> (B)				
4.									
5.					Prevalence Index = B/A = 2.000				
6.									
7.									
8.					Hydrophytic Vegetation Indicators:				
9.					Rapid Test for Hydrophytic Vegetation				
10.					X Dominance Test is > 50%				
	Total Cover =	0			X Prevalence Index is ≤ 3.0 *				
	10141 00101 -								
	(D)				Morphological Adaptations (Explain) *				
	(Plot size: 5 ft. radius)		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	E4 0)4/	Problem Hydrophytic Vegetation (Explain) *				
1.	Spartina pectinata	45	Υ	FACW					
2.	Calamagrostis stricta	40	Y	FACW	* Indicators of hydric soil and wetland hydrology must be				
3.	Juncus arcticus	10	N	FACW	present, unless disturbed or problematic.				
4.					Definitions of Vegetation Strata:				
5.					1				
6					Tree - Woody plants 3 in. (7.6cm) or more in diameter at breast				
7.					height (DBH), regardless of height.				
8.									
					Sapling/Shrub - Woody plants less than 3 in. DBH, regardless of height.				
9.					Sapinig/Siliub - Woody plants less than 5 m. BBH, regardess of height.				
10.									
11.									
12.					Herb - All herbaceous (non-woody) plants, regardless of size.				
13.									
14.									
15.					Woody Vines - All woody vines, regardless of height.				
	Total Cover =	95			1				
	Total Cover =	90	_						
M/ - 1 - 1/2 - 0	(DI + - ' - OO (+ I')								
	tratum (Plot size: 30 ft. radius)				4				
1.									
2.					-				
3.					Hydrophytic Vegetation Present?Y				
5.									
4.									
	Total Cover =	0							
Remarks: The wetland sample point is dominated by prairie cord grass and Northern reed grass.									
Tomaine. The welland cample point to deminated by praine dota grade and Northern food grade.									
Additional Remarks:									