WETLAND	DETERMINATIO	N DATA FOI	RM - Great Pl	ains Region
	/County: Red Lake			Sampling Date: 2017-06-22
Applicant/Owner: Enbridge	•	State: Minr	nesota	Sampling Point: w-150n41w2-aa1
Investigator(s): SMR, MRG		ction, Townsh	ip, Range: S2,	T150N, R41W
Landform (hillslope, terrace, etc.): Depression		Local Relief	(concave, conv	vex, none): CC Slope (%): 3-7%
Latitude: 47.8449920705	Longitude: -95	.85881427		
Datum: NAD83				
Soil Map Unit Name: 166A				NWI Classification: N/A
Are climatic/hydrologic conditions on the site typical	for this time of vea	r? (if no. expla	ain in Remarks)	Yes
Are Vegetation No , Soil No , or Hydrology No				<del></del>
Are Vegetation No , Soil No , or Hydrology No r				
SUMMARY OF FINDINGS - Attach site map showin				
Hydrophytic Vegetation Present?		Is the Samp		
Hydric Soil Present?		within a W		Yes
Wetland Hydrology Present?			nal Wetland Si	
Remarks: (Explain alternative procedures here or in a	<del></del>	In yes, optio	Tiai vvetiaira si	<u></u>
No digging allowed due to potential utilities present.				
The digging answer are to potential attribles present.				
<b>VEGETATION</b> - Use scientific names of plants.				
,	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30 )	% Cover	Species?	Status	Num ber of Do minant Species
1				That Are OBL, FACW, or FAC: 2 (A)
2.				Total Number of Dominant
3.				Species Across All Strata: 2 (B)
4				Percent of Dominant Species
	0 = 1	Total Cover		That Are OBL, FACW, or FAC: 100 (A/B)
Sapling/Shrub Stratum (Plot Size: 15 )				Prevalence Index worksheet:
1				Total % Cover of: Multiply by:
2				OBL species <u>50.00</u> x 1 <u>50</u>
3				FACW species <u>50.00</u> x 2 <u>100</u>
4				FACU species <u>0.00</u> x 3 <u>0</u>
5				UPL species <u>0.00</u> x 4 <u>0</u>
	0 = 7	Total Cover		Column Totals <u>100</u> (A) <u>150</u> (B)
Herb Stratum (Plot Size: 5)				Prevalence Index = B/A = 1.5
1. Phalaris arundinacea	50.00 Ye	es	FACW	Hydrophytic Vegetation Indicators:
2. Typha X glauca	50.00 Ye	es	OBL	yes 1 - Rapid Test for Hydrophytic Vegetation
3				yes 2 - Dominance Test is > 50%
4				yes 3 - Prevalence Index is ≤ 3.0 <sup>1</sup>
5		,		4 - Morph ological Adaptations (Provide supporting data in Remarks or on a separate sheet)
6				1
7				Problematic Hydrophytic Vegetation <sup>1</sup>
8				(Explain)
9				Indicators of hydrics oil and wetland hydrology must be present, unless disturbed or problematic.
10				•
	100 = 7	Total Cover		
Woody Vine Stratum (Plot Size: 30 )				
1				Hydrophytic
2				Vegetation Yes Present?
N. D	0 = 7	Total Cover		
% Bare Ground in Herb Stratum				
Remarks:				

<

rottle Description: (Describe to the depth ne	eded to document the indicator or confirm the	e absence of indicators.)
Depth Matrix	Redox Features	,
inches) Color (moist) %	Color (moist) % Type <sup>1</sup> Loc <sup>2</sup>	Texture Remarks
	7,5 1,465	. c.nac
Type: C=Concentration, D=Depletion, RM=Reduced M	atrix, MS=Masked Sand Grains.	<sup>2</sup> Location: PL=Pore Lining, M=
ydric Soil Indicators:		Indicators for Problematic Hydric Soil <sup>3</sup> :
Histosol (A1)	Sandy Gleyed Matrix (S4)	1cm Muck (A9) (LRR I, J)
Histic Epipedon (A2)	Sandy Red ox (S5)	Coast Prairie Redox (A16)(LRR K, L, R)
Black Histic (A3)	Stripped Matrix (S6)	Dark Surface (S7) (LRR G)
Hydrogen Sulfide (A4)	Loamy Mucky Mineral (F1) (LRR K, L)	High Plains Depressions (F16)
Stratified Layers (A5)	Loamy Gleyed Matrix (F2)	(LRR H outside of MLRA 72 & 73)
$\neg$		Reduced Vertic (F18)
1cm Muck (A9) ( <b>LRR F, G, H</b> )	☐ Depleted Matrix (F3)	H
Depleted Below Dark Surface (A11)	Re dox Dark Surface (F6)	Red Parent Material (F21)
Thick Dark Surface (A12)	Depleted Dark Surface (F7)	Very Shallow Dark Surface (TF12)
Sandy Mucky Mineral (S1)	Redox Depressions (F8)	Other (explain in remarks)
2.5cm Mucky Peat or Peat (S2)(LRR G, H)	High Plains Depressions (F16)	
5cm Mucky Peat or Peat (S3) (LRR F)	(MLRA 72 & 73 of LRR H)	<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrolo must be present, unless disturbed or problematic.
Depth (inches):emarks:	,	
	s assumed based on hydrology and hydrophitic vegetati	on.
IYDROLOGY Vetland Hydrology Indicators:		
rimary Indicators (minimum of one is required	1. check all that anniv)	Secondary Indicators (minimum of two requ
Surface Water (A1)	Salt Crust (B11)	Surface Soil Cracks (B6)
High Water Table (A2)	Aquatic Invertebrates (B13)	Sparsely Vegetated Concave Surface (B8)
	Hydrogen Sulfide Odor (C1)	Drainage Patterns (B10)
Saturation (AS)		
Saturation (A3)  Water Marks (B1)		Oxidized Rhizospheres on Living Roots (C3
	Dry-Season Water Table (C2) Oxidized Rhizospheres on Living Roots (C3)	Oxidized Rhizospheres on Living Roots (C3 (where tilled)
Water Marks (B1)	Dry-Season Water Table (C2)	<del></del>
Water Marks (B1)  Sediment Deposits (B2)	Dry-Season Water Table (C2) Oxidized Rhizospheres on Living Roots (C3)	(where tilled)
Water Marks (B1)  Sed iment Deposits (B2)  Drift Deposits (B3)	Dry-Season Water Table (C2) Oxidized Rhizospheres on Living Roots (C3) (where not tilled)	(where tilled) Crayfish Burrows (C8)
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4)	Dry-Season Water Table (C2) Oxidized Rhizospheres on Living Roots (C3) (where not tilled) Presence of Reduced Iron (C4)	(where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9)
Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)	Dry-Season Water Table (C2) Oxidized Rhizospheres on Living Roots (C3) (where not tilled) Presence of Reduced Iron (C4) Thin Muck Surface (C7)	(where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) yes Geomorphic Position (D2)
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Imagery (B7) ield Observations:	Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living Roots (C3)  (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)	(where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) yes Geomorphic Position (D2) yes FAC-Neutral Test (D5)
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Imagery (B7) ield Observations: urface Water Present? No	Dry-Season Water Table (C2) Oxidized Rhizospheres on Living Roots (C3) (where not tilled) Presence of Reduced Iron (C4) Thin Muck Surface (C7) Other (Explain in Remarks)  Depth (inches)	(where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  yes Geomorphic Position (D2)  yes FAC-Neutral Test (D5)
Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Water-Stained Leaves (B9)  Inundation Visible on Aerial Imagery (B7)  ield Observations:  urface Water Present?  No	Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living Roots (C3)  (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)	(where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (D7) (LRR F)
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Imagery (B7) ield Observations: urface Water Present? No Vater Table Present?	Dry-Season Water Table (C2) Oxidized Rhizospheres on Living Roots (C3) (where not tilled) Presence of Reduced Iron (C4) Thin Muck Surface (C7) Other (Explain in Remarks)  Depth (inches)	(where tilled)  Crayfish Burrows (C8)  Saturation Visible on Aerial Imagery (C9)  yes Geomorphic Position (D2)  yes FAC-Neutral Test (D5)
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Imagery (B7) ield Observations: urface Water Present? No Vater Table Present? aturation Present? includes capillary fringe)	Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living Roots (C3)  (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)	Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9)  yes Geomorphic Position (D2)  yes FAC-Neutral Test (D5) Frost-Heave Hummocks (D7) (LRR F)  Wetland Hydrology Present?  Yes
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Imagery (B7) ield Observations: urface Water Present? No Vater Table Present? aturation Present? includes capillary fringe)	Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living Roots (C3)  (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)  Depth (inches)	(where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (D7) (LRR F)  Wetland Hydrology Present?  Yes
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Imagery (B7) ield Observations: urface Water Present? No Vater Table Present? aturation Present? includes capillary fringe)	Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living Roots (C3)  (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)  Depth (inches)  Depth (inches)	(where tilled) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (D7) (LRR F)  Wetland Hydrology Present?  Yes