## WETLAND DETERMINATION DATA FORM - Great Plains Region

Project/Site: C	Polk ity/County:			Sampling Date:	2015-07-16
Applicant/Owner: Enbridge		Mir State:	nnesota	Sampling Point:	u-150n45w17-a1
Investigator(s): BCS/BJC		Section, Towns	ship, Range:		
Sideslope Landform (hillslope, terrace, etc.):		Local Relie	ef (concave, con	vex, none):	Slope (%):
Subregion (LRR or MLRA):	Latitud	47.80795210 e:	51 Longi	-96.43923659 tude:	
Minnesota State Plane North, NAD 8 Datum:	3 (2011) U.S. feet				
I29D Soil Map Unit Name:				NWI Classificatio	PFO1A
Are climatic/hydrologic conditions on the site typic					Yes
No No No No Are Vegetation, Soil, or Hydrology					
No No No No Are Vegetation, Soil, or Hydrology					
SUMMARY OF FINDINGS - Attach site map show					
Hydrophytic Vegetation Present?	No		pled Area	•	
Hydric Soil Present?	No	within a V		No	
	No		ional Wetland S	ite ID:	•
Wetland Hydrology Present? Remarks: (Explain alternative procedures here or in	n a separate repo				
Sample area located within a mapped NWI next to	a farm road. No l	hydrophytic veg	etation or wetla	and hydrology indicators were	observed. Soils could n
<b>VEGETATION</b> - Use scientific names of plants.					
	Absolute % Cover	Dominant	Indicator	Dominance Test worksheet:	
Tree Stratum (Plot Size:)	∕₀ Covei	Species?	Status	Number of Dominant Species	
1.					(A)
2		_		Total Number of Dominant	
3				Species Across All Strata:	(B)
4		-		Percent of Dominant Species	
	0	_ = Total Cover		That Are OBL, FACW, or FAC:	(A/B)
Sapling/Shrub Stratum (Plot Size: 15 ft )				Prevalence Index worksheet:	
1. Symphoricarpos albus	10.00	Yes	UPL	Total % Cover of:	Multiply by:
2				OBL species 0.00	x 1 <u>0</u>
3				FACW species 0.00	x 2 <u>0</u>
4		_	_	FACU species 0.00	x 3 <u>60</u>
5				UPL species 95.00	<del>- ""</del>
	10	_ = Total Cover		Column Totals 110	(A) <u>535</u> (B)
Herb Stratum (Plot Size: 5 ft  1. Bromus inermis	75.00	Yes	UPL	Prevalence Index = B/ Hydrophytic Vegetation Indicators	
2. Andropogon gerardii	10.00	No No	FACU	1 - Rapid Test for Hydroph	
3. Tragopogon dubius	10.00	No No		no 2 - Dominance Test is > 50	-
4. Anemone virginiana	5.00	No	FACU	no 3 - Prevalence Index is ≤ 3	
5	_			4 - Morphological Adapta	
6				supporting data in Remarks or o	a separate sheet)
7			_	Problematic Hydrophytic Vegetatio	n <sup>1</sup>
8	_	_		(Explain)	
9				Indicators of hydric soil and wetland hydro unless disturbed or problematic.	logy must be present,
10	_			·	
	100	= Total Cover			
Woody Vine Stratum (Plot Size:)		0.00076.			
1.					
2	0	- Total Course	_		
	0	_ = Total Cover			
% Bare Ground in Herb Stratum				Hydrophytic Vegetation	
		-		Present?	
Remarks:					
The upland sample point is dominated by snowberry and sm	ooth brome.				

Soil Sampling Point: u-150n45...

epth Matrix		Redox Features				
nches) Color (moist)	%		e <sup>1</sup> Loc <sup>2</sup>	Texture	Remark	ks
inches) color (moist)	70	Color (moist) /0 Type	LOC	TEXTUTE	Keman	K3
	_					
		<u> </u>				
					2,	
ype: C=Concentration, D=Depletion, RM	1=Reduced Matrix	, MS=Masked Sand Grains.				=Pore Lining, M=Ma
rdric Soil Indicators:				_	or Problematic Hydric Soil <sup>3</sup> :	
Histosol (A1)		Sandy Gleyed Matrix (S4)		1cm N	luck (A9) ( <b>LRR I, J</b> )	
Histic Epipedon (A2)		Sandy Redox (S5)		Coast F	Prairie Redox (A16)(LRR K, L, F	R)
Black Histic (A3)		Stripped Matrix (S6)		Dark Si	urface (S7) (LRR G)	
7			DD K 1)		ains Depressions (F16)	
☐ Hydrogen Sulfide (A4)		Loamy Mucky Mineral (F1) (L	KK K, L)	nigit Fi	iailis Depressions (F10)	
Stratified Layers (A5)		Loamy Gleyed Matrix (F2)		(LRR H c	outside of MLRA 72 & 73)	
1cm Muck (A9) ( <b>LRR F, G, H</b> )		Depleted Matrix (F3)		Reduce	ed Vertic (F18)	
Depleted Below Dark Surface (A11)		Redox Dark Surface (F6)		Red Pa	rent Material (F21)	
7						
Thick Dark Surface (A12)		Depleted Dark Surface (F7)			hallow Dark Surface (TF12)	
Sandy Mucky Mineral (S1)		Redox Depressions (F8)		U Other	(explain in remarks)	
2.5cm Mucky Peat or Peat (S2)(LRR	G, H)	High Plains Depressions (F16)		<b>3</b> .		
5cm Mucky Peat or Peat (S3) (LRR F	=1	(MLRA 72 & 73 of LRR H)			of hydrophytic vegetation and Irology must be present, unle	
= Sem Macky Feat of Feat (55) (Emili	,	(MERCA 72 & 73 OF ERR TI)			problematic.	33
				uistar bed or	problematic	
strictive Layer (if present):	Ш					
Type:			Hv	dric Soil Present?	No	
			,			
nable to dig due to the location next to a	a farm road. Soils a	are assumed non-hydric due to the lan	dscape positic	on and dominance o	of upland vegetation.	
Depth (inches):emarks: Inable to dig due to the location next to a a second secon	a farm road. Soils a	are assumed non-hydric due to the lan	dscape positic	on and dominance o	of upland vegetation.	
emarks: Inable to dig due to the location next to a  YDROLOGY /etland Hydrology Indicators:			dscape positic			
marks: nable to dig due to the location next to a  YDROLOGY  retland Hydrology Indicators: rimary Indicators (minimum of one		neck all that apply)	dscape positic		ndary Indicators (minimu	ım of two require
yDROLOGY  Tetland Hydrology Indicators:  imary Indicators (minimum of one  Surface Water (A1)		neck all that apply) Salt Crust (B11)	dscape positic		ndary Indicators (minimu Surface Soil Cracks (B6)	
marks: hable to dig due to the location next to a  YDROLOGY etland Hydrology Indicators: imary Indicators (minimum of one		neck all that apply)	dscape positic		ndary Indicators (minimu	
marks: nable to dig due to the location next to a  YDROLOGY etland Hydrology Indicators: imary Indicators (minimum of one Surface Water (A1)		neck all that apply) Salt Crust (B11)	dscape positic		ndary Indicators (minimu Surface Soil Cracks (B6)	
marks: nable to dig due to the location next to a  YDROLOGY  etland Hydrology Indicators: imary Indicators (minimum of one Surface Water (A1) High Water Table (A2)		neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)	dscape positic		ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca	ve Surface (B8)
yDROLOGY etland Hydrology Indicators: imary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3)		neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)			ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10)	ve Surface (B8)
yDROLOGY etland Hydrology Indicators: imary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1)		neck all that apply) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Dry-Season Water Table (C2)			ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or	ve Surface (B8)
warks:  wable to dig due to the location next to a  yDROLOGY  etland Hydrology Indicators:  mary Indicators (minimum of one  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)		neck all that apply) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Dry-Season Water Table (C2) Oxidized Rhizospheres on Living			ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled)	ve Surface (B8) n Living Roots (C3)
yDROLOGY etland Hydrology Indicators: imary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)		neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)			ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8)	ve Surface (B8) n Living Roots (C3) nl Imagery (C9)
marks: hable to dig due to the location next to a  YDROLOGY  etland Hydrology Indicators: imary Indicators (minimum of one  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)		neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)		Secoi	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2)	ve Surface (B8) n Living Roots (C3) nl Imagery (C9)
marks: nable to dig due to the location next to a  YDROLOGY  etland Hydrology Indicators: imary Indicators (minimum of one  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Water-Stained Leaves (B9)	e is required; ch - - - - - -	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)		Secoi	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5)	ve Surface (B8) n Living Roots (C3) nl Imagery (C9)
marks: nable to dig due to the location next to a  YDROLOGY  retland Hydrology Indicators: imary Indicators (minimum of one  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Water-Stained Leaves (B9)  Inundation Visible on Aerial Imager	e is required; ch - - - - - -	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)		Secoi	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2)	ve Surface (B8) n Living Roots (C3) nl Imagery (C9)
marks: mable to dig due to the location next to a  YDROLOGY  etland Hydrology Indicators: imary Indicators (minimum of one  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Water-Stained Leaves (B9)  Inundation Visible on Aerial Imagereleld Observations:	e is required; ch - - - - - -	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)		Secoi	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5)	ve Surface (B8) n Living Roots (C3) nl Imagery (C9)
marks: nable to dig due to the location next to a  YDROLOGY  retland Hydrology Indicators: imary Indicators (minimum of one  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Water-Stained Leaves (B9)  Inundation Visible on Aerial Imager  reld Observations:  Inface Water Present?	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)		Secoi	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5)	ve Surface (B8) n Living Roots (C3) nl Imagery (C9)
marks: nable to dig due to the location next to a  YDROLOGY  retland Hydrology Indicators: imary Indicators (minimum of one  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Water-Stained Leaves (B9)  Inundation Visible on Aerial Imager  reld Observations: urface Water Present?  rater Table Present?	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)		Secon	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (D	ve Surface (B8)  n Living Roots (C3)  nl Imagery (C9)  O7) (LRR F)
marks: mable to dig due to the location next to a  YDROLOGY  retland Hydrology Indicators: imary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Imager eld Observations: urface Water Present? fater Table Present? inturation Present?	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)		Secon	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5)	ve Surface (B8) n Living Roots (C3) nl Imagery (C9)
Property of the location next to a second se	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)	g Roots (C3)	Secon ————————————————————————————————————	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (D	ve Surface (B8)  n Living Roots (C3)  nl Imagery (C9)  O7) (LRR F)
Property of the location next to a second se	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)	g Roots (C3)	Secon ————————————————————————————————————	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (D	ve Surface (B8)  n Living Roots (C3)  nl Imagery (C9)  O7) (LRR F)
YDROLOGY  Tetland Hydrology Indicators:  Timary Indicators (minimum of one  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Water-Stained Leaves (B9)  Inundation Visible on Aerial Imager  eld Observations:  urface Water Present?  fater Table Present?  includes capillary fringe)	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)	g Roots (C3)	Secon ————————————————————————————————————	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (D	ve Surface (B8)  n Living Roots (C3)  nl Imagery (C9)  O7) (LRR F)
POROLOGY  Petland Hydrology Indicators:  Imary Indicators (minimum of one  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Water-Stained Leaves (B9)  Inundation Visible on Aerial Imager eld Observations:  Inface Water Present?  Inturation Present?  Inturation Present?  Inturation Present?  Includes capillary fringe)  Esscribe Recorded Data (stream gates)	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)	g Roots (C3)	Secon ————————————————————————————————————	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (D	ve Surface (B8)  n Living Roots (C3)  nl Imagery (C9)  O7) (LRR F)
marks: mable to dig due to the location next to a  YDROLOGY  etland Hydrology Indicators: imary Indicators (minimum of one  Surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Water-Stained Leaves (B9)  Inundation Visible on Aerial Imager eld Observations: urface Water Present? ater Table Present? turation Present? turation Present? includes capillary fringe) escribe Recorded Data (stream gater)	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)  Depth (inches)	g Roots (C3)	Secon ————————————————————————————————————	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (D	ve Surface (B8)  n Living Roots (C3)  nl Imagery (C9)  O7) (LRR F)
YDROLOGY  Yetland Hydrology Indicators:  Imary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Imager eld Observations: Irface Water Present? Inturation Present? Inturation Present? Includes capillary fringe) Escribe Recorded Data (stream gater	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)  Depth (inches)	g Roots (C3)	Secon ————————————————————————————————————	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (D	ve Surface (B8)  n Living Roots (C3)  nl Imagery (C9)  O7) (LRR F)
YDROLOGY  //etland Hydrology Indicators: rimary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Water-Stained Leaves (B9) Inundation Visible on Aerial Imager eld Observations: urface Water Present? //ater Table Present? includes capillary fringe) escribe Recorded Data (stream gater) emarks:	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)  Depth (inches)	g Roots (C3)	Secon ————————————————————————————————————	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (D	ve Surface (B8)  n Living Roots (C3)  nl Imagery (C9)  O7) (LRR F)
Property of the location next to a semarks:  nable to dig due to the location next to a semark semar	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)  Depth (inches)	g Roots (C3)	Secon ————————————————————————————————————	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (C	ve Surface (B8)  In Living Roots (C3)  Il Imagery (C9)  O7) (LRR F)
Process  Pro	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)  Depth (inches)	g Roots (C3)	Secoi no wetland H	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (C	ve Surface (B8)  In Living Roots (C3)  Il Imagery (C9)  NO  NO  NO  Street Region – Version
Property of the location next to a semarks:  nable to dig due to the location next to a semark semar	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)  Depth (inches)	g Roots (C3)	Secoi no wetland H	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (C	ve Surface (B8)  In Living Roots (C3)  Il Imagery (C9)  NO  NO  NO  Street Region – Version
Property of Engineers  Parmarks:  Inable to dig due to the location next to a primary Indicators (minimum of one of the surface Water (A1)  High Water Table (A2)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Water-Stained Leaves (B9)  Inundation Visible on Aerial Imager (Pater Table Present? Pater Table Present? (Pater Table Present? (P	e is required; ch	neck all that apply)  Salt Crust (B11)  Aquatic Invertebrates (B13)  Hydrogen Sulfide Odor (C1)  Dry-Season Water Table (C2)  Oxidized Rhizospheres on Living (where not tilled)  Presence of Reduced Iron (C4)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Depth (inches)  Depth (inches)  Depth (inches)	g Roots (C3)	Secoi no wetland H	ndary Indicators (minimu Surface Soil Cracks (B6) Sparsely Vegetated Conca Drainage Patterns (B10) Oxidized Rhizospheres or (where tilled) Crayfish Burrows (C8) Saturation Visible on Aeria Geomorphic Position (D2) FAC-Neutral Test (D5) Frost-Heave Hummocks (C	ve Surface (B8)  In Living Roots (C3)  Il Imagery (C9)  NO  NO  NO  Street Region – Version