WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: SPP	City/County: Clearwat	er Sampling Date: 6/4/2014
Applicant/Owner: Enbridge		State: MN Sampling Point: CLC5079c1W
Investigator(s): EAB/RAJ		Section, Township, Range:
Landform (hillslope, terrace, etc.): Toeslope		I relief (concave, convex, none) LC
Slope (%): 0 - 2% Lat.: 47.394375	Long.: -95.252149	Datum:
Soil Map Unit Name: 40B	. H	NWI Classification: PEMC
Are climatic/hydrologic conditions of the site typical fo Are vegetation , soil , or hydrologic		(If no, explain in remarks)
Are vegetation, soil, or hydrold (If needed, explain any answers in remarks)	gy naturally prob	plematic? present?
(II fleeded, explain any answers in femaliks)		
SUMMARY OF FINDINGS		
SOMIMART OF FINDINGS		
Hydrophytic vegetation present? Hydric soil present? Y	Is the sampled a	area within a wetland?
Hydric soil present? Indicators of wetland hydrology present? Y	If yes, optional w	etland site ID:
	-	
Remarks: (Explain alternative procedures here or in a		
The wetland is an alder thicket that just barely	enters the corridor.	
HYDROLOGY		Secondary Indicators (minimum of two
✓ High Water Table (A2) ☐ Aq ✓ Saturation (A3) ☐ Ma ☐ Water Marks (B1) ☐ Hy ☐ Sediment Deposits (B2) ☐ Ox ☐ Drift Deposits (B3) Ro ☐ Algal Mat or Crust (B4) ☐ Pre	ter-Stained Leaves (B9) uatic Fauna (B13) rl Deposits (B15) drogen Sulfide Odor (C1) idized Rhizospheres on Livir ots (C3) esence of Reduced Iron (C4)	required) Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16) Dry-Season Water Table (C2) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9)
	cent Iron Reduction in Tilled Is (C6)	☐ Stunted or Stressed Plants (D1)☐ Geomorphic Position (D2)
	n Muck Surface (C7)	☐ Shallow Aquitard (D3)
	ner (Explain in Remarks)	☐ Microtopographic Relief (D4)
Surface (B8)	. ()	FAC-Neutral Test (D5)
Field Observations:	5 4 4 1 1	Indicators of
Surface water present? Yes U Water table present? Yes ✓	Depth (inches): _ Depth (inches):	4 wetland
Saturation present? Yes	Depth (inches):	0 hydrology
(includes capillary fringe)		present? Y
` , , , ,		· <u></u>
Describe recorded data (stream gauge, monitoring we	ll, aerial photos, previous i	inspections), if available:
Remarks:		
Soils are saturated throughout the wetland.		

/EGETATION - Use scientific names of plants		Sampling Point:			
Tree Stratum Plot Size (30 ft)	Absolute % Cover	Dominant Species	Indicator Status	50/20 Thresholds Tree Stratum Sapling/Shrub Stratum Herb Stratum Woody Vine Stratum	20% 50% 0 0 8 20 15 38 0 0
Sapling/Shrub Stratum Plot Size (15 ft)		Total Cover Dominant Species	Indicator	Dominance Test Worksher Number of Dominant Species that are OBL, FACW, or FAC: Total Number of Dominant Species Across all Strata: Percent of Dominant Species that are OBL, FACW, or FAC:	3 (A) 4 (B) 75.00% (A/B)
1	40	Y	FACW	Prevalence Index Workshot Total % Cover of: OBL species 40 x 1 FACW species 60 x 2 FAC species 0 x 3 FACU species 0 x 4 UPL species 15 x 5 Column totals 115 (A) Prevalence Index = B/A = A A	= 40 = 120 = 0 = 0
Herb Stratum Plot Size (5 ft) Carex lacustris Euryb ia macrophylla Calamagrostis canadensis Rubus pubescens Equisetum sylvaticum Ribes hirtellum	Absolute % Cover 25 15 10 5 5	Total Cover Dominant Species Y Y Y N N N	Indicator Status OBL UPL OBL FACW FACW	Hydrophytic Vegetation In Rapid test for hydrophytic X Dominance test is >50% X Prevalence index is ≤3.0 Morphological adaptatio supporting data in Remainsheet) Problematic hydrophytic Indicators of hydric soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present, unless disturbed or problematic hydrophytic soil and wetla present.	ic vegetation p p* ns* (provide arks or on a separate vegetation* (explain nd hydrology must be
00 111 122 133 144				Definitions of Vegetation S Tree - Woody plants 3 in. (7.6 cm) breast height (DBH), regardless of Sapling/shrub - Woody plants les greater than 3.28 ft (1 m) tall.	or more in diameter at height.
Woody Vine Stratum Plot Size (30 ft)	75 = Absolute % Cover	Total Cover Dominant Species	Indicator Status	Herb - All herbaceous (non-woody size, and woody plants less than 3 Woody vines - All woody vines grheight.	.28 ft tall.
3 4 5	0 =	Total Cover		Hydrophytic vegetation present? Y	

SOIL								Samp	ling Point:	CLC5079c1W
			the d	epth needed to				onfirm the	absence of	indicators.)
Depth		Matrix	1	Redox Features				Т		Remarks
(ln.)		(moist)	%	Color (moist) % Type*				Loc**	Texture	
0-8	Hue_10YR	3/2	95	Hue_10YR	4/4	5	С	М	MMI	
8-18	Hue_10YR	6/1	60	Hue_7.5YR	3/4	40	С	М	С	
			1 1							
*Type:	C=Concentra	ation, D=Dep	letion	, RM=Reduced	Matrix, CS	=Cover	red or Coat	ed Sand	Grains	
**Locat	ion: PL=Pore	Lining, M=	Matrix							
Hydric	Soil Indicat	ors:						Indicat	ors for Prob	lematic Hydric Soils:
☐ Hydrogen Sulfide (A4)					nt or Peat (S3) (LRR K, L, R) (7) (LRR K, L) (8) Surface (S8) (LRR K, L) (9) Ce (S9) (LRR K, L) (9) Masses (F12) (LRR K, L, R) (9) Solis (F19) (MLRA 149B) (9) MLRA 144A, 145, 149B) (9) Surface (TF12) (1) Remarks)					
Restrictive Layer (if observed): Type: Depth (inches):							Hydric soil present?Y			
Remark Muc		soil is pres	sent a	at the surface.	Redox fe	eature	s were ol	oserved	below.	