WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: 13_mainline	City/Cour	City/County: Clearwater			Sampling Date: 2017-06-09		
Applicant/Owner: Enbridge			State: Minnesota	Sampling F	oint: CLC5092b2	20W	
Investigator(s): DPT, MRG	Sect	ion, Township, f	Range: S23, T145N, R36W				
Landform (hillslope, terrace, etc.): Depression			Local Relief (concave, con	wey none):((Slope (% 0-2%	6):	
	1					<u> </u>	
Subregion (LRR or MLRA):		Latitude: 47	7.358658919155 Lon	ngitude: <u>-95.22200832</u>		<u> </u>	
Soil Map Unit Name: 672				NWICIassit	ication: N/A		
Are climatic/hydrologic conditions on the site	typical for this	time of year? (i	f no, explain in Remarks):		No		
Are Vegetation No , Soil No , or Hydrolo	gy <u>No</u> signifi	cantly disturbed	? Are "Normal Circumsta	nces" present? Yes			
Are Vegetation No , Soil No , or Hydrology	No naturally	y problematic?	(If needed, explain any ar	nswers in Remarks)			
SUMMARY OF FINDINGS - Attach site map	showing samp	oling point locat	ions, transects, importan	t features, etc.			
Hydrophytic Vegetation Present?		Yes Is the Sampled Area					
Hydric Soil Present?	Yes		within a Wetland?		<u>Yes</u>		
Wetland Hydrology Present?	Yes		If yes, optional Wetland S	iite ID:	CLC5092b1W		
Remarks: (Explain alternative procedures he	re or in a separa	ate report.)					
HYDROLOGY							
Wetland Hydrology Indicators:				Secondary Indicator	s (minimum of tv	vo required)	
Primary Indicators (minimum of one is require	ed; check all th	at apply)		Surface Soil	Cracks (B6)		
Surface Water (A1)	Wa	ter-Stained Leaves	(B9)	 Drainage Pat	terns (B10)		
		uatic Fauna (B13)			Moss Trim Lines (B16)		
Saturation (A3) Marl Deposits (B:				Dry-Season \	Dry-Season Water Table (C2)		
		drogen Sulfide Odoi	r (C1)	Crayfish Burr	Crayfish Burrows (C8)		
<u> </u>		dized Rhizospheres	on Living Roots (C3)	Saturation Vi	Saturation Visible on Aerial Imagery (C9)		
Drift Deposits (B3)		sence of Reduced I	ron (C4)	Stunted/Stressed Plants (D1)			
Algal Mat or Crust (B4)		ent Iron Reduction	in Tilled Soils (C6)	yes Geomorphic Position (D2)			
Iron Deposits (B5)		n Muck Surface (C7)	Shallow Aquitard (D3)			
Inundation Visible on Aerial Imagery (B7)		ner (Explain in Rema	arks)	Microto pogra	Microto pographic Relief (D4)		
Sparsely Vegetated Concave Surface (B8)				yes FAC-Neutral	Test (D5)		
Field Observations:							
Surface Water Present?	No	Depth (inches)					
Water Table Present?	′es	Depth (inches)	20				
	es	Depth (inches)		Wetland Hydrology Pre	sent?	Yes	
(includes capillary fringe)							
Describe Recorded Data (stream gauge, moni	toring well. aer	rial photos, prev	ious inspections), if availa	ble:			
,	g - ,	, , , , , , ,	,				
Remarks:							

Number of Dominant Species Number of Dominant Species Status	
1. That Are OBL, FACW, or FAC: 5 (A) 2. Total Number of Dominant 3. Species Across All Strata: 5 (B) 4. Percent of Dominant Species 5. That Are OBL, FACW, or FAC: 100 (A/B) 6. Prevalence Index worksheet: 7. Total % Cover of: Multiply by: 0 = Total Cover OBL species 20.00 x 1 20 Sapling/Shrub Stratum (Plot Size: 15 FACW species 120.00 x 2 240 1. Alnus incana 70.00 Yes FACW FACU species 0.00 x 3 0 2. UPL species 0.00 x 4 0 0 Column Totals 170 (A) 350 (B) 4. Prevalence Index = B/A = 2.0588235 Hydrophytic Vegetation Indicators: 6. 1 - Rapid Test for Hydrophytic Vegetation 7. 2. Yes 2 - Dominance Test is > 50% 8 3 - Prevalence Index = S 3.0¹ 4 - Morphological Adaptations¹ (rooted)	
2. Total Number of Dominant 3. Species Across All Strata: 5 (B) 4. Percent of Dominant Species 5. That Are OBL, FACW, or FAC: 100 (A/B) 6. Prevalence Index worksheet: 7. Total % Cover of: Total % Cover of: Multiply by: OBL species 20.00 x 1 20.00 x 2 240 5. FACW species 120.00 x 2 240 1. Alnus incana 70.00 Yes FACW FACU species 0.00 x 3 0 UPL species 0.00 x 4 0 2. UPL species 0.00 x 4 0 3. Column Totals 170 (A) 350 (B) 4. Prevalence Index = B/A = 2.0588235 5. Hydrophytic Vegetation Indicators: 6. 1 - Rapid Test for Hydrophytic Vegetation 7. Yes 2 - Dominance Test is > 50% 70 = Total Cover Yes 3 - Prevalence Index is ≤ 3.0¹ 4 - Morphological Adaptations¹ (Provide)	
4	
4	
5. That Are OBL, FACW, or FAC: 100	
6.	
7	-
On an	
Sapling/Shrub Stratum (Plot Size: 15 FACW species 120.00 x 2 240 1. Alnus incana 70.00 Yes FACW FACU species 0.00 x 3 0 UPL species 0.00 x 4 0 0	
1. Alnus incana 70.00 Yes FACW FACU species 0.00 x 3 0 UPL species 0.00 x 4 0 Column Totals 170 (A) 350 (B) 4. Prevalence Index = B/A = 2.0588235 Hydrophytic Vegetation Indicators: 6. 1 - Rapid Test for Hydrophytic Vegetation 7. Yes 2 - Dominance Test is > 50% Yes 3 - Prevalence Index is ≤ 3.0¹ Herb Stratum (Plot Size:5 4 - Morphological Adaptations¹ (Provide)	
2. UPL species 0.00 x 4 0 3. Column Totals 170 (A) 350 (B) 4. Prevalence Index = B/A = 2.0588235 5. Hydrophytic Vegetation Indicators: 6. 1 - Rapid Test for Hydrophytic Vegetation 7. yes 2 - Dominance Test is > 50% Yes 3 - Prevalence Index is ≤ 3.0¹ Herb Stratum (Plot Size:5) 4 - Morphological Adaptations¹ (Provide)	
3	
4. Prevalence Index = B/A = 2.0588235 5. Hydrophytic Vegetation Indicators: 6. 1 - Rapid Test for Hydrophytic Vegetation 7. yes 2 - Dominance Test is > 50% 70 = Total Cover yes 3 - Prevalence Index is ≤ 3.0¹ Herb Stratum (Plot Size: 5) 4 - Morphological Adaptations¹ (Provide	
5	
6	\dashv
7.	
Herb Stratum (Plot Size: 5 4 - Morphological Adaptations 1 (Provide	
The state of the s	
1. Calamagrostis canadensis 30.00 Yes FACW supporting data in Remarks or on a separate sheet)	
	ļ
2. Thalictrum dasycarpum Yes FAC Problematic Hydrophytic Vegetation (Explain)	
3. Onoclea sensibilis 20.00 Yes FACW Indicators of hydric soil and wetland hydro bgy must be present, unless distu	turbed
4. Carex intumescens 20.00 Yes OBL or problematic.	urbea
5 Definitions of Vegetation Strata:	
6	Ì
7. Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast	
height (DB H), regardless of height.	
9. Sapling/Shrub - Woody plants less than 3 in. DBH and greater than	an or
equal to 3.28 ft (1 m) tall.	
10	
woody plants less than 3.28 ft tall.	iu
12	
100 = Total Cover Woody vines - All woody vines greater than 3.28 ft in height.	-
Woody Vine Stratum (Plot Size: 30)	
1	
2. Hydrophytic	
Vegetation Present? Yes	
4	
0=Total Cover	ĺ
Remarks: (include photo numbers here or on a separate sheet.)	\neg
	l

OIL								Sampling Point: CLC5092b20W		
rofile Descrip	otion: (Describe to the	depth nee	ded to document the	e indicat	or or co	nfirm th	ne absence of indica	ators.)		
Depth	Matrix		Redox	Features						
inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks		
0-20	10YR 2 1	100					<u>MM</u>			
21-24	10YR 4 2	90	10YR 4 6	_ 10	<u>C</u>	М	LFS			
					-					
				-			- —			
	. —									
	. ———					. ——				
	. ———									
	ntration, D=Depletion, RM=	Reduced Ma	trix, MS=Masked Sand Gr	ains.				² Location: PL=Pore Lining, M=Matri		
Hydric Soil Indica	itors:		Polyvalue Relow	Surface (co\ /ı pp p	MIDA	Indicators for Pro	blematic Hydric Soil ³ :		
Histosol (A	.1)		Polyvalue Below 149B)	Surrace (3)8) (LRR N,	, IVILIVA	2 cm Muck (A10) (LRR K, L, MLRA 149B)		
Histic Epipe	edon (A2)		Thin Dark Surface	e (S9) (LR	R R, MLRA	149B)	Coast Prairie	e Redox (A16)(LRR K, L, R)		
☐ Black Histic	c (A3)		Loamy Mucky Mi	ineral (F1) (LRR K, L)	5 cm Mucky	Peat or Peat (S3) (LRR K, L, R)		
Hydrogen S			Loamy Gleyed M				Dark Surface (S7) (LRR K, M)			
Stratified L			Depleted Matrix				Polyvalue Below Surface (S8) (LRR K, L)			
	H					Thin Dark Surface (S9) (LRR K, L)				
ш	leted Below Dark Surface (A11) Red ox Dark Surface (F6)			2 \		☐ Iron-Maganese Masses (F12) (LRR K, L, R)				
	Dark Surface (A12) Depleted Dark Surface (F7))		Piedmont Floodplain Soils (F19) (MLRA 149B)				
ш	ndy Mucky Mineral (S1) Red ox Depressions (F8)					н				
Sandy Gley	yed Matrix (S4)						Mesic Spo dic	c (TA6) (MLRA 144A, 145, 149B)		
Sandy Red	ox (S5)						Red Parent N	Material (F21)		
Stripped M	1atrix (S6)						VeryShallow	v Dark Surface (TF12)		
Dark Surfac	ce (S7) (LRR R, MLRA 149B)	.)					Other (expla	in in remarks)		
Restrictive Layer	(if observed):]							
Туре:							Hydric Soil Present? Ye	ac.		
	in ches):					'	nyuric son Present r			

<