## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/C	City/County: Clearwater			Sampling Date: 2016-06-30		
Applicant/Owner: Enbridge			State: Minnesota		Sampling Point: u-146r	136w31-NWI1	
Investigator(s): DPT, ZCW		Section, Townshi	p, Range: S31, T146	5N, R36W			
Landform (hillslope, terrace, etc.):	Rise		Local Relief (conca	ve, convex, none): VV	Slope	(%): 0-2%	
Subregion (LRR or MLRA):		 Latitude: 47	7.4233277328	Longitude: -95.29040	—— 0607	.D83	
Soil Map Unit Name: 125				N	IWI Classification: PSS:	ıc	
Are climatic/hydrologic conditions	on the site typical fo	r this time of year	? (if no, explain in R		Yes		
Are Vegetation No , Soil No ,	or Hydrology No s	ignificantly disturb	ned? Are "Normal C	Circumstances" present	? Yes		
Are Vegetation No_, Soil No_, o					· <u></u>		
SUMMARY OF FINDINGS - Atta	ch site map showing	sampling point lo	cations, transects,	important features, et	c.		
Hydrophytic Vegetation Present?	No		Is the Sampled Are	ea			
Hydric Soil Present?	No	_	within a Wetland?	<b>?</b>	No		
Wetland Hydrology Present?	No	_	If yes, optional We	etland Site ID:			
Remarks: (Explain alternative pro	cedures here or in a s	separate report.)	•				
NWI polygon verification- upland	. No digging, existing	forest road.					
HYDROLOGY							
Wetland Hydrology Indicators:				Secondary	/ Indicators (minimum	of two required)	
Primary Indicators (minimum of or	ne is required; check	all that apply)		Su	rface Soil Cracks (B6)		
Surface Water (A1)		Water-Stained Leave	es (B9)	Dra	ainage Patterns (B10)		
High Water Table (A2)		Aquatic Fauna (B13)		Mo	Moss Trim Lines (B16)		
Saturation (A3)		Marl Deposits (B15)		Dry	Dry-Season Water Table (C2)		
Water Marks (B1)	Hydrogen Sulfide Odor (C1)			Crayfish Burrows (C8)			
Sediment Deposits (B2) Oxidized Rhizosphere		s on Living Roots (C3) Saturation Visible on Aerial Image		agery (C9)			
Drift Deposits (B3)	Drift Deposits (B3) Presence of Reduced		Iron (C4)Stunted/Stressed Plants (D1)				
Algal Mat or Crust (B4) Recent Iron Reduction							
Iron Deposits (B5) Thin Muck Surface (C							
Inundation Visible on Aerial Image	ery (B7)	Other (Explain in Ren	marks)		rotopographic Relief (D4)		
Sparsely Vegetated Concave Surfa	ice (B8)			FAC	C-Neutral Test (D5)		
Field Observations:							
Surface Water Present?	<u>No</u>	Depth (inches)					
Water Table Present?		Depth (inches)					
Saturation Present?	<u>No</u>	Depth (inches)		Wetland Hydro	logy Present?	<u>No</u>	
(includes capillary fringe)							
Describe Recorded Data (stream g	auge, monitoring we	ll, aerial photos, p	revious inspections	), if available:			
Remarks:							
No digging, could not confirm/der	ny water table.						
I .							

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30 )	% Cover	Species?	Status	Number of Dominant Species
1. Populus tremuloides	20.00	Yes	FAC	That Are OBL, FACW, or FAC: 2 (A)
2				Total Number of Dominant
3				Species Across All Strata: 4 (B)
4.				Percent of Dominant Species
5.		_		That Are OBL, FACW, or FAC: 50 (A/B)
6.		_		Prevalence Index worksheet:
7.				Total % Cover of: Multiply by:
	20	= Total Cover		OBL species 0.00 x 1 0
Sapling/Shrub Stratum (Plot Size: 15 )	-			FACW species 20.00 x 2 40
1. Populus tremuloides	10.00	Yes	FAC	FACU species 70.00 x 3 280
2. Corylus cornuta	10.00	Yes	UPL	UPL species 10.00 x 4 50
3. Prunus serotina	5.00	No No	FACU	Column Totals 150 (A) 520 (B)
4. Fraxinus nigra	5.00	No	FACW	Prevalence Index = B/A = 3.4666666
5.	3.00	_ 110	- IACW	· · · · · · · · · · · · · · · · · · ·
		-	-	Hydrophytic Vegetation Indicators:
6		_		1 - Rapid Test for Hydrophytic Vegetation
7			_	no 2 - Dominance Test is > 50%
	30	_ = Total Cover		no 3 - Prevalence Index is $\leq 3.0^1$
Herb Stratum (Plot Size: 5				4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
1. Trifolium pratense	25.00	Yes Yes	FACU FACU	4
2. Plantago major	20.00	Yes	FAC	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Carex vulpinoidea	15.00	_ No	FACW	Indicators of hydric soil and wetland hydrology must be present, unless
4. Phleum pratense	15.00	No No	FACU	disturbed or problematic.
5. Poa pratensis	15.00	No No	FACU	Definitions of Vegetation Strata:
6. Pteridium aquilinum	10.00	_ No	FACU	4
7	-			Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height.
8				Height (OUT), regulatess of height.
9		_		Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
10				or equal to 3.28 ft (1 m) tall.
11.		_		Herb - All herbaeceous (non-woody) plants, regardless of size, and
12.	-	_		woody plants less than 3.28 ft tall.
	100	- Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30 )		= Total cover		violar vines vines greater than 5.25 tem reight.
·				
1		_		Hudronbutic
2				Hydrophytic Vegetation
3		_		Present? No No
4		_		4
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	.)			

SOIL		Sampling Point: u-146n36
Profile Description: (Describe to the depth	needed to document the indicator or confirm the	e absence of indicators.)
Depth Matrix	Redox Features	
(inches) Color (moist) %	Color (moist) % Type <sup>1</sup> Loc <sup>2</sup>	Texture Remarks
<sup>1</sup> Type: C=Concentration, D=Depletion, RM=Reduce	d Matrix, MS=Masked Sand Grains.	<sup>2</sup> Location: PL=Pore Lining, M=Matrix.
Hydric Soil Indicators:  Histosol (A1) Histic Epipedon (A2) Black Histic (A3) Hydrogen Sulfide (A4) Stratified Layers (A5) Depleted Below Dark Surface (A11) Thick Dark Surface (A12) Sandy Mucky Mineral (S1) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Stripped Matrix (S6)  Dark Surface (S7) (LRR R, MLRA 149B)	Polyvalue Below Surface (S8) (LRR R, MLRA 149B)  Thin Dark Surface (S9) (LRR R, MLRA 149B)  Loamy Mucky Mineral (F1) (LRR K, L)  Loamy Gleyed Matrix (F2)  Depleted Matrix (F3)  Redox Dark Surface (F6)  Depleted Dark Surface (F7)  Redox Depressions (F8)	Indicators for Problematic Hydric Soil <sup>3</sup> :  2 cm Muck (A10) (LRR K, L, MLRA 149B)  Coast Prairie Redox (A16)(LRR K, L, R)  5 cm Mucky Peat or Peat (S3) (LRR K, L, R)  Dark Surface (S7) (LRR K, M)  Polyvalue Below Surface (S8) (LRR K, L)  Thin Dark Surface (S9) (LRR K, L)  Iron-Maganese Masses (F12) (LRR K, L, R)  Piedmont Floodplain Soils (F19) (MLRA 149B)  Mesic Spodic (TA6) (MLRA 144A, 145, 149B)  Red Parent Material (F21)  Very Shallow Dark Surface (TF12)
Restrictive Layer (if observed):		
Type:		lydric Soil Present? <u>No</u>
Remarks:		
No digging, on existing forest road, soils assumed n	on-hydric based on veg/hydro.	

Site Photograph 1 Sampling Point: u-146n36w31-NWI1



Latitude: 47.4232982285762	Cowardin Classification:			
Longitude: -95.2904206608378	Circular 39:			
Direction: north	Eggers & Reed:			
Remarks:				
upland				

Site Photograph 2 Sampling Point: u-146n36w31-NWI1



Latitude:	47.4232982704858	Cowardin Classification:	
Longitude:	-95.2904207446569	Circular 39:	
Direction: sout	th	Eggers & Reed:	
Remarks:			
upland			
ı			