WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: L3R	City/County: Clearwate	er	Sampling Date: 2016-06-20				
Applicant/Owner: Enbridge		State: Minnesota	Samplin	g Point: u-149n37w33-NWI			
Investigator(s): DPT, ZCW	Section, Townsh	ip, Range: <u>S33, T149N, R3</u>	7W				
Landform (hillslope, terrace, etc.): Side Slop	e	Local Relief (concave, cor	nvex, none): VV	Slope (%): 8-15%			
Subregion (LRR or MLRA):	Latitude: 4	7.6804108871 Long	itude: -95.38906794	Datum: NAD83			
Soil Map Unit Name: 38C2			NWI Clas	ssification: PSS1C			
Are climatic/hydrologic conditions on the si	te typical for this time of year	r? (if no, explain in Remark		Yes			
Are Vegetation No , Soil No , or Hydro			•				
Are Vegetation No , Soil No , or Hydrolo							
SLIMMARY OF FINDINGS - Attach site m	SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.						
Hydrophytic Vegetation Present?	No	Is the Sampled Area	tant reatures, etc.				
Hydric Soil Present?	No No	within a Wetland?		No			
Wetland Hydrology Present?	No	If yes, optional Wetland	Site ID:	<u></u>			
Remarks: (Explain alternative procedures h		,,					
Active cattle pasture. NWI polygon verifica							
HYDROLOGY							
Wetland Hydrology Indicators:			Secondary Indicat	ors (minimum of two required)			
Primary Indicators (minimum of one is requ	ired; check all that apply)		Surface Soil	Cracks (B6)			
Surface Water (A1)	Water-Stained Leave	es (B9)	Drainage Patterns (B10)				
High Water Table (A2)	Aquatic Fauna (B13)		Moss Trim Lines (B16)				
Saturation (A3)	Marl Deposits (B15)		Dry-Season Water Table (C2)				
Water Marks (B1)	Hydrogen Sulfide Od	dor (C1)	Crayfish Burrows (C8)				
Sediment Deposits (B2)	Oxidized Rhizospher	res on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)				
Drift Deposits (B3)	Presence of Reduce	Presence of Reduced Iron (C4) Stunted/Stressed		essed Plants (D1)			
Algal Mat or Crust (B4)	Recent Iron Reduction	Recent Iron Reduction in Tilled Soils (C6) Geomorphic Position		Position (D2)			
Iron Deposits (B5)	Thin Muck Surface (Thin Muck Surface (C7) Shallow Aquitard (D3)					
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Re	marks)		raphic Relief (D4)			
Sparsely Vegetated Concave Surface (B8)			FAC-Neutral	Test (D5)			
Field Observations:	Ma						
	No Depth (inches	i					
	No Depth (inches	·		a Na			
	No Depth (inches)	Wetland Hydrology Pro	esent? <u>No</u>			
(includes capillary fringe)							
Describe Recorded Data (stream gauge, mo	nitoring well, aerial photos, p	previous inspections), if ava	ailable:				
Remarks:							

Sapling/Shrub Stratum (Plot Size: 15

Herb Stratum (Plot Size: 5

1. Dactylis glomerata

3. Taraxacum officinale

2. Bromus inermis

4. Poa pratensis

5. Trifolium repens

6. Plantago major

10.

11.

Tree Stratum

Quercus alba

3. Acer rubrum

1. Populus tremuloides

(Plot Size: 30

Absolute

% Cover

10.00

5.00

5.00

25.00

20.00

20.00

15.00

10.00

10.00

Indicator

Status

FAC

FACU

FAC

FACU

UPL

FACU

FACU

FACU

FAC

Dominant

Species?

Yes

Yes

Yes

___ = Total Cover

Yes

Yes

Yes

No

No

No

20 = Total Cover

12				
	100	= Total Cover	Woody vines - All woody	vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30				
1				
2			Hydrophytic	
3.			Vegetation Present?	<u>No</u>
4				
	0	=Total Cover		
Remarks: (include photo numbers here or on a separa	ate sheet.)			
LIS Army Corns of Engineers			Northcen	tral and Northeast Region – Version 2.0

Sampling Point: u-149n37... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Type¹ Loc² (inches) Color (moist) % Color (moist) % Texture Remarks 10YR 2 2 0-16 100 FSL 10YR 3 3 16-24 100 SCL ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-149n37w33-NWI



Circular 39:		
Eggers & Reed:		
Eggers & Reed:		

Site Photograph 2 Sampling Point: u-149n37w33-NWI



の記念が、「大きないのでは、「大きないのでは、「大きない」では、「ないない」では、「ないないない」では、「ないないない」では、「ないないない」では、「ないないないない」では、「ないないない」では、「ないないないないないないないないないない。」では、「ないないないないないないないないないないないないないないないないないないない					
Latitude: 47.6804108871591	Cowardin Classification:				
Longitude: -95.389067949816	Circular 39:				
Direction: south	Eggers & Reed:				
Remarks:					
upland					