WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: L3R	City/County: Clear	rwater	Sampling Date: 2016-06-20			
Applicant/Owner: Enbridge		State: Minnesota	Sampling Point: u-149n37w33-ab1			
Investigator(s): DPT, ZCW	Section, To	Section, Township, Range: S33, T147N, R37W				
Landform (hillslope, terrace, etc.): Sid	e Slope	Local Relief (concave, convex, none): VV Slope (%): 8-15%				
Subregion (LRR or MLRA):	<u> </u>	Latitude: 47.6766633801 Longitude: -95.39439976 Datum: NAD83				
Soil Map Unit Name: 38C2			NWI Classification: PEMC			
Are climatic/hydrologic conditions on the site typical for this time of year? (if no, explain in Remarks): Yes						
_			· ———			
Are Vegetation Yes_, Soil No, or Hydrology No_ significantly disturbed? Are "Normal Circumstances" present? No_						
Are Vegetation No , Soil No , or Hydrology No naturally problematic? (If needed, explain any answers in Remarks)						
SUMMARY OF FINDINGS - Attach	ite map showing sampling po	oint locations, transects, imp	oortant features, etc.			
Hydrophytic Vegetation Present?	<u>No</u>	Is the Sampled Area				
Hydric Soil Present?	<u>Yes</u>	within a Wetland?	<u>No</u>			
Wetland Hydrology Present?	<u>No</u>	If yes, optional Wetlar	nd Site ID:			
Remarks: (Explain alternative proced	ures here or in a separate repo	ort.)				
Upland point also NWI polygon verif	cation point for mapped PEM	C. Active cattle pasture.				
HYDROLOGY						
Wetland Hydrology Indicators:			Secondary Indicators (minimum of two required)			
Primary Indicators (minimum of one i	s required: check all that apply	v)	Surface Soil Cracks (B6)			
Primary Indicators (minimum of one is required; check all that apply) Surface Water (A1) Water-Stained Leaves (B9)			Drainage Patterns (B10)			
High Water Table (A2)	Aquatic Fauna		Moss Trim Lines (B16)			
Saturation (A3)	Marl Deposits		Dry-Season Water Table (C2)			
Water Marks (B1)	Hydrogen Sulf		Crayfish Burrows (C8)			
Sediment Deposits (B2)	<u> </u>		Saturation Visible on Aerial Imagery (C9)			
Drift Deposits (B3)			Stunted/Stressed Plants (D1)			
		eduction in Tilled Soils (C6)	Geomorphic Position (D2)			
Iron Deposits (B5)	· · · · · · · · · · · · · · · · · · ·		Shallow Aquitard (D3)			
Inundation Visible on Aerial Imagery (B7) Other (Exp		in Remarks)	Microtopographic Relief (D4)			
Sparsely Vegetated Concave Surface	B8)		FAC-Neutral Test (D5)			
Field Observations:						
Surface Water Present?	No Depth (in	iches)				
Water Table Present?	No Depth (in	iches)				
Saturation Present?	No Depth (in	iches)	Wetland Hydrology Present? No			
(includes capillary fringe)						
Describe Recorded Data (stream gaug	e, monitoring well, aerial pho	tos, previous inspections), if	available:			
Remarks:						
į						

Sapling/Shrub Stratum (Plot Size: 15

Herb Stratum (Plot Size: 5

2. Artemisia absinthium

4. Taraxacum officinale

3. Trifolium repens

1. Poa pratensis

Tree Stratum

1. Quercus alba

(Plot Size: 30

Absolute

% Cover

Dominant

Species?

Yes

5 = Total Cover

____ = Total Cover

Yes

No

No

No

60.00

15.00

<u>15.</u>00

10.00

Indicator

Status

FACU

FACU

FACU

FACU

).			Sapling/Shrub - Woody plants less or equal to 3.28 ft (1 m) tall.	than 3 in. DBH and greater than
11.			Herb - All herbaeceous (non-wood woody plants less than 3.28 ft tall.	
	100	= Total Cover	Woody vines - All woody vines gre	ater than 3.28 ft in height.
Noody Vine Stratum (Plot Size: 30)				
2			Hydrophytic Vegetation Present?	No
l	0	=Total Cover		
Remarks: (include photo numbers here or on a separate sheet.)			!	
JS Army Corps of Engineers			Northcentral and	Northeast Region – Version 2.0

Sampling Point: u-149n37... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 2 2 0-6 100 LS 10YR 3 2 10YR 3 6 95 6-12 С M SCL ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Dark Surface (S7) (LRR K, M) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Type: Rock Hydric Soil Present? Yes Depth (inches): 12 Remarks:

Site Photograph 1 Sampling Point: u-149n37w33-ab1



47.6766627096084	Cowardin Classification:			
-95.3945901152635	Circular 39:			
t	Eggers & Reed:			
	47.6766627096084 -95.3945901152635			

Site Photograph 2 Sampling Point: u-149n37w33-ab1



は、大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大学の大				
Latitude: 47.6766629610655	Cowardin Classification:			
Longitude: -95.3945900314445	Circular 39:			
Direction: north	Eggers & Reed:			
Remarks:				
upland				