WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: L3R	City/County:	City/County: Clearwater			Sampling Date: 2016-06-20		
Applicant/Owner: Enbridge			State: Minnesota		Sampling	g Point: <u>u-149</u> r	137w33-ad1
Investigator(s): DPT, ZCW	Sectio	n, Townshi	p, Range: <u>S33,</u> T147	N, R37W			
Landform (hillslope, terrace, etc.): Rise		_	Local Relief (concav	ve, convex, none): <u>VL</u>	Slope (%): 3-7%
Subregion (LRR or MLRA):	L	- .atitude: 47	7.6770101814	Longitude: -95.	.39825292	Datum: NA	D83
Soil Map Unit Name: 38C2					NWI Clas	sification: N/A	
Are climatic/hydrologic conditions on the	site typical for this ti	me of year	? (if no, explain in Re	emarks):		Yes	
Are Vegetation Yes_, Soil No, or Hyd		•		•	resent? No		
Are Vegetation No_, Soil No_, or Hydrology No_ naturally problematic? (If needed, explain any answers in Remarks)							
SUMMARY OF FINDINGS - Attach site	map showing sampli	ing point lo	cations, transects, i	important featur	es, etc.		
Hydrophytic Vegetation Present?	<u>No</u>		Is the Sampled Are	ea			
Hydric Soil Present?	Yes		within a Wetland?			No	
Wetland Hydrology Present?	<u>No</u>		If yes, optional We	tland Site ID:			
Remarks: (Explain alternative procedure	here or in a separate	e report.)					
Active cattle pasture							
HYDROLOGY							
Wetland Hydrology Indicators:				Seco	ndary Indicat	ors (minimum d	of two required)
Primary Indicators (minimum of one is re	quired; check all that	apply)			Surface Soil	Cracks (B6)	
Surface Water (A1)		Stained Leave	s (B9)		— Drainage Pat		
High Water Table (A2)		Fauna (B13)		_	Moss Trim Lines (B16)		
Saturation (A3)	Marl De	eposits (B15)			Dry-Season Water Table (C2)		
Water Marks (B1)	Hydroge	en Sulfide Od	or (C1)	_	Crayfish Burrows (C8)		
Sediment Deposits (B2)	-			s on Living Roots (C3) Saturation Visible on Aerial Imagery (C9)			agery (C9)
Drift Deposits (B3)				Iron (C4)Stunted/Stressed Plants (D1)			
Algal Mat or Crust (B4)	Recent I	Iron Reductio	n in Tilled Soils (C6)	_	Geomorphic	Position (D2)	
Iron Deposits (B5)			.7)Shallow A		Shallow Aqui	tard (D3)	
Inundation Visible on Aerial Imagery (B7)	Inundation Visible on Aerial Imagery (B7) Other (Explain in Re		narks)Microtopo{		Microtopogra	graphic Relief (D4)	
Sparsely Vegetated Concave Surface (B8)					FAC-Neutral	Test (D5)	
Field Observations:							
Surface Water Present?	No Dep	oth (inches)					
Water Table Present?	<u>No</u> Dep	th (inches)					
Saturation Present?	No Dep	oth (inches)		Wetland I	Hydrology Pre	sent?	<u>No</u>
(includes capillary fringe)							
Describe Recorded Data (stream gauge, r	nonitoring well, aeria	l photos, p	revious inspections)	, if available:			
Remarks:							

Sapling/Shrub Stratum (Plot Size: 15

Herb Stratum (Plot Size: 5

3. Trifolium repens

Woody Vine Stratum (Plot Size: 30

1. Taraxacum officinale

2. Artemisia absinthium

4. Poa pratensis

Tree Stratum

(Plot Size: 30

Absolute

% Cover

Dominant

Species?

____ = Total Cover

Yes

Yes

Yes

No

100 = Total Cover

FACU

FACU

FACU

40.00

30.00

20.00

10.00

Indicator

Status

1.			
	0	_=Total Cover	
Remarks: (include photo numbers here or on a separate sheet.))		

Sampling Point: u-149n37... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 2 2 0-18 100 FSL 10YR 5 2 10YR 4 6 90 8-24 10 С M cl ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-149n37w33-ad1



である。 は、 は、 は、 は、 は、 は、 は、 は、 は、 は、				
Latitude: 47.6770020928678	Cowardin Classification:			
Longitude: -95.3982312140012	Circular 39:			
Direction: east	Eggers & Reed:			
Remarks:				
upland				

Site Photograph 2 Sampling Point: u-149n37w33-ad1



47.6770022605059		Cowardin Classification:				
: -95.3982312978202		Circular 39:				
st		Eggers & Reed:				
	47.6770022605059 -95.3982312978202	<u>47.6770022605059</u> <u>-95.3982312978202</u>	47.6770022605059 Cowardin Classification: -95.3982312978202 Circular 39:			