## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: L3R	City/County: C	City/County: Clearwater		Sampling Date: 2016-06-21	
Applicant/Owner: Enbridge		State: Minnesot	ta Samp	ling Point: u-149n37w34-aa1	
Investigator(s): DPT, ZCW	Section,	Township, Range: S34, T1	149N, R34W		
Landform (hillslope, terrace, etc.): Sig	de Slope	Local Relief (con	icave, convex, none): VV	Slope (%): 8-15%	
Subregion (LRR or MLRA):	 Lat	itude: 47.6775263390	Longitude: -95.38630644.	Datum: NAD83	
Soil Map Unit Name: 38C2			NWI C	lassification: PSS1C	
Are climatic/hydrologic conditions or	the site typical for this tim		Yes		
Are Vegetation No , Soil No , or		, , , , ,	•	<u></u>	
Are Vegetation No_, Soil No_, or H	ydrology <u>No</u> naturally pro	oblematic? (If needed, ex	xplain any answers in Remarks)		
SUMMARY OF FINDINGS - Attach	site map showing sampling	g point locations, transect	ts, important features, etc.		
Hydrophytic Vegetation Present?	<u>No</u>	Is the Sampled	Area		
Hydric Soil Present?	<u>No</u>	within a Wetlan	nd?	<u>No</u>	
Wetland Hydrology Present?	<u>No</u>	If yes, optional \	Wetland Site ID:		
Remarks: (Explain alternative proced					
HYDROLOGY					
Wetland Hydrology Indicators:			Secondary India	cators (minimum of two required)	
Primary Indicators (minimum of one	is required; check all that a	pply)	Surface S	Soil Cracks (B6)	
Surface Water (A1)		ined Leaves (B9)	<del></del>		
High Water Table (A2)			Moss Trim Lines (B16)		
Saturation (A3)	Marl Depo	osits (B15)	Dry-Seaso	on Water Table (C2)	
Water Marks (B1)	Hydrogen	Sulfide Odor (C1)	Crayfish B	urrows (C8)	
Sediment Deposits (B2)	Oxidized F	Rhizospheres on Living Roots (C	3)Saturation	No Visible on Aerial Imagery (C9)	
Drift Deposits (B3)	Presence	of Reduced Iron (C4)	Stunted/S	tressed Plants (D1)	
Algal Mat or Crust (B4)	Recent Iro	on Reduction in Tilled Soils (C6)	Geomorp	hic Position (D2)	
Iron Deposits (B5)	Thin Muck	Surface (C7)	Shallow A	quitard (D3)	
Inundation Visible on Aerial Imagery	Inundation Visible on Aerial Imagery (B7) Other (Explain in		Microtopo	ographic Relief (D4)	
Sparsely Vegetated Concave Surface	(B8)		FAC-Neut	ral Test (D5)	
Field Observations:					
Surface Water Present?		n (inches)			
Water Table Present?	•	n (inches)			
Saturation Present?	No Depth	n (inches)	Wetland Hydrology	Present? No	
(includes capillary fringe)					
Describe Recorded Data (stream gau Remarks:	ge, monitoring well, aerial p	photos, previous inspectio	ns), if available:		

Tree Stratum 1. Acer saccharum (Plot Size: 30

2. Carpinus caroliniana	25.00	Yes	FAC	Total Number of Dominant
3. Populus tremuloides	10.00	No	FAC	Species Across All Strata: 5 (B)
4				Percent of Dominant Species
5.				That Are OBL, FACW, or FAC: 20 (A/B)
6.				Prevalence Index worksheet:
7.				Total % Cover of: Multiply by:
	70	= Total Cover	-	OBL species 0.00 x 1 0
Sapling/Shrub Stratum (Plot Size: 15	<u>: </u>	- Total cover		FACW species 0.00 x 2 0
1. Corylus cornuta	25.00	Yes	UPL	FACU species 45.00 x 3 180
2. Carpinus caroliniana	10.00		FAC	
-	10.00	163	TAC	
3				Column Totals <u>185</u> (A) <u>790</u> (B)
4		-	-	Prevalence Index = B/A = <u>4.2702702</u>
5			_	Hydrophytic Vegetation Indicators:
6				1 - Rapid Test for Hydrophytic Vegetation
7			-	no 2 - Dominance Test is > 50%
	35	= Total Cover		<u>no</u> 3 - Prevalence Index is $\leq 3.0^1$
Herb Stratum (Plot Size: 5				4 - Morphological Adaptations 1 (Provide
1. Eurybia macrophylla	45.00	Yes	FACU	supporting data in Remarks or on a separate sheet)
2. Carex woodi	35.00	Yes		Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3		_		<u></u>
4				Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
5				Definitions of Vegetation Strata:
6.				1
7.				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.	-		-,-	height (DBH), regardless of height.
9			-, -	Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
				or equal to 3.28 ft (1 m) tall.
10		-		4
11		-	_	Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12				-
	80	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30 )				
1		_		_
2				Hydrophytic
3.	-			Vegetation No
	-		_	Present?
4	0	-Total Cours	_	1
		_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	:.)			

Absolute

% Cover

35.00

Dominant

Species?

Indicator

Status

Sampling Point: u-149n37... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Type<sup>1</sup> Loc<sup>2</sup> (inches) Color (moist) % Color (moist) % Texture Remarks 10YR 2 1 0-16 100 10YR 3 4 100 16-24 cl <sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil<sup>3</sup>: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-149n37w34-aa1



Cowardin Classification:
Circular 39:
Eggers & Reed:

Site Photograph 2 Sampling Point: u-149n37w34-aa1



Latitude:	47.6775354333666	Cowardin Classification:			
Longitude:	-95.3862764407838	Circular 39:			
Direction: west	t	Eggers & Reed:			
Remarks:					
upland					