AINATION DATA FORM - North Central and Northeast Regi

v	VEILAND DEIE	ERMINATION DATA F	ORIVI - North Centra	l and Northeast Region			
oject/Site: L3R City/County: Clearwater				Sampling Date: 2016-06-21			
Applicant/Owner: Enbridge			State: Minnesota	Sampling Point: u-149n	Sampling Point: u-149n37w34-ab1		
Investigator(s): DPT, ZCW		Section, Townshi	o, Range: S34, T149, R3	34W			
Landform (hillslope, terrace, etc.):	Rise		Local Relief (concave, o		<u></u> %): 3-7%		
Subregion (LRR or MLRA):		Latitude: 47		ongitude: -95.38638942 Datum: NA			
Soil Map Unit Name: 38C2				NWI Classification: N/A			
Are climatic/hydrologic conditions	on the site typi	cal for this time of year	lif no evolain in Rema				
Are Vegetation <u>No</u> , Soil <u>No</u> ,	, or Hydrology <u>N</u>	lo significantly disturb	ed? Are "Normal Circu	umstances" present? Yes			
Are Vegetation <u>No</u> , Soil <u>No</u> , o	r Hydrology <u>No</u>	_ naturally problematio	? (If needed, explain a	any answers in Remarks)			
SUMMARY OF FINDINGS - Atta	ich site map sho	wing sampling point lo	cations, transects, imp	ortant features, etc.			
Hydrophytic Vegetation Present?		No	Is the Sampled Area				
Hydric Soil Present?		No	within a Wetland?	No	No		
Wetland Hydrology Present?		No	If yes, optional Wetlan	nd Site ID:			
Remarks: (Explain alternative pro	cedures here or	in a separate report.)					
HYDROLOGY							
Wetland Hydrology Indicators:				Secondary Indicators (minimum c	of two required)		
Primary Indicators (minimum of o	ne is required; c	heck all that apply)		Surface Soil Cracks (B6)			
Surface Water (A1)	-	Water-Stained Leave	s (B9)	Drainage Patterns (B10)	Drainage Patterns (B10)		
High Water Table (A2)	-	Aquatic Fauna (B13)		Moss Trim Lines (B16)			
Saturation (A3)		Marl Deposits (B15)		Dry-Season Water Table (C2)			
Water Marks (B1)		Hydrogen Sulfide Od	or (C1)	Crayfish Burrows (C8)			
Sediment Deposits (B2)		Oxidized Rhizosphere	s on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)			
Drift Deposits (B3)		Presence of Reduced	Iron (C4)	Stunted/Stressed Plants (D1)			
Algal Mat or Crust (B4)	-	Recent Iron Reductio	n in Tilled Soils (C6)	Geomorphic Position (D2)			
Iron Deposits (B5)	-	Thin Muck Surface (C	7)	Shallow Aquitard (D3)			
Inundation Visible on Aerial Imag	gery (B7)	Other (Explain in Ren	narks)	Microtopographic Relief (D4)			
Sparsely Vegetated Concave Surf	ace (B8)			FAC-Neutral Test (D5)			
Field Observations:							
Surface Water Present?	No	Depth (inches)					
Water Table Present?	No	Depth (inches)					
Saturation Present?	No	Depth (inches)		Wetland Hydrology Present?	No		
(includes capillary fringe)							
Describe Recorded Data (stream g	gauge, monitorin	ng well, aerial photos, p	evious inspections), if a	available:			
	· -						
Demontos							
Remarks:							

VEGETATION - Use scientific names of plants.

Sampling Point: u-149n37...

	Absolute	Dominant	Indicator	Dominance Test worksheet:			
ree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species			
Acer saccharum	25.00	Yes	UPL	That Are OBL, FACW, or FAC: 1(A)			
_ Tilia americana	20.00	Yes	FACU	Total Number of Dominant			
Carpinus caroliniana	20.00	Yes	FAC	Species Across All Strata: <u>6</u> (B)			
Populus tremuloides	10.00	No	FAC	Percent of Dominant Species			
Acer rubrum	5.00	No	FAC	That Are OBL, FACW, or FAC: <u>16.666666666666</u> (A/B)			
j				Prevalence Index worksheet:			
				Total % Cover of: Multiply by:			
	80	= Total Cover		OBL species 0.00 x 1 0			
apling/Shrub Stratum (Plot Size: 15)				FACW species 0.00 x 2 0			
Corylus cornuta	25.00	Yes	UPL	FACU species 85.00 x 3 340			
Carpinus caroliniana	10.00	Yes	FAC	UPL species 85.00 x 4 425			
L				Column Totals <u>215</u> (A) <u>900</u> (B)			
L				Prevalence Index = $B/A = \frac{4.1860465}{4.1860465}$			
				Hydrophytic Vegetation Indicators:			
i			_	1 - Rapid Test for Hydrophytic Vegetation			
				no 2 - Dominance Test is > 50%			
	35	35 = Total Cover		no 3 - Prevalence Index is $\leq 3.0^1$			
lerb Stratum (Plot Size: 5)				4 - Morphological Adaptations ¹ (Provide			
Eurybia macrophylla	45.00	Yes	FACU	supporting data in Remarks or on a separate sheet)			
Carex woodii	35.00	Yes		Problematic Hydrophytic Vegetation ¹ (Explain)			
Aralia nudicaulis	15.00	No	FACU				
. Toxicodendron radicans	5.00	No	FACU	¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.			
				Definitions of Vegetation Strata:			
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast			
·				height (DBH), regardless of height.			
3		·					
				Sapling/Shrub - Woody plants less than 3 in. DBH and greater that or equal to 3.28 ft (1 m) tall.			
				4			
1				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.			
2							
	100	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.			
Noody Vine Stratum (Plot Size: 30)							
l							
).				Hydrophytic			
3.				Vegetation Present? No			
 1.							
	0	=Total Cover		1			

US Army Corps of Engineers

Northcentral and Northeast Region – Version 2.0

SOIL

	tion: (Describe to the	depth nee	eded to document the	indicat	or or cor	nfirm th	e absence of inc	licators.)	
Depth	Matrix		Redox	Features		2			
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks	
0-9	10YR 2 1	100			·		FSL		
9-18	10YR 4 3	100			·		LS		
18-24	10YR 4 4	100					cl		
					. <u> </u>				
				_					
	-	·		-					
		·							
					·				
¹ Type: C=Concent	tration. D=Depletion. RM	Reduced Ma	trix, MS=Masked Sand Gr	 ains.				² Location: PL=Pore Lining, M=Matrix.	
Hydric Soil Indica							Indicators for	Problematic Hydric Soil ³ :	
Histosol (A2	1)		Polyvalue Below : 149B)	Surface (S	8) (LRR R,	MLRA	2 cm Mu	ck (A10) (LRR K, L, MLRA 149B)	
Histic Epipedon (A2)			• (59) (I RR	R. MIRA	149B)	149B) Coast Prairie Redox (A16)(LRR K, L, R)			
Black Histic			Loamy Mucky Mi				_	cky Peat or Peat (S3) (LRR K, L, R)	
Hydrogen Sulfide (A4)			Loamy Gleyed Matrix (F2)				Dark Surface (S7) (LRR K, M)		
Stratified La			Depleted Matrix				_	e Below Surface (S8) (LRR K, L)	
	elow Dark Surface (A11)		Redox Dark Surfa				_	Surface (S9) (LRR K, L)	
Thick Dark	Surface (A12)		Depleted Dark Su	rface (F7)			Iron-Mag	anese Masses (F12) (LRR K, L, R)	
Sandy Mucl	ky Mineral (S1)		Redox Depression	ns (F8)			Piedmont	Floodplain Soils (F19) (MLRA 149B)	
Sandy Gleye	ed Matrix (S4)						Mesic Spo	odic (TA6) (MLRA 144A, 145, 149B)	
Sandy Redo	ox (S5)						Red Pare	nt Material (F21)	
Stripped M	atrix (S6)						Very Shal	llow Dark Surface (TF12)	
Dark Surfac	e (S7) (LRR R, MLRA 149E	3)					🗌 Other (ex	xplain in remarks)	
Restrictive Layer ((if observed):]						
Туре:							Judric Coil Droco-+2	No	
Depth (inches):						F	Hydric Soil Present?		
Remarks:									

Site Photograph 1

Sampling Point: <u>u-149n37w34-ab1</u>



Latitude: 47.6778385229853

Longitude: -95.3863328509921

Direction: east

Remarks: upland Cowardin Classification:

Circular 39:

Eggers & Reed:

Site Photograph 2



Latitude: 47.6778382296187

Longitude: -95.3863329348111

Direction: west

Remarks: upland Cowardin Classification:

Circular 39:

Eggers & Reed: