## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/Count	y: <u>Clearwate</u>	<u>r                                      </u>	Sampling Date: 2016-06-30			
Applicant/Owner: Enbridge			State: Minnesota	Sampling Point: w-146n36w32-aa1			
Investigator(s): DPT, ZCW Section, Township, Range: S32, T146, R36							
Landform (hillslope, terrace, etc.): Dep	ression		Local Relief (concave	e, convex, none): CC	Slope (%): 0-2%		
Subregion (LRR or MLRA):		— Latitude: 47	7.4239606503	Longitude: -95.28459356	. Datum: NAD83		
Soil Map Unit Name: 40B				NWI CI	assification: N/A		
Are climatic/hydrologic conditions on the site typical for this time of year? (if no, explain in Remarks):  Yes							
Are Vegetation No , Soil No , or Hydrology No significantly disturbed? Are "Normal Circumstances" present? Yes							
Are Vegetation No , Soil No , or Hydrology No naturally problematic? (If needed, explain any answers in Remarks)							
SUMMARY OF FINDINGS - Attach si	te map showing sam	pling point lo	cations, transects, im	nportant features, etc.			
Hydrophytic Vegetation Present?	Yes		Is the Sampled Area				
Hydric Soil Present?	Yes		within a Wetland?		Yes		
Wetland Hydrology Present?	<u>Yes</u>		If yes, optional Wetla	and Site ID:	w-146n36w32-aa		
Remarks: (Explain alternative procedu	res here or in a separ	ate report.)	-				
No digging, existing forest road.							
HYDROLOGY							
Wetland Hydrology Indicators:				Secondary Indic	ators (minimum of two required)		
	required: check all th	nat annly)			oil Cracks (B6)		
Primary Indicators (minimum of one is required; check all that apply)  Surface Water (A1) Water-Stained Leave			s (B9)	<del></del>	Patterns (B10)		
High Water Table (A2)	<del></del>		Moss Trim Lines (B16)				
<del></del>	Saturation (A3)  Marl Deposits (B15)		Dry-Season Water Table (C2)				
<del></del>	Water Marks (B1)  Hydrogen Sulfide Od						
Sediment Deposits (B2)	<del></del>		es on Living Roots (C3)	Saturation	Visible on Aerial Imagery (C9)		
Drift Deposits (B3)			Iron (C4)	Stunted/St	Stunted/Stressed Plants (D1)		
Algal Mat or Crust (B4)			n in Tilled Soils (C6)	<u>yes</u> Geomorph	<u>Yes</u> Geomorphic Position (D2)		
Iron Deposits (B5)	<del></del>		27)	Shallow Ad	Shallow Aquitard (D3)		
Inundation Visible on Aerial Imagery (E	Inundation Visible on Aerial Imagery (B7) Other (Explain in Re		narks)	Microtopo	graphic Relief (D4)		
Sparsely Vegetated Concave Surface (E	18)			<u>yes</u> FAC-Neutr	al Test (D5)		
Field Observations:							
Surface Water Present?	<u>No</u> D	epth (inches)					
Water Table Present?	D	epth (inches)					
Saturation Present?	<u>No</u> D	epth (inches)		Wetland Hydrology F	Present? Yes		
(includes capillary fringe)							
Describe Recorded Data (stream gauge	, monitoring well, ae	rial photos, p	revious inspections), i	if available:			
Remarks:							
No digging, could not confirm/deny water table.							
1							

		Absolute	Dominant	Indicator	Dominance Test worksheet:		
Tree Stratum	(Plot Size: 30	) % Cover	Species?	Status	Number of Dominant Species		
1. Fraxinus nigra		10.00	Yes	FACW	That Are OBL, FACW, or FAC: 4 (A)		
2. Populus tremuloid	des	5.00	Yes	FAC	Total Number of Dominant		
3		<u> </u>			Species Across All Strata: 4 (B)		
4.					Percent of Dominant Species		
5.					That Are OBL, FACW, or FAC: 100 (A/B)		
6.					Prevalence Index worksheet:		
7.					Total % Cover of: Multiply by:		
		15	= Total Cover		OBL species 0.00 x 1 0		
Sapling/Shrub Stratu	m (Plot Size: 15	_	_		FACW species 80.00 x 2 160		
	·				FACU species 5.00 x 3 20		
					UPL species 0.00 x 4 0		
_				_	Column Totals 115 (A) 270 (B)		
				_	Prevalence Index = B/A = 2.3478260		
			_	_	Hydrophytic Vegetation Indicators:		
				_	1 - Rapid Test for Hydrophytic Vegetation		
_					yes 2 - Dominance Test is > 50%		
/·		0	= Total Cover	_	yes 3 - Prevalence Index is $\leq 3.0^{1}$		
Herb Stratum (Plot S	::-o. 5	<u>-</u>	10(a) cover		4 - Morphological Adaptations (Provide		
1. Phalaris arundinad	•	40.00	Yes	FACW	supporting data in Remarks or on a separate sheet)		
Carex vulpinoidea		30.00	Yes	FACW	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)		
Carex vulpinoidea     Plantago major		15.00		FAC	Problematic nyurophytic vegetation (Explain)		
			No No	_	1 Indicators of hydric soil and wetland hydrology must be present, unless		
4. Rumex crispus		10.00	No No	FACU	disturbed or problematic.		
5. Erigeron annuus		5.00	No No	FACU	Definitions of Vegetation Strata:		
6					- West State 2 in 176 and 5 and 5 diameter at broast		
7				_	Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height.		
				_	-		
				_	Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.		
					Herb - All herbaeceous (non-woody) plants, regardless of size, and		
					woody plants less than 3.28 ft tall.		
12		100	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.		
Woody Vine Stratum	(Plot Size: <u>30</u>	100	= Total Cover		Woody Villes - All Woody Villes greater than 3.20 it in neight.		
1					_		
2					Hydrophytic		
3.					Vegetation Present?  Yes		
4.							
		0	=Total Cover		7		
Remarks: (include pl	hoto numbers here or on a separate	sheet.)			_		
Melianor (moraco p.	noto hambers here s. on a sept. 111	siece.,					

Sampling Point: w-146n36... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Matrix **Redox Features** Loc<sup>2</sup> (inches) Color (moist) Color (moist) % Type<sup>1</sup> Texture Remarks <sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil<sup>3</sup>: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) ✓ Other (explain in remarks) Dark Surface (S7) (LRR R, MLRA 149B) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks: No digging, soils assumed hydric based on veg/hydro.

Site Photograph 1 Sampling Point: w-146n36w32-aa1



Cowardin Classi	vardin Classification: PEM		
Circular 39: 2			
Eggers & Reed: Fresh (Wet) Meadow			

Site Photograph 2 Sampling Point: w-146n36w32-aa1



Latitude: 47.4239316909084	Cowardin Classification: PEM
Longitude: -95.2846364770972	Circular 39: 2
Direction: west	Eggers & Reed: Fresh (Wet) Meadow
Remarks:	