| WETLA | ND DETE | RMINATION DATA F | ORM - North Cen | tral and Northeas | st Region | | | |
|---|--|--------------------------|--|---|--------------------------------|---|--|--|
| Project/Site: L3R City/County: Clearwater | | | | - | Sampling Date: 2016-06-20 | | | |
| Applicant/Owner: Enbridge | icant/Owner: Enbridge State: Minnesota | | | | Sampling Point: w-149n37w33-l2 | | | |
| Investigator(s): DPT, ZCW Section, Township, Range: S33, T149N, R37W | | | | | | | | |
| Landform (hillslope, terrace, etc.): Depres | ssion | | Local Relief (conca | ve, convex, none): <u>C</u> | С | Slope (%): <u>0-2%</u> | | |
| Subregion (LRR or MLRA): | | Latitude: 47 | .6770680584 | Longitude: -95.39 | 844051 Datu | m: NAD83 | | |
| Soil Map Unit Name: 180 | | | | | NWI Classificatio | n: N/A | | |
| Are climatic/hydrologic conditions on the | e site typic | al for this time of year | ? (if no, explain in R | emarks): | | Yes | | |
| Are Vegetation <u>Yes</u> , Soil <u>No</u> , or Hyd | trology <u>No</u> | significantly disturb | ed? Are "Normal C | ircumstances" prese | ent? <u>No</u> | | | |
| Are Vegetation <u>No</u> , Soil <u>No</u> , or Hydro | ology <u>No</u> | _ naturally problematio | ? (If needed, expla | ain any answers in R | emarks) | | | |
| SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc. | | | | | | | | |
| Hydrophytic Vegetation Present? | Prophytic Vegetation Present? Yes Is the Sampled Area | | | ea | | | | |
| Hydric Soil Present? | | Yes | within a Wetland? | • | Yes | | | |
| Wetland Hydrology Present? | | Yes | If yes, optional We | tland Site ID: | <u>w-149n</u> | 37w33-l | | |
| Remarks: (Explain alternative procedure | s here or i | n a separate report.) | | | | | | |
| Active cattle pasture. | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| HYDROLOGY | | | | | | | | |
| | | | | Casard | | : | | |
| Wetland Hydrology Indicators: | | | | <u>secona</u> | ary indicators (min | imum of two required) | | |
| Primary Indicators (minimum of one is re | equired; ch | eck all that apply) | | | Surface Soil Cracks (B | 6) | | |
| yes Surface Water (A1) | Water-Stained Leaves (B9) | | | Drainage Patterns (B10) | | | | |
| High Water Table (A2) Aquatic Fauna (B13 | | | | | _ Moss Trim Lines (B16) | | | |
| es Saturation (A3) Marl Deposits (B15) | | | | Dry-Season Water Table (C2) | | | | |
| Water Marks (B1) Hydrogen Sulfide | | | | | _Crayfish Burrows (C8) | | | |
| | | | Oxidized Rhizospheres on Living Roots (C3) | | | Saturation Visible on Aerial Imagery (C9) | | |
| | | | _ Presence of Reduced Iron (C4) _ | | | Stunted/Stressed Plants (D1) | | |
| <u> </u> | | Recent Iron Reductio | | | SGeomorphic Position (D2) | | | |
| | n Deposits (B5) Thin Muck Surface (C7) | | | | _Shallow Aquitard (D3) | | | |
| | Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) | | | Microtopographic Relief (D4) Yes FAC-Neutral Test (D5) | | | | |
| Sparsely Vegetated Concave Surface (B8) Field Observations: | | | | <u>ycs</u> | FAC-Neutral Test (D5) | | | |
| Surface Water Present? | Yes | Depth (inches) | 1 | | | | | |
| Water Table Present? | No | Depth (inches) | | | | | | |
| Saturation Present? | Yes | Depth (inches) | | Wetland Hy | drology Present? | Yes | | |
| (includes capillary fringe) | <u></u> | Depth (menes) | <u> </u> | Wetland Hyt | nology riesent: | <u></u> | | |
| Describe Recorded Data (stream gauge, r | monitoring | well aerial nhotos n | revious inspections) | if available: | | | | |
| | nonitoring | | evious inspections, | , il avallable. | | | | |
| | | | | | | | | |
| Remarks: | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

VEGETATION - Use scientific names of plants.

Sampling Point: w-149n37...

| | Absolute | Dominant | Indicator | Dominance Test worksheet: | |
|--|----------|---------------|-----------|---|--|
| Tree Stratum (Plot Size: 30) | % Cover | Species? | Status | Number of Dominant Species | |
| 1. Fraxinus nigra | 30.00 | Yes | FACW | That Are OBL, FACW, or FAC: 2 (A) | |
| 2. | | | | Total Number of Dominant | |
| 3. | | | | Species Across All Strata: 2 (B) | |
| 4. | | | | Percent of Dominant Species | |
| 5 | | | | That Are OBL, FACW, or FAC: 100 (A/B) | |
| 6 | | | | Prevalence Index worksheet: | |
| 7. | | | | Total % Cover of: Multiply by: | |
| | 30 | = Total Cover | | OBL species $0.00 \times 1 = 0$ | |
| Sapling/Shrub Stratum (Plot Size: 15) | | | | FACW species 130.00 x 2 260 | |
| | | | | FACU species 0.00 x 3 0 | |
| 1 | | | | UPL species 0.00 x 4 0 | |
| 2 | | | | | |
| 3 | | | | Column Totals $\frac{130}{Prevalence Index = B/A = 2}$ (B) | |
| 4 | | | | | |
| 5 | | | | Hydrophytic Vegetation Indicators: | |
| 6 | | | | 1 - Rapid Test for Hydrophytic Vegetation | |
| 7 | | | | <u>yes</u> 2 - Dominance Test is > 50% | |
| | 0 | = Total Cover | | <u>yes</u> 3 - Prevalence Index is $\leq 3.0^1$ | |
| Herb Stratum (Plot Size: 5) | | | | 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) | |
| 1. Phalaris arundinacea | 100.00 | Yes | FACW | | |
| 2 | | | | Problematic Hydrophytic Vegetation ¹ (Explain) | |
| 3 | | | · | 1 Indicators of hydric soil and wetland hydrology must be present, unless | |
| 4 | | | | disturbed or problematic. | |
| 5 | | | | Definitions of Vegetation Strata: | |
| 6 | | | | | |
| 7 | | | | Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height. | |
| 8 | | | | | |
| 9 | | | | Sapling/Shrub - Woody plants less than 3 in. DBH and greater than | |
| 10 | | | | or equal to 3.28 ft (1 m) tall. | |
| 11 | | | | Herb - All herbaeceous (non-woody) plants, regardless of size, and | |
| 12 | | | · | woody plants less than 3.28 ft tall. | |
| 12. | 100 | - Total Cover | | | |
| March Mine Chartery (Plat Ciae 20 | | | | woody vines - An woody vines greater than 3.28 it in neight. | |
| Woody Vine Stratum (Plot Size: 30) | | | | | |
| 1 | | | | Hudronhutic | |
| 2 | | | | Hydrophytic Vegetation | |
| 3 | | | | Present? Yes | |
| 4 | | | | | |
| | 0 | =Total Cover | | | |
| Remarks: (include photo numbers here or on a separate sheet. | .) | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

US Army Corps of Engineers

Northcentral and Northeast Region – Version 2.0

SOIL

| | tion: (Describe to the | e depth nee | | | | nfirm th | e absence of indicat | ors.) |
|-----------------------------|---------------------------------|------------------------|------------------------------|--------------------|-------------------|------------------|--------------------------|---|
| Depth | Matrix | | | Feature | | . 2 | | |
| (inches) 0-4 | Color (moist) 10YR 2 1 | % 100 | Color (moist) | % | Type ¹ | Loc ² | Texture MM | Remarks |
| <u>4-8</u> | 10YR 5 2 | <u>100</u> 80 | 10YR 4 6 | 20 | c | M | SL | |
| 8-16 | 10YR 5 3 | <u></u> - 90 | 10YR 4 6 | - <u>20</u> 10 | - <u>c</u> | M | | |
| <u> </u> | | _ <u></u> - | | | | | | |
| | | | | | | · | · | |
| | | | | | | · | | |
| | | | | | | · | · | |
| | | | | | _ | | · · | |
| | | | | | | · | · · | |
| | | | | | | | · · | |
| | | | | | | · | · · | |
| | | | | | | | | |
| ¹ Type: C=Concen | tration, D=Depletion, RM | – – – – =Reduced Ma | trix, MS=Masked Sand G | – rains. | | | · · | ² Location: PL=Pore Lining, M=Matrix |
| Hydric Soil Indica | | | | | | | Indicators for Probl | ematic Hydric Soil ³ : |
| Histosol (A: | 1) | | Polyvalue Below 149B) | Surface (| S8) (LRR R | , MLRA | 2 cm Muck (A1 | 10) (LRR K, L, MLRA 149B) |
| | | | Thin Dark Surfac | o (59) (1 R | | 149B) | | edox (A16)(LRR K, L, R) |
| Black Histic | | | Loamy Mucky M | | | | | eat or Peat (S3) (LRR K, L, R) |
| Hydrogen S | | | Loamy Gleyed M | | |) | Dark Surface (| |
| Stratified Li | | | Depleted Matrix | | | | | w Surface (S8) (LRR K, L) |
| | elow Dark Surface (A11) | | Redox Dark Surfa | | | | | ace (S9) (LRR K, L) |
| | Surface (A12) | | Depleted Dark Sur | | 2 | | _ | e Masses (F12) (LRR K, L, R) |
| | ky Mineral (S1) | | Redox Depressio | | 1 | | | dplain Soils (F19) (MLRA 149B) |
| | | | | 113 (1 0) | | | _ | TA6) (MLRA 144A, 145, 149B) |
| | ed Matrix (S4) | | | | | | _ | |
| Sandy Redo | ox (S5) | | | | | | Red Parent Ma | aterial (F21) |
| Stripped M | atrix (S6) | | | | | | Very Shallow [| Dark Surface (TF12) |
| Dark Surfac | ce (S7) (LRR R, MLRA 149 | 3) | | | | | Other (explain | in remarks) |
| Restrictive Layer | (if observed): | ✓ |] | | | | | |
| Type: rock | | | | | | 1 | Hydric Soil Present? Yes | |
| | nches): <u>16</u> | | | | | | , | |
| Remarks: | | | | | I | | | |
| | | | | | | | | |
| | | | | | | | | |

Site Photograph 1



Latitude: 47.6770949224454

Longitude: -95.3984360677147

Cowardin Classification: PFO

Circular 39: 1

Remarks:

Direction: west

Eggers & Reed: Seasonally Flooded Basin

Site Photograph 2

Sampling Point: w-149n37w33-l2



Latitude: 47.6770949643549

Longitude: -95.3984359838957

Direction: north

Remarks:

Circular 39: 1

Eggers & Reed: Seasonally Flooded Basin