## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

SPP Project/Site:	Ci	Hubbard ty/County:		2015-06-29 Sampling Date:			
Applicant/Owner: Enbridge			Minnesota State:	Sampling Point: HUC5028c1W			
BCS/B Investigator(s):	EH	Sec	tion, Township, Range:				
	Denression		1060695	CC convex, none):	0-2 Slope (%): Minnesota State		
Subregion (LRR or MLRA):		Latitude:	Lo	-95.1316854 ongitude: D	Patum:		
Soil Map Unit Name:				NWI Classifica	ation:		
Are climatic/hydrologic conditions	on the site typic	al for this time of year	? (if no, explain in Rem	arks):	Yes		
Are Vegetation No	or Hydrology	o significantly distur	hed? Are "Normal Circ	Yes			
Are Vegetation, Soil, or	No						
SUMMARY OF FINDINGS - Attac	:h site map shov	ving sampling point lo	ocations, transects, imp	portant features, etc.			
Hydrophytic Vegetation Present?	Yes		Is the Sampled Area				
Hydric Soil Present?		Yes 	within a Wetland?	Yes			
		Yes	If yes, optional Wetlar	nd Site ID:			
Wetland Hydrology Present? Remarks: (Explain alternative proc			ii yes, optional wetlar	——————————————————————————————————————			
HADDOLOCA							
HYDROLOGY Wetland Hydrology Indicators:				Secondary Indicators (	minimum of two required)		
Primary Indicators (minimum of on	e is required; ch	<u> </u>		Surface Soil Crac			
	/es Surface Water (A1) Water-Staine			Drainage Patterns (B10)			
		Aquatic Fauna (B13)			Moss Trim Lines (B16)		
yes Saturation (A3)	_	Marl Deposits (B15)		Dry-Season Water Table (C2)			
. ,	Water Marks (B1) Hydrogen		• •	Crayfish Burrows (C8)			
			res on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)			
	Drift Deposits (B3) Presence of Re			NO.	Stunted/Stressed Plants (D1)  yes Geomorphic Position (D2)		
			on in Tilled Soils (C6)	decinorphie i osic	decinorphic resident (B2)		
	Iron Deposits (B5) Thin Muck Sur				Shallow Aquitard (D3)		
		Other (Explain in Re	marks)		Microtopographic Relief (D4)  Ves FAC-Neutral Test (D5)		
Sparsely Vegetated Concave Surfa	ce (B8)			FAC-Neutral Test	(D5)		
Field Observations:	Ves	Donath (in alcos)	. 0.5				
Surface Water Present?	<u>Yes</u> Yes	Depth (inches) Depth (inches)					
Water Table Present?	Yes	Depth (inches)		Watland Hydrology Dracont	? Yes		
Saturation Present? (includes capillary fringe)	163	Deptii (iliches)	<u> </u>	Wetland Hydrology Present	<u>163</u>		
Describe Recorded Data (stream ga	auge, monitoring	g well, aerial photos, p	revious inspections), if	available:			
Remarks:							
Half an inch of standing water is pr	resent; water tal	ole and saturation are	present to the surface.				

Sampling Point: HUC5028c...

	Absolute	Dominant	Indicator	Dominance Test worksheet:	
<u>Tree Stratum</u> (Plot Size: 30 ft )	% Cover	Species?	Status	Number of Dominant Species	
1. Fraxinus nigra	30.00	Yes	FACW	That Are OBL, FACW, or FAC: 3 (A)	
2. Populus balsamifera	5.00	No	FACW	Total Number of Dominant	
2 Quercus macrocarpa				3	
3	2.00	No	FACU	Species Across All Strata: (B)	
4	2.00	No	FACW	Percent of Dominant Species	
5				That Are OBL, FACW, or FAC:(A/B)	
6. Alnus incana			·	Prevalence Index worksheet:	
7				Total % Cover of: Multiply by:	
	39	= Total Cover		OBL species <u>17.00</u> x 1 <u>17</u>	
Sapling/Shrub Stratum (Plot Size: 15 ft )				FACW species <u>66.00</u> x 2 <u>132</u>	
1. Fraxinus nigra	5.00	Yes	FACW	FACU species <u>20.00</u> x 3 <u>8</u>	
2. Populus balsamifera	2.00	Yes	FACW	UPL species <u>0.00</u> x 4 <u>0</u>	
3				Column Totals <u>105</u> (A) <u>217</u> (B)	
4				Prevalence Index = B/A = $\frac{2.0666666}{1.000}$	
5				Hydrophytic Vegetation Indicators:	
6				1 - Rapid Test for Hydrophytic Vegetation	
7				yes 2 - Dominance Test is > 50%	
	7	= Total Cover		<u>yes</u> 3 - Prevalence Index is $\le 3.0^1$	
Herb Stratum (Plot Size: 5 ft )				4 - Morphological Adaptations (Provide	
1. Athyrium angustum	20.00	Yes	FAC	supporting data in Remarks or on a separate sheet)	
2. Osmundastrum cinnamomeum	10.00	No	FACW	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)	
3. Caltha palustris	10.00	No	OBL	Indicators of hydric soil and wetland hydrology must be present, unless	
4. Symphyotrichum puniceum	5.00	No	OBL	disturbed or problematic.	
5. Equisetum sylvaticum	2.00	No	FACW	Definitions of Vegetation Strata:	
6. Ranunculus recurvatus	2.00	No	FACW		
7. Ribes americanum	2.00	No	FACW	Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast	
8. Rubus pubescens	2.00	No	FACW	height (DBH), regardless of height.	
9. Ribes triste	2.00	No	OBL	Sapling/Shrub - Woody plants less than 3 in. DBH and greater than	
10. Impatiens capensis	2.00	No	FACW	or equal to 3.28 ft (1 m) tall.	
11. Ribes hirtellum	2.00	No	FACW	<b>Herb</b> - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.	
12					
	59	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.	
Woody Vine Stratum (Plot Size:)					
1					
2				Hydrophytic	
3.				Vegetation Present?	
4.					
	0	_ =Total Cover			
Remarks: (include photo numbers here or on a separate sheet.	)				
The sample area is dominated by black ash in the tree and shru	b strata and lady fe	ern in the herbaceo	us stratum.		

SOIL	rintian. (Dasariba ta tha	donth m	eeded to document the	indicato		afirma th	o absonce of indica	Sampling Point: HUC5028c
Depth	Matrix	e deptin n	Redox F		or or cor	111111111111111111111111111111111111111	ie absence of indica	tors.)
(inches)	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks
0-5	10YR 2 1	100	_				MP	
5-24	10YR 3 1	90	10YR 3 6	10	<u>C</u>	М	SCL	
							·	
							·	
	<u> </u>							
			_,					
							·	
							·	
	<u></u>		_				·	
1Type: C=Conc		=Reduced I	– Matrix, MS=Masked Sand Gra				·	<sup>2</sup> Location: PL=Pore Lining, M=Matrix
Hydric Soil Ind		- neudeca i	viatrix, 1413 - 141a3Rea 3arra Gre				Indicators for Prob	olematic Hydric Soil <sup>3</sup> :
Histoso			Polyvalue Below 9	Surface (S	8) <b>(LRR R</b>	, MLRA	2 cm Muck (A	\(\lambda(10)\) (LRR K, L, MLRA 149B)
	Epipedon (A2)		Thin Dark Surface (S9) (LRR R, MLRA 149B)		Coast Prairie Redox (A16)(LRR K, L, R)			
	listic (A3)		Loamy Mucky Min				5 cm Mucky F	Peat or Peat (S3) (LRR K, L, R)
Hydrog	gen Sulfide (A4)		Loamy Gleyed Ma	atrix (F2)			☐ Dark Surface	(S7) (LRR K, M)
Stratifie	ed Layers (A5)		Depleted Matrix (	F3)			Polyvalue Bel	low Surface (S8) (LRR K, L)
☐ Deplete	ed Below Dark Surface (A11)		Redox Dark Surfa	ce (F6)			Thin Dark Surf	face (S9) (LRR K, L)
Thick D	Park Surface (A12)		Depleted Dark Su	rface (F7)			Iron-Maganes	se Masses (F12) (LRR K, L, R)
Sandy N	Mucky Mineral (S1)		Redox Depression	ıs (F8)			Piedmont Floo	odplain Soils (F19) (MLRA 149B)
Sandy 6	Gleyed Matrix (S4)						Mesic Spodic	(TA6) <b>(MLRA 144A, 145, 149B)</b>
Sandy F	Redox (S5)						Red Parent M	Material (F21)
1	ad BAntain (CC)						☐ Very Shallow	Dark Surface (TF12)
Strippe	ed Matrix (26)							

The observed profile consists of a mucky peat underlain by a dark sandy clay loam containing redox features; the soil meets hydric indicator F6 - Redox Dark Surface.

Hydric Soil Present? Yes

Туре: \_\_

Remarks:

Depth (inches):