WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	c	ity/County: Hubbard		Sampling Date: 2016-07-22		
Applicant/Owner: Enbridge			State: Minnesota	Samplir	ng Point: <u>w-141n35w29-aa1</u>	
Investigator(s): ZCW		Section, Township	p, Range: <u>S 29, T 141N, R</u>	35W		
Landform (hillslope, terrace, etc.): Depr	ession		Local Relief (concave, co	nvex, none): CC	Slope (%): 0-2%	
Subregion (LRR or MLRA):		 Latitude: 46	5.9941506954 Long	gitude: -95.14638368	Datum: NAD83	
Soil Map Unit Name: 672				NWI Cla	ssification: L1UBH	
Are climatic/hydrologic conditions on the	ne site typic	al for this time of year	? (if no, explain in Remarl	ks):	Yes	
Are Vegetation No_, Soil No_, or Hydrology No_ significantly disturbed? Are "Normal Circumstances" present? Yes_						
Are Vegetation No , Soil No , or Hyd		_				
SUMMARY OF FINDINGS - Attach sit	e map shov		cations, transects, impor	rtant features, etc.		
Hydrophytic Vegetation Present?		Yes	Is the Sampled Area			
Hydric Soil Present?		Yes	within a Wetland?		Yes	
Wetland Hydrology Present? Remarks: (Explain alternative procedur		<u>Yes</u>	If yes, optional Wetland	Site ID:	w-141n35w29-aa	
HYDROLOGY						
Wetland Hydrology Indicators:				Secondary Indica	tors (minimum of two required)	
Primary Indicators (minimum of one is	required; ch	neck all that apply)		Surface So	il Cracks (B6)	
Surface Water (A1)			s (B9)	Drainage Patterns (B10)		
yes High Water Table (A2)			Moss Trim Lines (B16)		Lines (B16)	
yes Saturation (A3)	Marl Deposits (B15)			Dry-Season	Water Table (C2)	
Water Marks (B1)	Hydrogen Sulfide Odo		or (C1)	Crayfish Bui	rrows (C8)	
Sediment Deposits (B2)	2) Oxidized Rhizosphere		es on Living Roots (C3)	Saturation \	isible on Aerial Imagery (C9)	
Drift Deposits (B3)	Deposits (B3) Presence of Reduced		Iron (C4)	Stunted/Str	essed Plants (D1)	
Algal Mat or Crust (B4)	Recent Iron Reductio		n in Tilled Soils (C6) <u>Yes</u> Geo		c Position (D2)	
Iron Deposits (B5)	peposits (B5) Thin Muck Surface (C		[7] Shallow A		uitard (D3)	
Inundation Visible on Aerial Imagery (B7	')	Other (Explain in Ren	narks)		raphic Relief (D4)	
Sparsely Vegetated Concave Surface (B8	3)			<u>Yes</u> FAC-Neutra	l Test (D5)	
Field Observations:						
Surface Water Present?	No	Depth (inches)				
Water Table Present?	<u>Yes</u>	Depth (inches)			. Was	
Saturation Present?	<u>Yes</u>	Depth (inches)	8	Wetland Hydrology Pr	resent? Yes	
(includes capillary fringe)						
Describe Recorded Data (stream gauge, Remarks:	THORITOINI	g weii, аенаі рітогоз, рі	revious inspections), ii av	allavie.		

VEGETATION - U	Jse scientific names of pla	ants.			Sampling Point: w-141n35
		Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum	(Plot Size: 30		Species?	Status	Number of Dominant Species
1			·		That Are OBL, FACW, or FAC: 2 (A)
				_	Total Number of Dominant
					Species Across All Strata: 2 (B)
					Percent of Dominant Species
				_	That Are OBL, FACW, or FAC: 100 (A/B)
			<u> </u>		Prevalence Index worksheet:
7					Total % Cover of: Multiply by:
/·		0	= Total Cover	_	OBL species 50.00 x 1 50
Canling/Chruh Stratur	n (Plot Size: 15	<u>-</u>	10(a) COVC		FACW species 50.00 x 2 100
	- ·				<u> </u>
					UPL species 0.00 x 4 0
3					Column Totals(A)(B)
					Prevalence Index = B/A = 1.5
5					Hydrophytic Vegetation Indicators:
6					1 - Rapid Test for Hydrophytic Vegetation
7					yes 2 - Dominance Test is > 50%
		0	_ = Total Cover		<u>yes</u> 3 - Prevalence Index is $\le 3.0^1$
Herb Stratum (Plot Siz	ze: <u>5</u>				4 - Morphological Adaptations (Provide
1. Typha X glauca		40.00	Yes	OBL	supporting data in Remarks or on a separate sheet)
2. Phalaris arundinace	ea	40.00	Yes	FACW	Problematic Hydrophytic Vegetation ¹ (Explain)
3. Iris versicolor		10.00	No	OBL	
Calamagrostis cana	adensis	10.00	No	FACW	Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
			_ :		Definitions of Vegetation Strata:
					Definitions of Vegetation Strate.
					Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
					height (DBH), regardless of height.
					┨
9					Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10					or equal 12 2.22 3.1,2, 12
11					Herb - All herbaeceous (non-woody) plants, regardless of size, and
					woody plants less than 3.28 ft tall.
		100	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum	(Plot Size:)		_		
1.	,				
	,				
2.					Vegetation
3					Present?
4					\dashv
		0	=Total Cover		
Remarks: (include phe	oto numbers here or on a separat	te sheet.)			
l					
l					

Sampling Point: w-141n35... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Type¹ Loc² (inches) Color (moist) % Color (moist) % Texture Remarks 10YR 2 1 0-16 100 LS 10YR 5 1 100 16-24 LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks:

Site Photograph 1 Sampling Point: w-141n35w29-aa1



Latitude: 46.9941499410635	Cowardin Classification: PEM		
Longitude: -95.1463639923326	Circular 39: 2		
Direction: Northeast	Eggers & Reed: Fresh (Wet) Meadow		
Remarks:			

Site Photograph 2 Sampling Point: w-141n35w29-aa1



Latitude: 46.994149899154	Cowardin Classification: PEM
Longitude: -95.1463640761516	Circular 39: 2
Direction: Southwest	Eggers & Reed: Fresh (Wet) Meadow
Remarks:	