## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

SPP Project/Site:	Wader City/County:	na	2015-07-20 Sampling Date:							
Enbridge Applicant/Owner:		Minnesota State:	WA002c2W Sampling Point:							
BCS/ACM		State	Sampling Point.							
Investigator(s):		Section, Township, Range:								
Depre Landform (hillslope, terrace, etc.):	ession	Local Relief (concave, o	CC 0-2 Slope (%):							
LRR K Subregion (LRR or MLRA):	Latitude:	46.7960373312 :Lo	-94.91322982 Minnesota State Datum:							
Soil Map Unit Name:			PSS1C NWI Classification:							
And alimentia /burdualagia adaditiana an th	a sita tuminal fauthia tima af.	vaara (if wa ayyalain in Bayya	Yes							
Are climatic/hydrologic conditions on the site typical for this time of year? (if no, explain in Remarks):  No No Yes										
No No Yes Are Vegetation, Soil, or Hydrology significantly disturbed? Are "Normal Circumstances" present?										
No No No No Are Vegetation No No No naturally problematic? (If needed, explain any answers in Remarks)										
SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.										
Hydrophytic Vegetation Present?	Yes	Is the Sampled Area								
	Yes		Yes							
Hydric Soil Present?	Yes	within a Wetland?	<del></del>							
Wetland Hydrology Present?	<del></del>	If yes, optional Wetlan	d Site ID:							
Remarks: (Explain alternative procedure	es here or in a separate repor	t.)								
Sample point located in a Shrub-Carr w	ithin a larger wetland comple	x. The vegetation is domina	ited by meadow willow.							
HYDROLOGY Wetland Hydrology Indicators:			Secondary Indicators (minimum of two required)							
Primary Indicators (minimum of one is re	equired; check all that apply)		Surface Soil Cracks (B6)							
Surface Water (A1)	Water-Stained L	.eaves (B9)	Drainage Patterns (B10)							
yes High Water Table (A2)	Aquatic Fauna (I	B13)	Moss Trim Lines (B16)							
<u>yes</u> Saturation (A3)	Marl Deposits (E	315)	Dry-Season Water Table (C2)							
Water Marks (B1)	Hydrogen Sulfid	e Odor (C1)	Crayfish Burrows (C8)							
Sediment Deposits (B2)	Oxidized Rhizos	pheres on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)							
Drift Deposits (B3)	Presence of Red	luced Iron (C4)	Stunted/Stressed Plants (D1)							
Algal Mat or Crust (B4)	Recent Iron Red	uction in Tilled Soils (C6)	yes Geomorphic Position (D2)							
Iron Deposits (B5)	Thin Muck Surfa	ace (C7)	Shallow Aquitard (D3)							
Inundation Visible on Aerial Imagery (B7	7) Other (Explain in	n Remarks)	Microtopographic Relief (D4)							
Sparsely Vegetated Concave Surface (B8	3)		yes FAC-Neutral Test (D5)							
Field Observations:	,									
Surface Water Present?	No Depth (inch	nes)								
Water Table Present?	Yes Depth (inch	nes) <u>12</u>								
Saturation Present?	Yes Depth (inch	nes) <u>0</u>	Wetland Hydrology Present? Yes							
(includes capillary fringe)										
Describe Recorded Data (stream gauge,	monitoring well, aerial photo	s, previous inspections), if a	available:							
Remarks:										
Water table is present at 12 inches; satu	uration is present to the surfa	ce.								

**VEGETATION** - Use scientific names of plants.

over Species?  = Total Cover  Yes	Status	Number of Dominant Species  That Are OBL, FACW, or FAC: 3
		Total Number of Dominant  3 Species Across All Strata:
		Total Number of Dominant  3 Species Across All Strata:
		Species Across All Strata:
		Species Across All Strata:
		That Are OBL, FACW, or FAC:(A/B)  Prevalence Index worksheet:
		That Are OBL, FACW, or FAC:(A/B)  Prevalence Index worksheet:
		Prevalence Index worksheet:
	_	
		- lotal % Cover of: Multiply by:
		OBL species 105.00 x 1 105
Yes		
Yes	54614	FACW species 45.00 x 2 90
	FACW	FACU species 0.00 x 3 0
<u>No</u>	FACW	UPL species
<u>No</u>	FACW	Column Totals 150 (A) 195 (B)
		Prevalence Index = B/A = 1.3
		Hydrophytic Vegetation Indicators:
		yes 1 - Rapid Test for Hydrophytic Vegetation
		yes 2 - Dominance Test is > 50%
= Total Cover		<u>yes</u> 3 - Prevalence Index is $\le 3.0^1$
		4 - Morphological Adaptations 1 (Provide
Yes	OBL	supporting data in Remarks or on a separate sheet)
Yes	OBL	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
No No	OBL	_
No	OBL	Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
		Definitions of Vegetation Strata:
		The West along 2 in (75 and) as more in discussion at least
		Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height.
	_	<b>- </b>
		Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
		_
		Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
	_	woody plants less than 5.26 it tall.
= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
		_
		Hydrophytic
		Vegetation Present?
=Total Cover		7
- h h t t		
	Yes No No No No	Yes OBL Yes OBL NO OBL NO OBL NO OBL NO FACW  = Total Cover

Sampling Point: WA002c2W

SOIL								Sampling Point: WA002c2W	
Profile	Description: (Describe to the	depth needed	to document the	e indicato	or or cor	firm th	e absence of inc	dicators.)	
Depth	Matrix	latrix Redox Features							
(inches	s) Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks	
0-22	10YR 2 1	100					<u>M</u>		
-									
		<del></del>					· <del></del>		
		<del></del>							
		- — —							
				- —					
	C=Concentration, D=Depletion, RM=I	Reduced Matrix,	MS=Masked Sand G	rains.				<sup>2</sup> Location: PL=Pore Lining, M=Matrix	
Hydric S	Soil Indicators:		Polyvalue Below	, Surface (S	.8\	MIRΔ	Indicators for	Problematic Hydric Soil <sup>3</sup> :	
<b>✓</b>	Histosol (A1)			yvalue Below Surface (S8) (LRR R, MLRA BB)			2 cm Muck (A10) (LRR K, L, MLRA 149B)		
	Histic Epipedon (A2)	[	Thin Dark Surfac	ce (S9) <b>(LRR</b>	R, MLRA	149B)	Coast Pra	airie Redox (A16)( <b>LRR K, L, R</b> )	
	Black Histic (A3)	[	Loamy Mucky M	lineral (F1)	(LRR K, L)		5 cm Mu	cky Peat or Peat (S3) (LRR K, L, R)	
	Hydrogen Sulfide (A4)	[	Loamy Gleyed N	1atrix (F2)			Dark Sur	face (S7) ( <b>LRR K, M</b> )	
	Stratified Layers (A5)	[	Depleted Matrix	(F3)			Polyvalue	e Below Surface (S8) (LRR K, L)	
	Depleted Below Dark Surface (A11)	[	Redox Dark Surf	ace (F6)			Thin Dark	Thin Dark Surface (S9) ( <b>LRR K, L</b> )  Iron-Maganese Masses (F12) (LRR K, L, R)	
	Thick Dark Surface (A12)	[	Depleted Dark S	urface (F7)			☐ Iron-Mag		
	Sandy Mucky Mineral (S1)	[	Redox Depressions (F8)				Piedmont Floodplain Soils (F19) (MLRA 149B)		
	Sandy Gleyed Matrix (S4)						Mesic Spo	odic (TA6) <b>(MLRA 144A, 145, 149B)</b>	
	Sandy Redox (S5)						Red Pare	nt Material (F21)	
	Stripped Matrix (S6)						Very Sha	llow Dark Surface (TF12)	
	Dark Surface (S7) <b>(LRR R, MLRA 149B</b>	)					Other (ex	xplain in remarks)	
Restrict	ive Layer (if observed):								
Тур	oe:							Vos	
	Depth (inches):						Hydric Soil Present?	163	
Remark	rs:								

Observed profile consists of a black muck throughout. Meets indicator A1 - Histosol.