## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Cass			_	Sampling Date: 2016-07-29		
Applicant/Owner: Enbridge		S	tate: Minnesota		Sampling	g Point: <u>u-139</u>	n25w18-ae1
Investigator(s): DPT/MGH	Sec	tion, Township,	Range: <u>S18, T139</u>	9N, R25W			
Landform (hillslope, terrace, etc.): Ris	e		ocal Relief (conca	ve, convex, none	): <u>VV</u>	Slope	(%): 0-2%
Subregion (LRR or MLRA):		 Latitude: 46.8	3597423937	Longitude: -93.	.89992704	Datum: NA	AD83
Soil Map Unit Name: 217					NWI Class	sification: PSS	В
Are climatic/hydrologic conditions or	the site typical for thi	s time of year? (	(if no, explain in R	emarks):		Yes	
Are Vegetation No , Soil No , or	Hydrology No signif	icantly disturbe	d? Are "Normal C	Circumstances" pr	resent? Yes		
Are Vegetation No , Soil No , or Hydrology No naturally problematic? (If needed, explain any answers in Remarks)							
SUMMARY OF FINDINGS - Attach	site map showing sam	pling point loca	ations, transects, i	important featur	es, etc.		
Hydrophytic Vegetation Present?	<u>No</u>	Is	s the Sampled Are	ea			
Hydric Soil Present?	<u>No</u>	No within a Wetland?		?	No		
Wetland Hydrology Present?	No	If	f yes, optional We	etland Site ID:			
Remarks: (Explain alternative proced	lures here or in a sepa	rate report.)					
No digging, existing forest road, pos	sible buried utilities.						
HYDROLOGY							
Wetland Hydrology Indicators:				Seco	ondary Indicato	ors (minimum	of two required)
Primary Indicators (minimum of one	is required; check all t	hat apply)			Surface Soil	Cracks (B6)	
Surface Water (A1)		Water-Stained Leaves (B9)			Drainage Patterns (B10)		
High Water Table (A2)		Aquatic Fauna (B13)			Moss Trim Lines (B16)		
Saturation (A3)		Marl Deposits (B15)			Dry-Season Water Table (C2)		
Water Marks (B1)		Hydrogen Sulfide Odor (C1)			Crayfish Burrows (C8)		
Sediment Deposits (B2)	Oxid	Oxidized Rhizospheres on Living Roots (C3)			Saturation Visible on Aerial Imagery (C9)		
Drift Deposits (B3)	Pres	Presence of Reduced Iron (C4)			Stunted/Stressed Plants (D1)		
Algal Mat or Crust (B4)	Rece	Recent Iron Reduction in Tilled Soils (C6)			Geomorphic Position (D2)		
Iron Deposits (B5)	Thin	Thin Muck Surface (C7)			Shallow Aquitard (D3)		
Inundation Visible on Aerial Imagery	(B7) Othe	Other (Explain in Remarks)			Microtopographic Relief (D4)		
Sparsely Vegetated Concave Surface	(B8)				FAC-Neutral 1	Test (D5)	
Field Observations:							
Surface Water Present?	No [	Depth (inches) _					
Water Table Present?		Depth (inches) _					
Saturation Present?	No [	Depth (inches) _		Wetland I	Hydrology Pre	sent?	<u>No</u>
(includes capillary fringe)							
Describe Recorded Data (stream gau	ge, monitoring well, as	erial photos, pre	vious inspections)	), if available:			
Remarks:			· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·
No digging, existing road, potential b	ouried utilities. Could n	ot verify water t	table.				
		,					
1							

Tree Stratum

(Plot Size: 30

Betula papyritera	35.00	Yes Yes	_ FACU	That Are OBL, FACW, or FAC: 2 (A)			
2. Acer rubrum	30.00	Yes	FAC	Total Number of Dominant			
3				Species Across All Strata: 5 (B)			
4				Percent of Dominant Species			
5.				That Are OBL, FACW, or FAC: 40 (A/B)			
6.				Prevalence Index worksheet:			
7.				Total % Cover of: Multiply by:			
··	65	= Total Cover		OBL species 0.00 x 1 0			
Conline /Chaula Charles / Diet Cine 15	<u> </u>	= Total cover					
Sapling/Shrub Stratum (Plot Size: 15	20.00	Vos	UPL				
1. Corylus cornuta		Yes					
2		_	_	UPL species x 4			
3				Column Totals(A)(B)			
4		_	_	Prevalence Index = B/A = 3.8333333			
5				Hydrophytic Vegetation Indicators:			
6				1 - Rapid Test for Hydrophytic Vegetation			
7			_	no 2 - Dominance Test is > 50%			
	20	= Total Cover		no 3 - Prevalence Index is $\leq 3.0^1$			
Herb Stratum (Plot Size: 5)				4 - Morphological Adaptations <sup>1</sup> (Provide			
1. Eurybia macrophylla	50.00	Yes	FACU	supporting data in Remarks or on a separate sheet)			
2. Plantago major	20.00	Yes	FAC	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)			
3. Trifolium repens	10.00	No	FACU				
4. Trifolium pratense	10.00	No	FACU	Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.			
5. Phleum pratense	5.00	No	FACU	Definitions of Vegetation Strata:			
6.	-		<u> </u>				
7.				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast			
	-	, (* <u> </u>		height (DBH), regardless of height.			
8.	-	<del></del>	<del></del>				
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.			
10							
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and			
12			_	woody plants less than 3.28 ft tall.			
	95	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.			
Woody Vine Stratum (Plot Size: 30							
1.							
2	_			Hydrophytic			
2.	_			Vegetation No			
				Present?			
4			_	-			
	0	=Total Cover					
Remarks: (include photo numbers here or on a separate shee	et.)						

Absolute

% Cover

Dominant

Species?

Indicator

Status

Sampling Point: u-139n25... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Matrix **Redox Features** Loc<sup>2</sup> (inches) Color (moist) Color (moist) % Type<sup>1</sup> Texture Remarks <sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil<sup>3</sup>: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks: No digging, soils assumed non-hydric based on veg/hydro

Site Photograph 1 Sampling Point: u-139n25w18-ae1



Circular 39:		
Eggars & Boods		
Eggers & Reed:		

Site Photograph 2 Sampling Point: u-139n25w18-ae1



	30000000000000000000000000000000000000	
Latitude:	46.8597358139668	Cowardin Classification:
Longitude:	: -93.8999314048271	Circular 39:
Direction: Sou	uth	Eggers & Reed:
Remarks:		
Upland.		