WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

| Project/Site: SPP | City/County: Cass | | Sampling Date: 2016-07-27 | | |
|--|---|------------------------------------|------------------------------|---|--|
| Applicant/Owner: Enbridge | | State: Minnesota | Samplin | g Point: <u>u-139n25w19-ab1</u> | |
| Investigator(s): DPT, MGH | Section, Townsh | ip, Range: <u>\$19,</u> T139, R25\ | W | | |
| Landform (hillslope, terrace, etc.): Rise | | Local Relief (concave, co | nvex, none): VL | Slope (%): 0-2% | |
| Subregion (LRR or MLRA): | Latitude: 4 | 6.844242494597 Long | gitude: -93.88969835 | Datum: NAD83 | |
| Soil Map Unit Name: 218 | | | NWI Clas | ssification: N/A | |
| Are climatic/hydrologic conditions on the site | typical for this time of yea | r? (if no. explain in Remark | | Yes | |
| Are Vegetation No_, Soil No_, or Hydrolo | gy No significantly distur | bed? Are "Normal Circum | istances" present? Yes | | |
| Are Vegetation No_, Soil No_, or Hydrology SUMMARY OF FINDINGS - Attach site maj | | | | | |
| Hydrophytic Vegetation Present? | No | Is the Sampled Area | tant leatures, etc. | | |
| Hydric Soil Present? | No | within a Wetland? | | No | |
| Wetland Hydrology Present? | No | If yes, optional Wetland | Site ID: | <u> </u> | |
| Remarks: (Explain alternative procedures he | | ii yes, optional wetiana | | | |
| No digging, existing road, potential buried u | | | | | |
| No digging, existing road, potential buried d | inities. | | | | |
| | | | | | |
| | | | | | |
| HYDROLOGY | | | | | |
| Wetland Hydrology Indicators: | | | Secondary Indicat | ors (minimum of two required) | |
| Primary Indicators (minimum of one is requir | ed; check all that apply) | | Surface Soil | Cracks (B6) | |
| Surface Water (A1) | Water-Stained Leaves (B9) | | Drainage Patterns (B10) | | |
| High Water Table (A2) | Aquatic Fauna (B13) | | Moss Trim Lines (B16) | | |
| Saturation (A3) | Marl Deposits (B15) | | Dry-Season Water Table (C2) | | |
| Water Marks (B1) | Hydrogen Sulfide Odor (C1) | | Crayfish Burn | Crayfish Burrows (C8) | |
| Sediment Deposits (B2) | Oxidized Rhizospheres on Living Roots (C3) | | Saturation V | Saturation Visible on Aerial Imagery (C9) | |
| Drift Deposits (B3) | Presence of Reduced Iron (C4)Stunted/Stressed Plants (D1) | | ssed Plants (D1) | | |
| Algal Mat or Crust (B4) | Recent Iron Reduction in Tilled Soils (C6) Geomorphic Position (D2) | | Position (D2) | | |
| Iron Deposits (B5) | Thin Muck Surface (C7) Shallow Aquitard (D3) | | itard (D3) | | |
| Inundation Visible on Aerial Imagery (B7) | Other (Explain in Remarks) | | Microtopographic Relief (D4) | | |
| Sparsely Vegetated Concave Surface (B8) | | | FAC-Neutral | Test (D5) | |
| Field Observations: | | | | | |
| Surface Water Present? No | Dept. (menes | | | | |
| Water Table Present? | Depth (inches | | | | |
| Saturation Present? No. | Depth (inches |) | Wetland Hydrology Pro | esent? <u>No</u> | |
| (includes capillary fringe) | | | | | |
| Describe Recorded Data (stream gauge, mon | toring well, aerial photos, p | orevious inspections), if av | ailable: | | |
| Remarks: | | | | | |
| No digging, could not verify water table. | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Sapling/Shrub Stratum (Plot Size: 15

Herb Stratum (Plot Size: 5

Woody Vine Stratum (Plot Size: 30

1. Artemisia annua

2. Phleum pratense

3. Plantago major

5. Rudbeckia hirta

11. ____

4. Taraxacum officinale

6. Solidago gigantea

Tree Stratum

(Plot Size: 30

Absolute

% Cover

Dominant

Species?

___ = Total Cover

Yes

Yes

Yes

No

No

No

95 = Total Cover

30.00

20.00

20.00

10.00

10.00

5.00

| | | | Vegetation Present? | No |
|---|---|--------------|------------------------|----|
| | 0 | =Total Cover | | |
| lemarks: (include photo numbers here or on a separate sheet.) | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Sampling Point: u-139n25... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Matrix **Redox Features** Loc² (inches) Color (moist) Color (moist) % Type¹ Texture Remarks ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks: No digging, soils assumed non-hydric based on veg/hydro.

Site Photograph 1 Sampling Point: u-139n25w19-ab1



| Cowardin Classification: | | |
|--------------------------|--|--|
| Circular 39: | | |
| Eggers & Reed: | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Site Photograph 2 Sampling Point: u-139n25w19-ab1



| Latitude: 46.8442432489682 | Cowardin Classification: | | | |
|------------------------------|--------------------------|--|--|--|
| Longitude: -93.8897052315007 | Circular 39: | | | |
| irection: north | Eggers & Reed: | | | |
| emarks: | | | | |
| pland | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |