## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Cass		Sampling Date: 2016-07-27		
Applicant/Owner: Enbridge		State: Minnesota	Sampling Point: u-139n25w19-ac1		
Investigator(s): DPT/MGH	Section, Townshi	ip, Range: S19, T139N, R25	W		
Landform (hillslope, terrace, etc.): Rise		Local Relief (concave, con	vex, none): CL Slope (%): 0-2%		
Subregion (LRR or MLRA):	 Latitude: 40	6.8364019785 Longi	tude: -93.88692964 Datum: NAD83		
Soil Map Unit Name: 202	_		NWI Classification: PFO4/2B		
Are climatic/hydrologic conditions on the site t	pical for this time of year	? (if no, explain in Remarks			
. , .		,	·		
Are Vegetation No , Soil No , or Hydrolog	significantly distur	bed? Are "Normal Circums	tances" present? Yes		
Are Vegetation No , Soil No , or Hydrology	No naturally problemati	c? (If needed, explain any	answers in Remarks)		
			·		
SUMMARY OF FINDINGS - Attach site map	howing sampling point lo	ocations, transects, import	ant features, etc.		
Hydrophytic Vegetation Present?	No	Is the Sampled Area			
Hydric Soil Present?	No	within a Wetland?	<u>No</u>		
Wetland Hydrology Present?	No	If yes, optional Wetland S	ite ID:		
Remarks: (Explain alternative procedures here	or in a separate report.)	•			
No digging, existing road, potential buried util	ties. Non-hydric based on	vegetation and hydrology.			
HYDROLOGY					
Wetland Hydrology Indicators:			Secondary Indicators (minimum of two required)		
Primary Indicators (minimum of one is required	l; check all that apply)		Surface Soil Cracks (B6)		
Surface Water (A1)	Water-Stained Leaves (B9)		Drainage Patterns (B10)		
High Water Table (A2)	Aquatic Fauna (B13)		Moss Trim Lines (B16)		
Saturation (A3)	Marl Deposits (B15)		Dry-Season Water Table (C2)		
—— Water Marks (B1)	Hydrogen Sulfide Odor (C1)		Crayfish Burrows (C8)		
Sediment Deposits (B2)	Oxidized Rhizospher	es on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)		
Drift Deposits (B3)	Presence of Reduced Iron (C4)		Stunted/Stressed Plants (D1)		
Algal Mat or Crust (B4)	Recent Iron Reduction	on in Tilled Soils (C6)	Geomorphic Position (D2)		
Iron Deposits (B5)	Thin Muck Surface (	C7)	Shallow Aquitard (D3)		
Inundation Visible on Aerial Imagery (B7)	Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks		Microtopographic Relief (D4)		
Sparsely Vegetated Concave Surface (B8)			FAC-Neutral Test (D5)		
Field Observations:					
Surface Water Present? No	_ Depth (inches)				
Water Table Present?	_ Depth (inches)	·	No.		
Saturation Present? No	_ Depth (inches)	) ——	Wetland Hydrology Present? No		
(includes capillary fringe)					
Describe Recorded Data (stream gauge, monito	oring well, aerial photos, p	revious inspections), if ava	ilable:		
Remarks:					
No digging, existing road, potential buried utilities. Could not verify water table.					

Sapling/Shrub Stratum (Plot Size: 15

Herb Stratum (Plot Size: 5 )

Woody Vine Stratum (Plot Size: 30

1. Solidago canadensis

2. Trifolium pratense

Fragaria vesca

5. Trifolium repens

3. Phleum pratense

Tree Stratum

(Plot Size: 30

Absolute

% Cover

Dominant

Species?

\_\_\_\_ = Total Cover

Yes

Yes

Yes

Yes

No

75 = Total Cover

FACU

FACU

FACU

UPL

FACU

20.00

15.00

15.00

15.00

10.00

Indicator

Status

			Vegetation Present?	<u>No</u>
•	0	=Total Cover		
temarks: (include photo numbers here or on a	separate sheet.)		-	

Sampling Point: u-139n25... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc<sup>2</sup> (inches) Color (moist) Color (moist) % Type<sup>1</sup> Texture Remarks <sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil<sup>3</sup>: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks: No digging, existing road, potential buried utilities. Soils assumed non-hydric based on vegetation and hydrology.

Site Photograph 1 Sampling Point: u-139n25w19-ac1



Latitude:	46.8362540379603	Cowardin Classification:			
Longitude:	-93.8865147438775	Circular 39:			
Direction: South		Eggers & Reed:			
Remarks:					
Upland.					

Site Photograph 2 Sampling Point: u-139n25w19-ac1



Latitude: 46.8362539122317	Cowardin Classification:
Longitude: -93.8865145762394	Circular 39:
Direction: North	Eggers & Reed:
Remarks:	
Upland.	