## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	Ci	City/County: Cass		Sampling Date: 2016-07-27			
Applicant/Owner: Enbridge			State: Minnesota	Samplin	ng Point: <u>w-139n25w18-aa1</u>		
Investigator(s): DPT, MGH		Section, Township	p, Range: S18, T139N,	R25W			
Landform (hillslope, terrace, etc.): Depres	ssion		Local Relief (concave,	convex, none): CL	Slope (%): <u>0-2%</u>		
Subregion (LRR or MLRA):		Latitude: 46	5.84796812 Lo	ongitude: -93.88963059	Datum: NAD83		
Soil Map Unit Name: 218				NWI Cla	ssification: N/A		
Are climatic/hydrologic conditions on the	site typic	al for this time of year?	? (if no, explain in Rem	— narks):	Yes		
Are Vegetation No_, Soil No_, or Hydrology No_ significantly disturbed? Are "Normal Circumstances" present? Yes_							
Are Vegetation No_, Soil No_, or Hydro	ology <u>No</u>	_ naturally problematic	c? (If needed, explain	any answers in Remarks)			
SUMMARY OF FINDINGS - Attach site	map shov	wing sampling point lo	cations, transects, imp	portant features, etc.			
Hydrophytic Vegetation Present?		Yes	Is the Sampled Area				
Hydric Soil Present?		<u>Yes</u>	within a Wetland?		Yes		
Wetland Hydrology Present?		<u>Yes</u>	If yes, optional Wetlar	nd Site ID:	<u>w-139n25w18-aa</u>		
Remarks: (Explain alternative procedure	s here or i	n a separate report.)	-				
No digging, existing road, potential burid	ed utilities	j.					
HYDROLOGY							
Wetland Hydrology Indicators:				Secondary Indicat	tors (minimum of two required)		
Primary Indicators (minimum of one is re	equired; ch	eck all that apply)		Surface Soi	il Cracks (B6)		
yes Surface Water (A1)	yes Surface Water (A1) Water-Stained L		s (B9) Drainage Patterns (B10)				
yes High Water Table (A2) Aquatic Fa		Aquatic Fauna (B13)		Moss Trim I	Lines (B16)		
yes Saturation (A3) Marl Deposits		Marl Deposits (B15)		Dry-Season	Water Table (C2)		
Water Marks (B1)		Hydrogen Sulfide Odd	Hydrogen Sulfide Odor (C1)		Crayfish Burrows (C8)		
Sediment Deposits (B2)		Oxidized Rhizosphere	es on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)			
Drift Deposits (B3)		Presence of Reduced	Iron (C4)	Stunted/Stre	Stunted/Stressed Plants (D1)		
Algal Mat or Crust (B4)		Recent Iron Reductio	n in Tilled Soils (C6)	Yes Geomorphic Position (D2)			
Iron Deposits (B5)		Thin Muck Surface (C7)		Shallow Aqu	Shallow Aquitard (D3)		
Inundation Visible on Aerial Imagery (B7)	_	Other (Explain in Ren	narks)	<del></del>	raphic Relief (D4)		
Sparsely Vegetated Concave Surface (B8)				<u>yes</u> FAC-Neutral	Test (D5)		
Field Observations:			_				
Surface Water Present?	<u>Yes</u>	Depth (inches)	3				
Water Table Present?	<u>Yes</u>	Depth (inches)					
Saturation Present?	<u>Yes</u>	Depth (inches)	0	Wetland Hydrology Pr	resent? Yes		
(includes capillary fringe)							
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:							
Remarks:							

<b>VEGETATION</b> - Use scientific names of plants.				Sampling Point: w-139n25
	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30 )	% Cover	Species?	Status	Number of Dominant Species
1				That Are OBL, FACW, or FAC: 3 (A)
2.				Total Number of Dominant
3.				Species Across All Strata: 4 (B)
4.				Percent of Dominant Species
5.				That Are OBL, FACW, or FAC: 75 (A/B)
6.				Prevalence Index worksheet:
7.				Total % Cover of: Multiply by:
	0	= Total Cover	_	OBL species 30.00 x 1 30
Sapling/Shrub Stratum (Plot Size: 15)		_		FACW species 100.00 x 2 200
1. Alnus incana	25.00	Yes	FACW	FACU species 20.00 x 3 80
2. Salix petiolaris	20.00	Yes	OBL	UPL species 0.00 x 4 0
3. Salix bebbiana	10.00	No	FACW	Column Totals 160 (A) 340 (B)
4. Cornus racemosa	5.00	No	FAC	Prevalence Index = B/A = 2.125
5.		_	_	Hydrophytic Vegetation Indicators:
6.				1 - Rapid Test for Hydrophytic Vegetation
7.		_		yes 2 - Dominance Test is > 50%
,	60	= Total Cover	_	yes 3 - Prevalence Index is $\leq 3.0^{1}$
Herb Stratum (Plot Size: 5				4 - Morphological Adaptations (Provide
1. Phalaris arundinacea	50.00	Yes	FACW	supporting data in Remarks or on a separate sheet)
2. Rubus idaeus	20.00	Yes	FACU	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Onoclea sensibilis	15.00	No	FACW	Troblematic Hydrophytic vegetation. (Explain)
4. Cicuta maculata	10.00	No No	OBL	1Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
5. Solidago gigantea	5.00	No No	FAC	Definitions of Vegetation Strata:
	5.00			Definitions of vegetation strata.
6		_	_	Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
7				height (DBH), regardless of height.
8				Control (Charle Westerland I see than 2 in DDH and greater than
9			_	Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10				4
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12				woody plants less than 5.25 it tall.
	100	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30 )				
1				_
2.				Hydrophytic
3.				Vegetation Present?  Yes
4.				7
	0	=Total Cover		7
Remarks: (include photo numbers here or on a separate shee	o+ )			-
Territoria (morado prioto manifesta nel e el en eseperario en	,			

Sampling Point: w-139n25... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Matrix **Redox Features** Loc<sup>2</sup> (inches) Color (moist) Color (moist) % Type<sup>1</sup> Texture Remarks <sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil<sup>3</sup>: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) ✓ Other (explain in remarks) Dark Surface (S7) (LRR R, MLRA 149B) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks: No digging, soils assumed hydric based on veg/hydro.

Site Photograph 1 Sampling Point: w-139n25w18-aa1



Latitude: 46.84796812	Cowardin Classification: PSS	
Longitude: -93.88963059	Circular 39: 6	
Direction: south	Eggers & Reed: Shrub-Carr/Alder Thicket	
Remarks:		

Site Photograph 2 Sampling Point: w-139n25w18-aa1



をある。 「 は、				
Latitude:	46.84796812	Cowardin Classification: PSS		
Longitude:	-93.88963059	Circular 39: <u>6</u>		
Direction: east	<u>:                                      </u>	Eggers & Reed: Shrub-Carr/Alder Thicket		
Remarks:				