WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: SPP City/County: Aitkin Sampling Date: 9/10/2013 9:55:18 PM

Applicant/Owner: Enbridge State: MN Sampling Point: AI056c2W

Investigator(s): DPT Section, Township, Range: S34, T50N, R26W

Landform (hillslope, terrace, etc.): Depression Local relief (concave, convex, none): CL

Slope (%): 0 - 2% Lat: 46.776416 Long: -93.61765 Datum: NAD83

Soil Map Unit Name: Cutaway loamy fine sand NWI classification: PFOA

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No ✔ (If no, explain in Remarks.)

Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✔ No ____

Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ✔	No ____	**Is the Sampled Area within a Wetland?** **Yes** ✔ **No** ____
Hydric Soil Present?	Yes ✔	No ____	If yes, optional Wetland Site ID: ____
Wetland Hydrology Present?	Yes ✔	No ____	

Remarks: (Explain alternative procedures here or in a separate report.)

Precipitation below normal last two of three months

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ✔ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ✔ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ✔	Depth (inches): ____
Water Table Present?	Yes ____	No ✔	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ✔	Depth (inches): ____

Wetland Hydrology Present? **Yes** ✔ **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION – Use scientific names of plants.

Sampling Point: AI056c2W

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Populus tremuloides	70	Yes	FAC
2.			
3.			
4.			
5.			
6.			

Total Cover: 70

50% of total cover: 35 20% of total cover: 14

Sapling/Shrub Stratum (Plot size: 15)			
1. Fraxinus nigra	50	Yes	FACW
2. Ilex verticillata	30	Yes	FACW
3. Populus tremuloides	30	Yes	FAC
4.			
5.			
6.			

Total Cover: 110

50% of total cover: 55 20% of total cover: 22

Herb Stratum (Plot size: 5)			
1. Calamagrostis canadensis	20	Yes	OBL
2. Carex intumescens	20	Yes	FACW
3. Solidago gigantea	20	Yes	FACW
4. Carex lacustris	10	No	OBL
5. Scirpus cyperinus	10	No	OBL
6.			
7.			
8.			
9.			
10.			
11.			

Total Cover: 80

50% of total cover: 40 20% of total cover: 16

Woody Vine Stratum (Plot size: 30)			
1.			
2.			
3.			
4.			

Total Cover: 0

50% of total cover: 0 20% of total cover: 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 7 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	40	x 1 =	40
FACW species	120	x 2 =	240
FAC species	100	x 3 =	300
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	260 (A)		580 (B)

Prevalence Index = B/A = 2.23

Hydrophytic Vegetation Indicators:

- ___ Rapid Test for Hydrophytic Vegetation
- ✔ Dominance Test is >50%
- ✔ Prevalence Index is ≤3.0[1]
- ___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
- ___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** ✔ **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: AI056c2W

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0 - 5	10YR 2/1	100					L	
5 - 15	10YR 5/2	90	10YR 5/8	10.00	C	M	SIL	
15 - 20	10YR 5/1	90	10YR 5/8	10.00	C	M	SL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ✔ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) (**LRR R, MLRA 149B**)
- ___ Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- ___ Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- ___ Loamy Mucky Mineral (F1) (**LRR K, L**)
- ___ Loamy Gleyed Matrix (F2)
- ✔ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- ___ Coast Prairie Redox (A16) (**LRR K, L, R**)
- ___ 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- ___ Dark Surface (S7) (**LRR K, L**)
- ___ Polyvalue Below Surface (S8) (**LRR K, L**)
- ___ Thin Dark Surface (S9) (**LRR K, L**)
- ___ Iron-Manganese Masses (F12) (**LRR K, L, R**)
- ___ Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- ___ Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- ___ Red Parent Material (F21)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ✔ **No** ___

Remarks: