WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

SPP Project/Site:	Aitkin City/County:		2015-06-27 Sampling Date:				
Enbridge		Minnesota	Al2C5158a1W Sampling Point:				
Applicant/Owner:KAT/BEH		State:	Sampling Point: _				
Investigator(s):	Investigator(s): Section, Township, Range:						
Depression Landform (hillslope, terrace, etc.):		Local Relief (concave, co	CC nvex, none): S	0-2 lope (%):			
Subregion (LRR or MLRA):	Latituda:	5.6247106017	-93.24235961 gitude: Datun	Minnesota State			
202	Latitude	LONE	gitude Datum	n:			
Soil Map Unit Name:			NWI Classification:				
Are climatic/hydrologic conditions on the site typical for this time of year? (if no, explain in Remarks):							
Are Vegetation No No No significantly disturbed? Are "Normal Circumstances" present?							
No No No No Are Vegetation, Soil, or Hydrology naturally problematic? (If needed, explain any answers in Remarks)							
SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.							
	Yes		·				
Hydrophytic Vegetation Present?	Yes	Is the Sampled Area	Yes				
Hydric Soil Present?		within a Wetland?					
Wetland Hydrology Present?	Yes	If yes, optional Wetland	Site ID:				
Remarks: (Explain alternative procedures he	re or in a separate report.)						
The wetland is a Shrub-Carr community dom	inated by meadow willow,	meadowsweet, and sensit	tive fern.				
HYDROLOGY							
Wetland Hydrology Indicators:			Secondary Indicators (minir	num of two required)			
Primary Indicators (minimum of one is requir	ed; check all that apply)		Surface Soil Cracks (B6)			
Surface Water (A1)	Water-Stained Leav	es (B9)	Drainage Patterns (B10)			
High Water Table (A2)	Aquatic Fauna (B:		Moss Trim Lines (B16)	Moss Trim Lines (B16)			
yes Saturation (A3)	Marl Deposits (B15)	Dry-Season Water Table (C2)		e (C2)			
Water Marks (B1)	Water Marks (B1) Hydrogen Sulfide C		or (C1) Crayfish Burrows (C8)				
Sediment Deposits (B2)	s (B2) Oxidized Rhizosph		res on Living Roots (C3) Saturation Visible on				
Drift Deposits (B3) Presence of Reduce		Iron (C4) Stunted/Stressed Plants (D1)		s (D1)			
Algal Mat or Crust (B4)	Recent Iron Reducti	on in Tilled Soils (C6)	yes Geomorphic Position (D	2)			
Iron Deposits (B5)	Thin Muck Surface	C7)	Shallow Aquitard (D3)				
Inundation Visible on Aerial Imagery (B7)	Visible on Aerial Imagery (B7) Other (Explain in Re		narks) Microtopographic Relief (D				
Sparsely Vegetated Concave Surface (B8)			yes FAC-Neutral Test (D5)				
Field Observations:							
Surface Water Present? No.	Depth (inches						
Water Table Present?	Depth (inches						
Saturation Present? Ye	S Depth (inches	2	Wetland Hydrology Present?	<u>Yes</u>			
(includes capillary fringe)							
Describe Recorded Data (stream gauge, moni	toring well, aerial photos, p	revious inspections), if av	ailable:				
Remarks:							
Soil is saturated 2" below the surface.							

Sampling Point: Al2C5158a...

	Absolute	Dominant	Indicator	Dominance Test worksheet:			
Tree Stratum (Plot Size:)	% Cover	Species?	Status	Number of Dominant Species			
1.				That Are OBL, FACW, or FAC: 3 (A)			
2		-	-	Total Number of Dominant			
	_		-	3			
3			-	Species Across All Strata: (B)			
4				Percent of Dominant Species			
5				100 That Are OBL, FACW, or FAC:(A/B)			
6			-	Prevalence Index worksheet:			
7			<u>. </u>				
/··	0	- Total Cover		Total % Cover of: Multiply by: OBL species 25.00 x 1 25			
Sapling/Shrub Stratum (Plot Size: 15')	<u>-</u>	_ = Total Cover		107.00			
Sapinig/strub stratum (Plot size:) 1 Salix petiolaris	30.00	Yes	FACW	X2			
Coince alles	15.00		FACW	X3			
Describes transcribed as		Yes No.		X			
Donulus halsamifora	10.00	No	FACU				
4'	5.00	No No	FACW	Prevalence Index = B/A = 1.96875			
5			<u>-</u>	Hydrophytic Vegetation Indicators:			
6				1 - Rapid Test for Hydrophytic Vegetation			
7				yes 2 - Dominance Test is > 50%			
<u>.</u>	60	_ = Total Cover		yes 3 - Prevalence Index is ≤ 3.0 ¹			
Herb Stratum (Plot Size: 5'				4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)			
1. Onoclea sensibilis	60.00	Yes	FACW	supporting data in remarks of on a separate sneety			
2. Carex lacustris	15.00	No No	OBL	Problematic Hydrophytic Vegetation ¹ (Explain)			
3. Impatiens capensis	10.00	No	FACW	Indicators of hydric soil and wetland hydrology must be present, unless			
4. Calamagrostis canadensis	5.00	No	OBL	disturbed or problematic.			
5. Stachys palustris	5.00	No	OBL	Definitions of Vegetation Strata:			
6. Spiraea alba	5.00	No	FACW				
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast			
8				height (DBH), regardless of height.			
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than			
10				or equal to 3.28 ft (1 m) tall.			
11.	_	-	-	Herb - All herbaeceous (non-woody) plants, regardless of size, and			
12.		-		woody plants less than 3.28 ft tall.			
	100	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.			
Woody Vine Stratum (Plot Size:)		_ = Total Cover		The woody times greater than 3.20 ft in neight.			
1.							
		_		- Hydrophytic			
2	-		· ·	Vegetation			
3				Present?			
4	0			-			
		_ =Total Cover					
Remarks: (include photo numbers here or on a separate sheet.)							
The sample site is dominated by meadow willow and meadowsweet in the shrub layer and sensitive fern in the herb layer.							

SOIL Sampling Point: Al2C5158... Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) **Redox Features** Type¹ Loc² (inches) Color (moist) % Color (moist) Texture Remarks 0-13 10YR 2 1 100 MMI 13-17 10YR 4 2 80 LS 13-17 10YR 2 1 20 MMI Mixed matrix. 10YR 2 1 17-24 100 MMI ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: **Hydric Soil Indicators:** Polyvalue Below Surface (S8) (LRR R, MLRA 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histosol (A1) Thin Dark Surface (S9) (LRR R, MLRA 149B) Coast Prairie Redox (A16)(LRR K, L, R) Histic Epipedon (A2) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Black Histic (A3) Dark Surface (S7) (LRR K, M) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Polyvalue Below Surface (S8) (LRR K, L) Stratified Layers (A5) Depleted Matrix (F3) Thin Dark Surface (S9) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Iron-Maganese Masses (F12) (LRR K, L, R) Thick Dark Surface (A12) Depleted Dark Surface (F7) Piedmont Floodplain Soils (F19) (MLRA 149B) Sandy Mucky Mineral (S1) Redox Depressions (F8) Sandy Gleyed Matrix (S4) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Red Parent Material (F21) Sandy Redox (S5) Very Shallow Dark Surface (TF12) Stripped Matrix (S6) Other (explain in remarks) Dark Surface (S7) (LRR R, MLRA 149B)

Soil profile is black loamy mucky mineral with a thin layer of loamy sand in the middle; the soil meets hydric indicator F1- Loamy Mucky Mineral.

Hydric Soil Present? Yes

Restrictive Layer (if observed):

Depth (inches):

Type:

Remarks: