WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: SPP City/County: Aitkin County Sampling Date: 10/3/2013 1:00:00 PM

Applicant/Owner: Enbridge State: MN Sampling Point: AIC5290a1U

Investigator(s): TJS/MCV Section, Township, Range: _____

Landform (hillslope, terrace, etc.): Backslope Local relief (concave, convex, none): VV

Slope (%): 8 - 15% Lat: 46.5882473833333 Long: -93.2085297833333 Datum: _____

Soil Map Unit Name: 502 NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✔ No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✔ No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✔	**Is the Sampled Area within a Wetland?** **Yes** _____ **No** ✔
Hydric Soil Present?	Yes _____	No ✔	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present?	Yes _____	No ✔	

Remarks: (Explain alternative procedures here or in a separate report.)
Mesic hardwood forest upslope from an alder thicket.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ Marl Deposits (B15)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes _____	No ✔	Depth (inches): _____
Water Table Present?	Yes _____	No ✔	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No ✔	Depth (inches): _____

Wetland Hydrology Present? **Yes** _____ **No** ✔

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
No evidence of wetland hydrology.

VEGETATION – Use scientific names of plants.

Sampling Point: AIC5290a1

Tree Stratum (Plot size: 30)	Absolute % Cover	Dominant Species?	Indicator Status
1. Quercus rubra	70	Yes	FACU
2. Acer rubrum	25	Yes	FAC
3. Betula papyrifera	5	No	FACU
4.			
5.			
6.			

Total Cover: 100

50% of total cover: 50 20% of total cover: 20

Sapling/Shrub Stratum (Plot size: 15)			
1. Corylus cornuta	70	Yes	FACU
2. Acer saccharum	25	Yes	FACU
3. Ostrya virginiana	15	No	FACU
4. Acer rubrum	5	No	FAC
5. Prunus virginiana	5	No	FACU
6.			

Total Cover: 120

50% of total cover: 60 20% of total cover: 24

Herb Stratum (Plot size: 5)			
1. Carex pensylvanica	70	Yes	NI
2. Eurybia macrophylla	15	Yes	UPL
3. Diervilla lonicera	10	No	NI
4. Oryzopsis asperifolia	10	No	NI
5. Aralia nudicaulis	10	No	FACU
6. Corylus cornuta	10	No	FACU
7. Quercus rubra	10	No	FACU
8. Acer saccharum	5	No	FACU
9. Maianthemum canadense	5	No	FACU
10.			
11.			

Total Cover: 55

50% of total cover: 27.5 20% of total cover: 11

Woody Vine Stratum (Plot size: 30)			
1.			
2.			
3.			
4.			

Total Cover: 0

50% of total cover: 0 20% of total cover: 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 20 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	0	x 1 = 0
FACW species	0	x 2 = 0
FAC species	30	x 3 = 90
FACU species	230	x 4 = 920
UPL species	15	x 5 = 75
Column Totals:	275 (A)	1085 (B)

Prevalence Index = B/A = 3.95

Hydrophytic Vegetation Indicators:

___ Rapid Test for Hydrophytic Vegetation

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? **Yes** _____ **No** ✔

Remarks: (Include photo numbers here or on a separate sheet.)

Mesic hardwood forest dominated by red oak, beaked hazel, and Pennsylvania sedge.

SOIL

Sampling Point: AIC5290a1

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox %	Type[1]	Loc[2]	Texture	Remarks
0 - 4	10YR 4/2	100					SIL	
4 - 18	10YR 4/3	100					SIL	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7) (**LRR R, MLRA 149B**)
- ___ Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- ___ Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- ___ Loamy Mucky Mineral (F1) (**LRR K, L**)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- ___ Coast Prairie Redox (A16) (**LRR K, L, R**)
- ___ 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- ___ Dark Surface (S7) (**LRR K, L**)
- ___ Polyvalue Below Surface (S8) (**LRR K, L**)
- ___ Thin Dark Surface (S9) (**LRR K, L**)
- ___ Iron-Manganese Masses (F12) (**LRR K, L, R**)
- ___ Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- ___ Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- ___ Red Parent Material (F21)
- ___ Very Shallow Dark Surface (TF12)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): 0.00

Hydric Soil Present? **Yes** ___ **No** ✔

Remarks: 4 inches of duff observed at surface. Soil is a well-drained silty loam.