WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

SPP Project/Site:	C	Aitkin ity/County:		Sampling Date:	2015-07-01
Enbridge			Minnesota		AIC5311g1U
Applicant/Owner:BJC/D			State:	Sampling Point:	
Investigator(s):		Sec	tion, Township, Range: _		
- Landform (hillslope, terrace, etc.):	Talf		Local Relief (concave, co	Linear onvex, none):	0-2% Slope (%):
LRR K Subregion (LRR or MLRA):		Latitudo:		-93.12781445	Minnesota State
625					um:
Soil Map Unit Name:				NWI Classification	on:
Are climatic/hydrologic conditions	on the site typic	al for this time of year	? (if no, explain in Rema	rks):	Yes
Are Vegetation No	or Hydrology	o significantly distur	bed? Are "Normal Circu	Yes mstances" present?	
No No	No				
Are Vegetation, Soil, oi	r Hydrology	_ naturally problemati	ic? (if needed, explain a	iny answers in Remarks)	
SUMMARY OF FINDINGS - Attac	ch site map show	wing sampling point lo	ocations, transects, impo	ortant features, etc.	
		No		·	
Hydrophytic Vegetation Present?		— No	Is the Sampled Area	No	
Hydric Soil Present?		No	within a Wetland?		-
Wetland Hydrology Present?		No	If yes, optional Wetland	d Site ID:	
Remarks: (Explain alternative proc	edures here or i	in a separate report.)			
The upland sample point is located			bluegrass and oxeve dai	SV.	
	,		,	•	
HYDROLOGY					
Wetland Hydrology Indicators:				Secondary Indicators (mi	nimum of two required)
Primary Indicators (minimum of on	ne is required; ch	neck all that apply)		Surface Soil Cracks (B6)
Surface Water (A1)	_	Water-Stained Leave	es (B9)	Drainage Patterns (B	10)
High Water Table (A2)	_	Aquatic Fauna (B13))	Moss Trim Lines (B1	5)
Saturation (A3)	-	Marl Deposits (B15)		Dry-Season Water Ta	able (C2)
—— Water Marks (B1)	_	Hydrogen Sulfide Oc	dor (C1)	Crayfish Burrows (C8)
Sediment Deposits (B2)	-	Oxidized Rhizospher	res on Living Roots (C3)	Saturation Visible on	Aerial Imagery (C9)
Drift Deposits (B3)	_	Presence of Reduce	d Iron (C4)	Stunted/Stressed Pla	nts (D1)
Algal Mat or Crust (B4)	_	Recent Iron Reduction	on in Tilled Soils (C6)	Geomorphic Position	(D2)
Iron Deposits (B5)	_	Thin Muck Surface (C7)	Shallow Aquitard (D3)
Inundation Visible on Aerial Image		Other (Explain in Re	marks)	Microtopographic Re	lief (D4)
Sparsely Vegetated Concave Surfa	ace (B8)	1		FAC-Neutral Test (D5)
Field Observations:	No				
Surface Water Present?	No	Depth (inches)			
Water Table Present?	No	Depth (inches)			No
Saturation Present? (includes capillary fringe)	<u>No</u>	Depth (inches)	<u> </u>	Wetland Hydrology Present?	<u>No</u>
Describe Recorded Data (stream ga	auge monitoring	well aerial photos p	revious inspections) if a	vailable:	
Describe necorded bata (stream go	auge, momeoring	5 well, derial priotos, p	revious inspections,, ir a	valiable.	
Dave and as					
Remarks:					
No indicators of wetland hydrolog	y were observed	1.			

Dominant Species? = Total Cover = Total Cover Yes Yes No No No	FACU UPL FACU	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A) Total Number of Dominant 2 Species Across All Strata:
= Total Cover = Total Cover Yes Yes No No	FACU	That Are OBL, FACW, or FAC: 0 (A) Total Number of Dominant 2 Species Across All Strata: (B) Percent of Dominant Species 0 That Are OBL, FACW, or FAC: (A/B) Prevalence Index worksheet: Total % Cover of: Multiply by: OBL species 0.00 x 1 0 FACW species 0.00 x 2 0 FACU species 20.00 x 3 200 UPL species 30.00 x 4 150 Column Totals 100 (A) 410 (B) Prevalence Index = B/A = 4.1 Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation n0 2 - Dominance Test is > 50% n0 3 - Prevalence Index is ≤ 3.0¹ — 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
= Total Cover Yes Yes No No	UPL	Total Number of Dominant 2 Species Across All Strata:
= Total Cover Yes Yes No No	UPL	Total Number of Dominant 2 Species Across All Strata:
= Total Cover Yes Yes No No	UPL	Species Across All Strata:
= Total Cover Yes Yes No No	UPL	Percent of Dominant Species On That Are OBL, FACW, or FAC:
= Total Cover Yes Yes No No	UPL	That Are OBL, FACW, or FAC:
= Total Cover Yes Yes No No	UPL	That Are OBL, FACW, or FAC:(A/B) Prevalence Index worksheet: Total % Cover of:
= Total Cover Yes Yes No No	UPL	Total % Cover of: OBL species
= Total Cover Yes Yes No No	UPL	OBL species $0.00 \times 1 0$ FACW species $0.00 \times 2 0$ FACU species $20.00 \times 3 200$ UPL species $30.00 \times 4 150$ Column Totals $100 (A) 410 (B)$ Prevalence Index = B/A = $\frac{4.1}{4.1}$ Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation no 2 - Dominance Test is > 50% no 3 - Prevalence Index is $\leq 3.0^1$ 4 - Morphological Adaptations 1 (Provide supporting data in Remarks or on a separate sheet)
= Total Cover Yes Yes No No	UPL	FACW species $0.00 \times 2 0$ FACU species $20.00 \times 3 200$ UPL species $30.00 \times 4 150$ Column Totals $100 \times 4 10 \times 100$ Prevalence Index = B/A = $\frac{4.1}{4.10}$ Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation no 2 - Dominance Test is > 50% no 3 - Prevalence Index is $\le 3.0^1$ 4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
Yes Yes No No	UPL	FACU species $\frac{20.00}{30.00} \times 3 = \frac{200}{150}$ UPL species $\frac{30.00}{100} \times 4 = \frac{150}{150}$ Column Totals $\frac{100}{100} \times 4 = \frac{4.1}{150}$ Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation no 2 - Dominance Test is > 50% no 3 - Prevalence Index is $\leq 3.0^1$ 4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
Yes Yes No No	UPL	UPL species $\frac{30.00}{100}$ (A) $\frac{410}{410}$ (B) Prevalence Index = B/A = $\frac{4.1}{100}$ Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation no 2 - Dominance Test is > 50% no 3 - Prevalence Index is $\leq 3.0^{1}$ 4 - Morphological Adaptations 1 (Provide supporting data in Remarks or on a separate sheet)
Yes Yes No No	UPL	UPL species $30.00 \times 4 = 150$ Column Totals $100 \times 4 = 4.1$ Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation no 2 - Dominance Test is > 50% no 3 - Prevalence Index is $\leq 3.0^1$ 4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
Yes Yes No No	UPL	Column Totals 100 (A) 410 (B) Prevalence Index = B/A = 4.1 Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation no 2 - Dominance Test is > 50% no 3 - Prevalence Index is ≤ 3.0¹ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
Yes Yes No No	UPL	Prevalence Index = B/A = 4.1 Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation 0 2 - Dominance Test is > 50% 0 3 - Prevalence Index is ≤ 3.0¹ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
Yes Yes No No	UPL	Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation no 2 - Dominance Test is > 50% no 3 - Prevalence Index is ≤ 3.0¹ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
Yes Yes No No	UPL	1 - Rapid Test for Hydrophytic Vegetation n0 2 - Dominance Test is > 50% n0 3 - Prevalence Index is ≤ 3.0 ¹ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
Yes Yes No No	UPL	no 2 - Dominance Test is > 50% no 3 - Prevalence Index is ≤ 3.0¹ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
Yes Yes No No	UPL	no 3 - Prevalence Index is ≤ 3.0 ¹ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
Yes Yes No No	UPL	4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
Yes No No	UPL	supporting data in Remarks or on a separate sheet)
Yes No No	UPL	Problematic Hydrophytic Vegetation 1 (Fundain)
No No	_	
No	_ FACU	Problematic Hydrophytic Vegetation (Explain)
_		1 Indicators of hydric soil and wetland hydrology must be present, unless
<u>No</u>	<u>FAC</u>	disturbed or problematic.
	UPL	Definitions of Vegetation Strata:
No	<u>FAC</u>	-
		Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height.
		- Ineight (DBH), regardless of height.
		Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
		or equal to 3.28 ft (1 m) tall.
		Herb - All herbaeceous (non-woody) plants, regardless of size, and
		woody plants less than 3.28 ft tall.
= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
		Hydrophytic
		Vegetation
_		Present?
-Total Cover		1
	_ = Total Cover	

Sampling Point: AIC5311g1U SOIL Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) **Redox Features** Type¹ Loc² (inches) Color (moist) % Color (moist) Texture Remarks 0-14 10YR 3 2 100 5YR 3 4 14-24 10YR 5 2 98 2 С Μ SC ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: **Hydric Soil Indicators:** Polyvalue Below Surface (S8) (LRR R, MLRA 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histosol (A1) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Histic Epipedon (A2) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Loamy Mucky Mineral (F1) (LRR K, L) Black Histic (A3) Dark Surface (S7) (LRR K, M) Hydrogen Sulfide (A4) Loamy Gleyed Matrix (F2) Polyvalue Below Surface (S8) (LRR K, L) Stratified Layers (A5) Depleted Matrix (F3) Thin Dark Surface (S9) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Iron-Maganese Masses (F12) (LRR K, L, R) Thick Dark Surface (A12) Depleted Dark Surface (F7) Piedmont Floodplain Soils (F19) (MLRA 149B) Sandy Mucky Mineral (S1) Redox Depressions (F8) Sandy Gleyed Matrix (S4) Mesic Spodic (TA6) (MLRA 144A, 145, 149B)

Sandy Redox (S5)

Restrictive Layer (if observed):

Depth (inches):

No indicators of hydric soil were observed.

Type:

Remarks:

Stripped Matrix (S6)

Dark Surface (S7) (LRR R, MLRA 149B)

Red Parent Material (F21)

Other (explain in remarks)

Hydric Soil Present? No

Very Shallow Dark Surface (TF12)