WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: RSA 22	City/County:	Aitkin	Sampling	Date: 22-Sep-17				
Applicant/Owner: Enbridge		State: MN	Sampling Point:	u-50n20w2-a3				
Investigator(s): PJK	Section, To	wnship, Range: S. 2	т. 50N	R. 20W				
Landform (hillslope, terrace, etc.): Mound		ncave, convex, none):	convex	Slope: 3.5 % / 2.0 °				
Subregion (LRR or MLRA): LRR K	Lat.: 46 51.1189	Long.: -9	92 50.2286	Datum: NAD 83				
Soil Map Unit Name: B127B			NWI classification:					
Are climatic/hydrologic conditions on the site t	vpical for this time of year? Yes	● No ○ (If no	o, explain in Remarks	.)				
Are Vegetation , Soil , or Hydro		•	mstances" present?	Yes ● No ○				
Are Vegetation , Soil , or Hydro	logy naturally problematic?		•	narks.)				
Are Vegetation , Soil , or Hydrology in naturally problematic? (If needed, explain any answers in Remarks.) Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc								
Hydrophytic Vegetation Present? Yes	No •							
Hydric Soil Present? Yes Yes		Sampled Area a Wetland? Ye	s O No 💿					
Wetland Hydrology Present?	No •	a Wedana:						
Remarks: (Explain alternative procedures he	re or in a separate report.)							
Hydrology Wetland Hydrology Indicators: Primary Indicators (minimum of one required			ndary Indicators (minimi Surface Soil Cracks (B6)	um of 2 required)				
Surface Water (A1)	Water-Stained Leaves (B9)		Drainage Patterns (B10)					
High Water Table (A2)	Aquatic Fauna (B13)		Moss Trim Lines (B16)					
Saturation (A3) Water Marks (B1)	Marl Deposits (B15)		Dry Season Water Table Crayfish Burrows (C8)	(C2)				
Sediment Deposits (B2)	Hydrogen Sulfide Odor (C1)Oxidized Rhizospheres along Living		Crayfish Burrows (C8) Saturation Visible on Aer	al Imagery (C9)				
Drift deposits (B3)	Presence of Reduced Iron (C4)		Saturation visible on Aer Stunted or Stressed Plan	0 3 . ,				
Algal Mat or Crust (B4)	Recent Iron Reduction in Tilled Soils		Geomorphic Position (D2	• •				
☐ Iron Deposits (B5)	Thin Muck Surface (C7)	` '	Shallow Aquitard (D3)					
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Remarks)		Microtopographic Relief	[D4)				
Sparsely Vegetated Concave Surface (B8)			FAC-neutral Test (D5)					
Field Observations:								
Surface Water Present? Yes No	Depth (inches): 0							
Water Table Present? Yes No •	Depth (inches):0		- v) N- (A)				
Saturation Present? Yes No •	Depth (inches):0	Wetland Hydrology	Present? Yes) No				
Describe Recorded Data (stream gauge, monit	oring well, aerial photos, previous insp	pections), if available:						
Domarke								
Remarks:								

VEGETATION - Use scientific names of plants

vegeration - ose scientific fiames of pr	Sampling Point: u-50n20w2-a3					
(Diatrica, 20	Absolute	Dominant Species?	Indicator	Dominance Test worksheet:		
Tree Stratum (Plot size: 30)	% Cover		Status	Number of Dominant Species		
1. Populus tremuloides		✓	FACU	That are OBL, FACW, or FAC: (A)		
2	0			Total Number of Dominant		
3	0			Species Across All Strata: 3 (B)		
4	0					
5				Percent of dominant Species		
6				That Are OBL, FACW, or FAC: 0.0% (A/B)		
7				Prevalence Index worksheet:		
		= Total Cove		Total % Cover of: Multiply by:		
Sapling/Shrub Stratum (Plot size: 15)				0BL speci es 0 x 1 = 0		
1. Corylus cornuta		✓	FACU	FACW species 0 x 2 = 0		
2				FAC speciles 0 x 3 = 0		
3	0			FACU species 185 x 4 = 740		
4	0			· ·		
5	0					
6				Column Totals: 210 (A) 865 (B)		
7				Prevalence Index = B/A = 4.119		
		= Total Cove	r	Hydrophytic Vegetation Indicators:		
Herb Stratum (Plot size: 5				Rapid Test for Hydrophytic Vegetation		
1. Pteridium aquilinum	65	✓	FACU			
2. Eurybia macrophylla	20		UPL	Dominance Test is > 50%		
3. Fragaria vesca			UPL	☐ Prevalence Index is ≤3.0 ¹		
4. Poa pratensis			FACU	Morphological Adaptations ¹ (Provide supporting		
5				data in Remarks or on a separate sheet)		
				☐ Problematic Hydrophytic Vegetation ¹ (Explain)		
6				¹ Indicators of hydric soil and wetland hydrology must		
7				be present, unless disturbed or problematic.		
8				Definitions of Vegetation Strata:		
9				Definitions of Vegetation Strata.		
0	0			Tree - Woody plants, 3 in. (7.6 cm) or more in diameter		
1	0			at breast height (DBH), regardless of height.		
2				Conling/obrub Woody plants loss than 3 in DPH and		
(Dlat size, 20	105 =	= Total Cove	r	Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1m) tall		
Woody Vine Stratum (Plot size: 30						
1				Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.		
2				Size, and woody plants less than 5.20 it tail.		
3	0			Woody vine - All woody vines greater than 3.28 ft in		
4				height.		
	0 =	= Total Cove	r			
				Hydrophytic		
				Vegetation		
Pomarke: (Include phote numbers have as an a constitute	hoot \					
Remarks: (Include photo numbers here or on a separate s	oneet.)					

^{*}Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil Sampling Point: u-50n20w2-a3

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)												
Depth		Matrix			Re	dox Featu			_			
(inches)	Color (ı	moist)	%_	Color (n	noist)	%_	Type 1	Loc ²	Texture	Remarks		
0-6	10YR	2/2	100						Silty Clay Loam			
6-14	10YR	4/2	95	10YR	4/6	5	С	М	Silt Loam			
14-20	10YR	5/2	80	10YR	4/6	20	С	M	Silt Loam			
			-		.,,				- Citt Eddin			
		-							-			
		-										
		-	-			-						
-												
¹ Type: C=Cond	centration. D	=Depletio	n. RM=Red	luced Matrix, C	S=Cover	ed or Coate	ed Sand Gr	ains ² Loca	ation: PL=Pore Lining. M=Ma	atrix		
Hydric Soil I	ndicators:								Indicators for Proble	ematic Hydric Soils: 3		
Histosol (A				Polyva	alue Belo	w Surface ((S8) (LRR I	₹,				
Histic Epip	oedon (A2)				149B)				2 cm Muck (A10) (LRR K, L, MLRA 149B)			
☐ Black Hist	ic (A3)					ace (S9) (I			Coast Prairie Redox (A16) (LRR K, L, R)			
☐ Hydrogen	Sulfide (A4)					Mineral (F1)	☐ 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)☐ Dark Surface (S7) (LRR K, L, M)			
Stratified	Layers (A5)					Matrix (F2))		Polyvalue Below Surface (S8) (LRR K, L)			
Depleted	Below Dark S	Surface (A	11)		ted Matri				☐ Thin Dark Surface (S9) (LRR K, L)			
☐ Thick Darl	k Surface (A1	2)				ırface (F6)			Iron-Manganese Masses (F12) (LRR K, L, R)			
Sandy Mu	ck Mineral (S	1)				Surface (F	7)		Piedmont Floodplain Soils (F19) (MLRA 149B)			
Sandy Gle	eyed Matrix (S	64)		☐ Redox	(Depress	sions (F8)			Mesic Spodic (TA6) (MLRA 144A, 145, 149B)			
Sandy Red	Sandy Redox (S5)					Red Parent Material (F21)						
Stripped N	Stripped Matrix (S6)				Very Shallow Dark Surface (TF12)							
☐ Dark Surface (S7) (LRR R, MLRA 149B)					Other (Explain in Remarks)							
³ Indicators of	hydrophytic	vegetatio	n and wetl	and hydrology i	must be i	present, un	ıless disturl	oed or probl		·		
Restrictive La				, 0,								
Type:	ayei (ii obse	erveu).										
Depth (inch	hos):								Hydric Soil Present?	Yes ● No ○		
Remarks:												