WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Aitkin		Sampling Date: 2016-08-22	
Applicant/Owner: Enbridge		State: Minnesota	Sampling Point: u-50n26w17-aa1	
Investigator(s): ZCW, MGH	Section, Tow	nship, Range: S17, T50N, R2		
Landform (hillslope, terrace, etc.): Side		Local Relief (concave, c		
Subregion (LRR or MLRA):			ngitude: -93.67683322 Datum: NAD83	
Soil Map Unit Name: 928C			NWI Classification: N/A	
Are climatic/hydrologic conditions on t	ne site typical for this time of y	year? (if no explain in Rema		
_				
Are Vegetation No_, Soil No_, or H	ydrology No significantly dis	sturbed? Are "Normal Circu	mstances" present? Yes	
Are Vegetation No_, Soil No_, or Hyd	rology No naturally problem	natic? (If needed, explain a	ny answers in Remarks)	
<u> </u>				
SUMMARY OF FINDINGS - Attach sit	e map showing sampling poir	nt locations, transects, impo	ortant features, etc.	
Hydrophytic Vegetation Present?	<u>No</u>	Is the Sampled Area		
Hydric Soil Present?	<u>No</u>	within a Wetland?	<u>No</u>	
Wetland Hydrology Present?	<u>No</u>	If yes, optional Wetland	d Site ID:	
Remarks: (Explain alternative procedu	res here or in a separate repor	rt.)		
Climatic conditions are "wet" based or	n the results of a WETS analysi	S.		
HYDROLOGY				
Wetland Hydrology Indicators:			Secondary Indicators (minimum of two required)	
Primary Indicators (minimum of one is	required; check all that apply)		Surface Soil Cracks (B6)	
Surface Water (A1)	Water-Stained L	eaves (B9)	Drainage Patterns (B10)	
High Water Table (A2)	Aquatic Fauna (I	B13)	Moss Trim Lines (B16)	
Saturation (A3)	Marl Deposits (E	315)	Dry-Season Water Table (C2)	
Water Marks (B1)	Hydrogen Sulfid	e Odor (C1)	Crayfish Burrows (C8)	
Sediment Deposits (B2)	Oxidized Rhizos	pheres on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)	
Drift Deposits (B3)	Presence of Red	luced Iron (C4)	Stunted/Stressed Plants (D1)	
Algal Mat or Crust (B4)	Recent Iron Red	uction in Tilled Soils (C6)	Geomorphic Position (D2)	
Iron Deposits (B5)	Thin Muck Surfa	ice (C7)	Shallow Aquitard (D3)	
Inundation Visible on Aerial Imagery (B	7) Other (Explain in	n Remarks)	Microtopographic Relief (D4)	
Sparsely Vegetated Concave Surface (B	3)		FAC-Neutral Test (D5)	
Field Observations:				
Surface Water Present?	No Depth (incl	hes)		
Water Table Present?		hes)		
Saturation Present?	No Depth (incl	hes)	Wetland Hydrology Present? No	
(includes capillary fringe)				
Describe Recorded Data (stream gauge	, monitoring well, aerial photo	os, previous inspections), if a	ıvailable:	
Remarks:				

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species
1. Tilia americana	55.00	Yes	FACU	That Are OBL, FACW, or FAC: 0 (A)
2. Quercus rubra	35.00	Yes	FACU	Total Number of Dominant
3.				Species Across All Strata: 3 (B)
4.				Percent of Dominant Species
5				That Are OBL, FACW, or FAC: 0 (A/B)
				Prevalence Index worksheet:
				`
7				Total % Cover of: Multiply by:
	90	= Total Cover		OBL species <u>0.00</u> x 1 <u>0</u>
Sapling/Shrub Stratum (Plot Size: 15)				FACW species <u>0.00</u> x 2 <u>0</u>
1. Acer saccharum	10.00	Yes	UPL	FACU species <u>95.00</u> x 3 <u>380</u>
2				UPL species <u>35.00</u> x 4 <u>175</u>
3				Column Totals <u>130</u> (A) <u>555</u> (B)
4				Prevalence Index = B/A = 4.2692307
5				Hydrophytic Vegetation Indicators:
6			·	1 - Rapid Test for Hydrophytic Vegetation
7				no 2 - Dominance Test is > 50%
	10	= Total Cover		no 3 - Prevalence Index is ≤ 3.0 ¹
Herb Stratum (Plot Size: 5				4 - Morphological Adaptations (Provide
1. Acer saccharum	25.00	Yes	UPL	supporting data in Remarks or on a separate sheet)
2. Aralia nudicaulis	5.00	No	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)
3.		_		
4.				Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
		-		Definitions of Vegetation Strata:
5 6.			-	Deminions of Vegetation Strata.
				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
7				height (DBH), regardless of height.
8		-		1
9			-	Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10				1
11.				Herb - All herbaeceous (non-woody) plants, regardless of size, and
12				woody plants less than 3.28 ft tall.
	30	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30)				
1.				
2.		-		Hydrophytic
3.	-			Vegetation No
			•	Present?
4	0			4
		=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	.)			

Sampling Point: u-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Type¹ Loc² (inches) Color (moist) % Color (moist) % Texture Remarks 10YR 3 3 100 0-5 LS 10YR 4 3 5-24 100 LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-50n26w17-aa1



Latitude:	46.8198474264208	Cowardin Classification:
Longitude:	: -93.6769670807698	Circular 39:
Direction: Nor	rth	Eggers & Reed:
Remarks:		
Upland		

Site Photograph 2 Sampling Point: u-50n26w17-aa1



Latitude: 46.819835985123	Cowardin Classification:			
Longitude: -93.6768866983183	Circular 39:			
Direction: South	Eggers & Reed:			
Remarks:				
Upland				