	WETLAND DETERMINATION DATA FORM - North Central a t/Site: SPP City/County: Aitkin			Samplir	Sampling Date: 2016-08-23		
Applicant/Owner: Enbridge			State: Minnesota	Sampling Point: u-50n26w17-ab1			
Investigator(s): ZCW, MGH		 Section Townshi	ip, Range: S17, T50N				
	Rico			ve, convex, none): VV	Slope (%): 0-2%		
Landform (hillslope, terrace, etc.):				· · · · · ·			
Subregion (LRR or MLRA):		Latitude: <u>40</u>	6.8168994691	Longitude: <u>-93.67661252</u>			
Soil Map Unit Name: 204B					ssification: N/A		
Are climatic/hydrologic conditions	on the site typica	al for this time of year	? (if no, explain in Re	emarks):	No		
Are Vegetation No_, Soil No_,	or Hydrology <u>Nc</u>	v significantly disturb	bed? Are "Normal Ci	ircumstances" present? Yes			
Are Vegetation <u>No</u> , Soil <u>No</u> , o	r Hydrology <u>No</u>	_naturally problemation	c? (If needed, expla	in any answers in Remarks)			
SUMMARY OF FINDINGS - Atta	ch site map shov	ving sampling point lo	ocations, transects, i	mportant features, etc.			
Hydrophytic Vegetation Present?		No	Is the Sampled Are	a			
Hydric Soil Present?		No	within a Wetland?		No		
Wetland Hydrology Present?		No	If yes, optional Wet	tland Site ID:			
Remarks: (Explain alternative pro	cedures here or i	n a separate report.)	4				
Climatic conditions are "wet" bas	ed on the results	of a WETS analysis.					
HYDROLOGY							
Wetland Hydrology Indicators:				Secondary Indicat	tors (minimum of two required		
Primary Indicators (minimum of o	ne is required; ch	eck all that apply)		Surface Soi	il Cracks (B6)		
Surface Water (A1)	_	Water-Stained Leave	es (B9)	Drainage Pa	atterns (B10)		
High Water Table (A2)	-	Aquatic Fauna (B13)		Moss Trim I	Moss Trim Lines (B16)		
Saturation (A3) Marl Deposits		Marl Deposits (B15)					
				Dry-Season	Water Table (C2)		
	_	Hydrogen Sulfide Od		Dry-Season Crayfish Bur			
	-	Hydrogen Sulfide Od		Crayfish Bur			
Water Marks (B1)	-	Hydrogen Sulfide Od	dor (C1) res on Living Roots (C3)	Crayfish Bur Saturation V	rows (C8)		
Water Marks (B1) Sediment Deposits (B2)	-	Hydrogen Sulfide Od Oxidized Rhizosphere	dor (C1) res on Living Roots (C3) d Iron (C4)	Crayfish Bur Saturation V Stunted/Stree	rows (C8) /isible on Aerial Imagery (C9)		
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)	-	Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reduced	dor (C1) ees on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6)	Crayfish Bur Saturation V Stunted/Stree	rows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2)		
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4)		Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reduced Recent Iron Reductic	dor (C1) ees on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7)	Crayfish Bur Saturation V Stunted/Stre Geomorphic Shallow Aqu	rows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2)		
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5)		Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reducec Recent Iron Reductic Thin Muck Surface (C	dor (C1) ees on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7)	Crayfish Bur Saturation V Stunted/Stre Geomorphic Shallow Aqu	rows (C8) 'isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) uitard (D3) raphic Relief (D4)		
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imag		Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reducec Recent Iron Reductic Thin Muck Surface (C	dor (C1) ees on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7)	Crayfish Bur Saturation V Stunted/Stre Geomorphic Shallow Aqu Microtopog	rows (C8) (isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) uitard (D3) raphic Relief (D4)		
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imag Sparsely Vegetated Concave Surfa		Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reducec Recent Iron Reductic Thin Muck Surface (C	dor (C1) res on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)	Crayfish Bur Saturation V Stunted/Stre Geomorphic Shallow Aqu Microtopog	rows (C8) (isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) uitard (D3) raphic Relief (D4)		
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imag Sparsely Vegetated Concave Surfa	ace (B8)	Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reducec Recent Iron Reductic Thin Muck Surface (C Other (Explain in Rer Depth (inches)	dor (C1) ees on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)	Crayfish Bur Saturation V Stunted/Stre Geomorphic Shallow Aqu Microtopog	rows (C8) (isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) uitard (D3) raphic Relief (D4)		
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imag Sparsely Vegetated Concave Surfa Field Observations: Surface Water Present?	ace (B8)	Hydrogen Sulfide Od Oxidized Rhizospher Presence of Reducec Recent Iron Reductic Thin Muck Surface (C Other (Explain in Rer Depth (inches) Depth (inches)	dor (C1) res on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)	Crayfish Bur Saturation V Stunted/Stre Geomorphic Shallow Aqu Microtopog FAC-Neutral	rows (C8) 'isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) uitard (D3) raphic Relief (D4) Test (D5)		
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imag Sparsely Vegetated Concave Surfa Field Observations: Surface Water Present? Water Table Present? Saturation Present?	ace (B8)	Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reducec Recent Iron Reductic Thin Muck Surface (C Other (Explain in Rer Depth (inches)	dor (C1) res on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)	Crayfish Bur Saturation V Stunted/Stre Geomorphic Shallow Aqu Microtopog	rows (C8) 'isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) uitard (D3) raphic Relief (D4) Test (D5)		
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imag Sparsely Vegetated Concave Surfa Field Observations: Surface Water Present? Water Table Present? Saturation Present? (includes capillary fringe)	ace (B8) No No No	Hydrogen Sulfide Od Oxidized Rhizospher Presence of Reduced Recent Iron Reductic Thin Muck Surface (C Other (Explain in Rer Depth (inches) Depth (inches)	dor (C1) es on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)))	Crayfish Bur Saturation V Stunted/Stra Geomorphic Shallow Aqu Microtopogi FAC-Neutral	rows (C8) 'isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) uitard (D3) raphic Relief (D4) Test (D5)		
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imag Sparsely Vegetated Concave Surfa Field Observations: Surface Water Present? Water Table Present? Saturation Present?	ace (B8) No No No	Hydrogen Sulfide Od Oxidized Rhizospher Presence of Reduced Recent Iron Reductic Thin Muck Surface (C Other (Explain in Rer Depth (inches) Depth (inches)	dor (C1) es on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)))	Crayfish Bur Saturation V Stunted/Stra Geomorphic Shallow Aqu Microtopogi FAC-Neutral	rows (C8) 'isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) uitard (D3) raphic Relief (D4) Test (D5)		
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imag Sparsely Vegetated Concave Surfa Field Observations: Surface Water Present? Water Table Present? Saturation Present? (includes capillary fringe)	ace (B8) No No No	Hydrogen Sulfide Od Oxidized Rhizospher Presence of Reduced Recent Iron Reductic Thin Muck Surface (C Other (Explain in Rer Depth (inches) Depth (inches)	dor (C1) es on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)))	Crayfish Bur Saturation V Stunted/Stra Geomorphic Shallow Aqu Microtopogi FAC-Neutral	rows (C8) 'isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) uitard (D3) raphic Relief (D4) Test (D5)		
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imag Sparsely Vegetated Concave Surfa Field Observations: Surface Water Present? Water Table Present? Saturation Present? (includes capillary fringe)	ace (B8) No No No	Hydrogen Sulfide Od Oxidized Rhizospher Presence of Reduced Recent Iron Reductic Thin Muck Surface (C Other (Explain in Rer Depth (inches) Depth (inches)	dor (C1) es on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)))	Crayfish Bur Saturation V Stunted/Stra Geomorphic Shallow Aqu Microtopogi FAC-Neutral	rows (C8) 'isible on Aerial Imagery (C9) essed Plants (D1) : Position (D2) uitard (D3) raphic Relief (D4) Test (D5)		

VEGETATION - Use scientific names of plants.

Sampling Point: u-50n26w...

	Absolute	Dominant	Indicator	Dominance Test worksheet:	
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species	
1. Quercus rubra	40.00	Yes	FACU	That Are OBL, FACW, or FAC: 1(A)	
2. Betula papyrifera	20.00	Yes	FACU	Total Number of Dominant	
3. Acer rubrum	15.00	No	FAC	Species Across All Strata: <u>6</u> (B)	
4. Tilia americana	10.00	No	FACU	Percent of Dominant Species	
5.				That Are OBL, FACW, or FAC: <u>16.66666666666</u> (A/B)	
6.				Prevalence Index worksheet:	
7				Total % Cover of: Multiply by:	
	85	= Total Cover		OBL species 0.00 x 1 0	
Sapling/Shrub Stratum (Plot Size: 15)				FACW species 0.00 x 2 0	
1. Corylus cornuta	25.00	Yes	UPL	FACU species 110.00 x 3 440	
2. Acer rubrum	10.00	Yes	FAC	UPL species 65.00 x 4 325	
3				Column Totals 200 (A) 840 (B)	
4.				Prevalence Index = $B/A = 4.2$	
5				Hydrophytic Vegetation Indicators:	
6		-		1 - Rapid Test for Hydrophytic Vegetation	
7				no 2 - Dominance Test is > 50%	
	35	= Total Cover		no 3 - Prevalence Index is $\leq 3.0^1$	
Herb Stratum (Plot Size: 5)				4 - Morphological Adaptations ¹ (Provide	
1. Carex woodii	40.00	Yes		supporting data in Remarks or on a separate sheet)	
2. Eurybia macrophylla	30.00	Yes	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)	
3. Pteridium aquilinum	10.00	No	FACU		
4.				¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
5.				Definitions of Vegetation Strata:	
6.		- · -		Deminitions of Vegetation Strata.	
				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast	
8.				height (DBH), regardless of height.	
				Contract/Charles Micrody alaste last them 2 in DDU and exceeded them	
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.	
10					
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.	
12				······	
	80	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.	
Woody Vine Stratum (Plot Size: 30)					
1					
2.				Hydrophytic	
3.				Vegetation Present? <u>No</u>	
4					
	0	=Total Cover			
Remarks: (include photo numbers here or on a separate sheet	.)				

US Army Corps of Engineers

Northcentral and Northeast Region – Version 2.0

SOIL _

Depth	Matrix			_ .					
				Features		. 2	_		
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks	
0-24	10YR 4 3	100					FSL		
							·		
							·		
¹ Type: C=Concentra	tion, D=Depletion, RM=	 Reduced Matrix	x. MS=Masked Sand Gr	 ains.				² Location: PL=Pore Lining, M=Matrix	
Hydric Soil Indicator							Indicators for P	Problematic Hydric Soil ³ :	
Histosol (A1)			Polyvalue Below 149B)	Surface (S	B) (LRR R,	MLRA	2 cm Muc	:k (A10) (LRR K, L, MLRA 149B)	
Histic Epipedo	on (A2)		Thin Dark Surface (S9) (LRR R, MLRA 149B)			149B)	Coast Prairie Redox (A16)(LRR K, L, R)		
Black Histic (A	3)		Loamy Mucky Mi	neral (F1)	(LRR K, L)		🔲 5 cm Muc	ky Peat or Peat (S3) (LRR K, L, R)	
Hydrogen Sulfi	fide (A4)		Loamy Gleyed M	atrix (F2)			Dark Surface (S7) (LRR K, M)		
Stratified Laye	ers (A5)		Depleted Matrix	(F3)			Polyvalue	Below Surface (S8) (LRR K, L)	
Depleted Belo	ow Dark Surface (A11)		Redox Dark Surfa	ice (F6)			Thin Dark	Surface (S9) (LRR K, L)	
Thick Dark Sur	rface (A12)		Depleted Dark Su	irface (F7)			Iron-Maga	anese Masses (F12) (LRR K, L, R)	
Sandy Mucky I	Mineral (S1)		Redox Depressio	ns (F8)			Piedmont	Floodplain Soils (F19) (MLRA 149B)	
Sandy Gleyed	Matrix (S4)						Mesic Spo	dic (TA6) (MLRA 144A, 145, 149B)	
Sandy Redox ((\$5)						Red Paren	nt Material (F21)	
Stripped Matri	rix (S6)						Very Shall	low Dark Surface (TF12)	
Dark Surface ((S7) (LRR R, MLRA 149B)						🗌 Other (exp	plain in remarks)	
Restrictive Layer (if c	observed):								
Туре:						F	lydric Soil Present?	No	
Depth (inch	nes):								
Remarks:					I				

Site Photograph 1

Sampling Point: <u>u-50n26w17-ab1</u>



Latitude: 46.8168989662517

Longitude: -93.6766117718943

Direction: East

Remarks: Upland Cowardin Classification:

Eggers & Reed:

Circular 39:

Site Photograph 2



Latitude: 46.8168989662517

Longitude: -93.6766117718943

Direction: West

Cowardin Classification:

Circular 39: _____ Eggers & Reed: ____

Remarks: Upland