WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

City/County: Aitkin		Sampling Date: 2016-08-19		
	State: Minnesota	Sampling Point: u-50n26w18-a1		
Section, Townsh	ip, Range: S18, T50N, R26V	V		
	Local Relief (concave, con	vex, none): <u>VV</u> Slope (%): <u>3-7%</u>		
Latitude: 4	6.8243653979 Long	itude: -93.68578392 Datum: NAD83		
_	_	NWI Classification: N/A		
ypical for this time of year	r? (if no, explain in Remarks	s): No		
y No significantly distur	bed? Are "Normal Circums	tances" present? Yes		
No naturally problemati	c? (If needed, explain any	answers in Remarks)		
showing sampling point lo	ocations, transects, import	ant features, etc.		
<u>No</u>	Is the Sampled Area			
<u>No</u>	within a Wetland?	<u>No</u>		
<u>No</u>	If yes, optional Wetland S	ite ID:		
e or in a separate report.)				
sults of a WETS analysis.				
		Secondary Indicators (minimum of two required)		
d; check all that apply)		Surface Soil Cracks (B6)		
Aquatic Fauna (B13)		Moss Trim Lines (B16)		
Marl Deposits (B15)		Dry-Season Water Table (C2)		
Hydrogen Sulfide Oc	dor (C1)	Crayfish Burrows (C8)		
Oxidized Rhizospher	res on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)		
Presence of Reduced Iron (C4) Stunted/Stressed Plants (D1)				
Recent Iron Reduction in Tilled Soils (C6) Geomorphic Position (D2)				
Thin Muck Surface (C7)	Shallow Aquitard (D3)		
Other (Explain in Re	marks)	Microtopographic Relief (D4)		
		FAC-Neutral Test (D5)		
_ Depth (inches)			
_ Depth (inches)			
_ Depth (inches)	Wetland Hydrology Present? No		
oring well, aerial photos, p	previous inspections), if ava	ilable:		
t 3	typical for this time of year ay No significantly distur No naturally problemati Showing sampling point let No No No No e or in a separate report.) esults of a WETS analysis. ad; check all that apply) Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Oc Oxidized Rhizospher Presence of Reduce Recent Iron Reducti Thin Muck Surface (Other (Explain in Re Depth (inches Depth (inches	Section, Township, Range: S18, T50N, R26V Local Relief (concave, con Latitude: 46.8243653979 Longi typical for this time of year? (if no, explain in Remarks gy No_ significantly disturbed? Are "Normal Circums No_ naturally problematic? (If needed, explain any showing sampling point locations, transects, import No_ Is the Sampled Area within a Wetland? If yes, optional Wetland? If yes, optional Wetland S e or in a separate report.) esults of a WETS analysis. ed; check all that apply)		

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species
1. Acer saccharum	40.00	Yes	UPL	That Are OBL, FACW, or FAC: 1 (A)
2. Populus tremuloides	35.00	Yes	FAC	Total Number of Dominant
3. Betula papyrifera	10.00	No	FACU	Species Across All Strata: 4 (B)
4.				Percent of Dominant Species
5.				That Are OBL, FACW, or FAC: 25 (A/B)
6.				Prevalence Index worksheet:
7.				Total % Cover of: Multiply by:
·	85	= Total Cover		OBL species 0.00 x 1 0
Sapling/Shrub Stratum (Plot Size: 15	03	Total Covel		FACW species 0.00 x 2 0
1. Acer saccharum	5.00	Yes	UPL	
	3.00	163	OFL	
2			-	UPL species <u>80.00</u> x 4 <u>400</u>
3		-		Column Totals <u>140</u> (A) <u>605</u> (B)
4				Prevalence Index = B/A = <u>4.3214285</u>
5	-			Hydrophytic Vegetation Indicators:
6				1 - Rapid Test for Hydrophytic Vegetation
7				no 2 - Dominance Test is > 50%
	5	= Total Cover		<u>no</u> 3 - Prevalence Index is $\leq 3.0^1$
Herb Stratum (Plot Size: 5)				4 - Morphological Adaptations ¹ (Provide
1. Carex woodii	35.00	Yes	_	supporting data in Remarks or on a separate sheet)
2. Eurybia macrophylla	15.00	Yes	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)
3.				
4.				Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
5.				Definitions of Vegetation Strata:
6.				1
				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
7 8.				height (DBH), regardless of height.
	-	· -		- Continuit Woods plants less than 3 in DDU and assets than
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10		_		1
11			_	Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12.				woody plants less than 3.20 it tall.
	50	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30)				
1.				
2.				Hydrophytic
	-		-	Vegetation
3		_		Present?
4		-	_	-
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	.)			

Sampling Point: u-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Type¹ Loc² (inches) Color (moist) % Color (moist) % Texture Remarks 10YR 3 3 100 0-12 LS 10YR 4 3 100 12-24 LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-50n26w18-a1



tion: South Eggers & Reed:	rcular 39:gers & Reed:
	gers & Reed:
marks:	

Site Photograph 2 Sampling Point: u-50n26w18-a1



Latitude: 46.8244444812153	Cowardin Classification:
Longitude: -93.6859703344234	Circular 39:
Direction: East	Eggers & Reed:
Remarks:	