Project/Site: SPP	WETLAND DETERMINATION DATA FORM - North Central and City/County: Aitkin				Sampling Date: 2016-08-23			
	Ci							
Applicant/Owner: Enbridge			State: Minnesota		Samplin	g Point: <u>u-50</u>)n26w18-aa1	
Investigator(s): ZCW, MGH		Section, Township, Range: S18, T50N, R26W						
Landform (hillslope, terrace, etc.): Ri	se		Local Relief (conca	ve, convex, n	one): <u>VL</u>	Slop	e (%): <u>3-7%</u>	
Subregion (LRR or MLRA):		Latitude: <u>46.8169083958</u> Longitude: <u>-93.67985347</u> Datum: <u>NAD83</u>					NAD83	
Soil Map Unit Name: 204B					NWI Clas	sification: N	/A	
Are climatic/hydrologic conditions of	n the site typic	al for this time of year	? (if no, explain in R	emarks):		No		
Are Vegetation <u>No</u> , Soil <u>No</u> , or	r Hydrology <u>No</u>	Significantly disturb	ped? Are "Normal C	Circumstance	s" present? Yes			
Are Vegetation <u>No</u> , Soil <u>No</u> , or H	lydrology <u>No</u>	_ naturally problematic	c? (If needed, expla	ain any answe	ers in Remarks)			
SUMMARY OF FINDINGS - Attach	site map shov	ving sampling point lo	ocations, transects,	important fe	atures, etc.			
Hydrophytic Vegetation Present?		No	Is the Sampled Are	ea				
Hydric Soil Present?		No	within a Wetland?			No		
Wetland Hydrology Present?		No	If yes, optional We	tland Site ID:				
Remarks: (Explain alternative proce	dures here or i	n a separate report.)	•					
HYDROLOGY					Secondary Indicat	ors (minimu	m of two require	
Wetland Hydrology Indicators:				<u>s</u>	Secondary Indicat		n of two require	
Wetland Hydrology Indicators: Primary Indicators (minimum of one	is required; ch		sc (80)		Surface Soil	Cracks (B6)	n of two require	
Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1)	is required; ch	Water-Stained Leave	es (B9)	<u>s</u>	Surface Soil Drainage Pa	Cracks (B6) tterns (B10)	n of two require	
Wetland Hydrology Indicators: Primary Indicators (minimum of one	is required; ch	Water-Stained Leave Aquatic Fauna (B13)	es (B9)	<u></u>	Surface Soil Drainage Pa Moss Trim L	Cracks (B6) tterns (B10) ines (B16)		
Wetland Hydrology Indicators: Primary Indicators (minimum of one	is required; ch 	Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15)		<u>s</u>	Surface Soil Drainage Pa Moss Trim L Dry-Season 1	Cracks (B6) tterns (B10) ines (B16) Water Table (C		
Wetland Hydrology Indicators: Primary Indicators (minimum of one	is required; ch 	Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Ode	or (C1)	5	Surface Soil Drainage Pa Moss Trim L Dry-Season ¹ Crayfish Burr	Cracks (B6) tterns (B10) ines (B16) Water Table (C rows (C8)	2)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one	is required; ch 	Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Ode	or (C1) es on Living Roots (C3)	<u> </u>	Surface Soil Drainage Pa Moss Trim L Dry-Season ¹ Crayfish Burr Saturation Vi	Cracks (B6) tterns (B10) ines (B16) Water Table (C	2) Imagery (C9)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one	<u>is required; ch</u> 	Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Od Oxidized Rhizosphere	or (C1) es on Living Roots (C3) Hiron (C4)	<u>.</u>	Surface Soil Drainage Pa Moss Trim L Dry-Season Crayfish Burr Saturation Vi Stunted/Stre	Cracks (B6) tterns (B10) ines (B16) Water Table (C: rows (C8) isible on Aerial	2) Imagery (C9)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)	<u>is required; ch</u> 	Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Od Oxidized Rhizosphere Presence of Reduced	or (C1) es on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6)	5	Surface Soil Drainage Pa Moss Trim L Dry-Season Crayfish Burr Saturation Vi Stunted/Stre	Cracks (B6) tterns (B10) ines (B16) Water Table (C: rows (C8) isible on Aerial essed Plants (D1 Position (D2)	2) Imagery (C9)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one		Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Ode Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio	or (C1) es on Living Roots (C3) I Iron (C4) on in Tilled Soils (C6) C7)	<u>.</u>	Surface Soil Surface Soil Surface Soil Strim L Crayfish Burr Saturation Vi Stunted/Stre Geomorphic Shallow Aqui	Cracks (B6) tterns (B10) ines (B16) Water Table (C: rows (C8) isible on Aerial essed Plants (D1 Position (D2)	2) Imagery (C9) .)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one	- (B7)	Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Ode Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C	or (C1) es on Living Roots (C3) I Iron (C4) on in Tilled Soils (C6) C7)	<u> </u>	Surface Soil Surface Soil Surface Soil Strim L Crayfish Burr Saturation Vi Stunted/Stre Geomorphic Shallow Aqui	Cracks (B6) tterns (B10) ines (B16) Water Table (C: rows (C8) isible on Aerial essed Plants (D1 Position (D2) itard (D3) aphic Relief (D4	2) Imagery (C9) .)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery	- (B7)	Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Ode Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C	or (C1) es on Living Roots (C3) I Iron (C4) on in Tilled Soils (C6) C7)		Surface Soil Drainage Pa Moss Trim L Dry-Season ¹ Crayfish Burr Saturation Vi Stunted/Stre Geomorphic Shallow Aqui Microtopogr	Cracks (B6) tterns (B10) ines (B16) Water Table (C: rows (C8) isible on Aerial essed Plants (D1 Position (D2) itard (D3) aphic Relief (D4	2) Imagery (C9) .)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery Sparsely Vegetated Concave Surface	- (B7)	Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Ode Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C	or (C1) es on Living Roots (C3) H Iron (C4) on in Tilled Soils (C6) C7) marks)		Surface Soil Drainage Pa Moss Trim L Dry-Season ¹ Crayfish Burr Saturation Vi Stunted/Stre Geomorphic Shallow Aqui Microtopogr	Cracks (B6) tterns (B10) ines (B16) Water Table (C: rows (C8) isible on Aerial essed Plants (D1 Position (D2) itard (D3) aphic Relief (D4	2) Imagery (C9) .)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery Sparsely Vegetated Concave Surface	/ (B7) 2 (B8) <u>No</u>	Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odd Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C Other (Explain in Ren	or (C1) es on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)		Surface Soil Drainage Pa Moss Trim L Dry-Season ¹ Crayfish Burr Saturation Vi Stunted/Stre Geomorphic Shallow Aqui Microtopogr	Cracks (B6) tterns (B10) ines (B16) Water Table (C: rows (C8) isible on Aerial essed Plants (D1 Position (D2) itard (D3) aphic Relief (D4	2) Imagery (C9) .) 1)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery Sparsely Vegetated Concave Surface Field Observations: Surface Water Present?		Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odd Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C Other (Explain in Ren Depth (inches)	or (C1) es on Living Roots (C3) d Iron (C4) on in Tilled Soils (C6) C7) marks)		Surface Soil Drainage Pa Moss Trim L Dry-Season ¹ Crayfish Burr Saturation Vi Stunted/Stre Geomorphic Shallow Aqui Microtopogr	Cracks (B6) tterns (B10) ines (B16) Water Table (C: rows (C8) isible on Aerial essed Plants (D1 Position (D2) itard (D3) aphic Relief (D4 Test (D5)	2) Imagery (C9) .)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery Sparsely Vegetated Concave Surface Field Observations: Surface Water Present? Water Table Present? Saturation Present? (includes capillary fringe)	r (B7)	Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odd Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C Other (Explain in Ren Depth (inches) Depth (inches)	or (C1) es on Living Roots (C3) H Iron (C4) on in Tilled Soils (C6) C7) marks)	Wetla	Surface Soil Drainage Pa Moss Trim L Dry-Season 1 Crayfish Burr Saturation Vi Stunted/Stree Geomorphic Shallow Aqui Microtopogr FAC-Neutral and Hydrology Press	Cracks (B6) tterns (B10) ines (B16) Water Table (C: rows (C8) isible on Aerial essed Plants (D1 Position (D2) itard (D3) aphic Relief (D4 Test (D5)	2) Imagery (C9) .) 1)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery Sparsely Vegetated Concave Surface Field Observations: Surface Water Present? Water Table Present? Saturation Present?	r (B7)	Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odd Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C Other (Explain in Ren Depth (inches) Depth (inches)	or (C1) es on Living Roots (C3) H Iron (C4) on in Tilled Soils (C6) C7) marks)	Wetla	Surface Soil Drainage Pa Moss Trim L Dry-Season 1 Crayfish Burr Saturation Vi Stunted/Stree Geomorphic Shallow Aqui Microtopogr FAC-Neutral and Hydrology Press	Cracks (B6) tterns (B10) ines (B16) Water Table (C: rows (C8) isible on Aerial essed Plants (D1 Position (D2) itard (D3) aphic Relief (D4 Test (D5)	2) Imagery (C9) .) 1)	
Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery Sparsely Vegetated Concave Surface Field Observations: Surface Water Present? Water Table Present? Saturation Present? (includes capillary fringe)	r (B7)	Water-Stained Leave Aquatic Fauna (B13) Marl Deposits (B15) Hydrogen Sulfide Odd Oxidized Rhizosphere Presence of Reduced Recent Iron Reductio Thin Muck Surface (C Other (Explain in Ren Depth (inches) Depth (inches)	or (C1) es on Living Roots (C3) H Iron (C4) on in Tilled Soils (C6) C7) marks)	Wetla	Surface Soil Drainage Pa Moss Trim L Dry-Season 1 Crayfish Burr Saturation Vi Stunted/Stree Geomorphic Shallow Aqui Microtopogr FAC-Neutral and Hydrology Press	Cracks (B6) tterns (B10) ines (B16) Water Table (C: rows (C8) isible on Aerial essed Plants (D1 Position (D2) itard (D3) aphic Relief (D4 Test (D5)	2) Imagery (C9) .) 1)	

VEGETATION - Use scientific names of plants.

Sampling Point: u-50n26w...

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species
1. Tilia americana	40.00	Yes	FACU	That Are OBL, FACW, or FAC: <u>1</u> (A)
2. Acer rubrum	30.00	Yes	FAC	Total Number of Dominant
3				Species Across All Strata: <u>4</u> (B)
4.				Percent of Dominant Species
5.				That Are OBL, FACW, or FAC: 25 (A/B)
6.				Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	70	= Total Cover		OBL species 0.00 x 1 0
Sapling/Shrub Stratum (Plot Size: 15)				FACW species 0.00 x 2 0
1. Acer rubrum	25.00	Yes	FAC	FACU species 60.00 x 3 240
2.				UPL species 35.00 x 4 175
3.				Column Totals 150 (A) 580 (B)
4				Prevalence Index = B/A = 3.86666666
5				Hydrophytic Vegetation Indicators:
			· - <u></u>	1 - Rapid Test for Hydrophytic Vegetation
6				no 2 - Dominance Test is > 50%
7	25	- Total Cover	·	no 3 - Prevalence Index is $\leq 3.0^{1}$
Useb Charterer (Dist Circu 5	25	= Total Cover		
Herb Stratum (Plot Size: 5) 1. Carex woodii	35.00	Yes		4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
· · · · · · · · · · · · · · · · · · ·	20.00			
2. Eurybia macrophylla	20.00	Yes	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)
3				¹ Indicators of hydric soil and wetland hydrology must be present, unless
4				disturbed or problematic.
5				Definitions of Vegetation Strata:
6				
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height.
8				
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10				
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and
12				woody plants less than 3.28 ft tall.
	55	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30)				
1.				
2.				Hydrophytic
3.				Vegetation No
		·	- · ·	Present?
4	0	Tatal Cause		
		=Total Cover		
Remarks: (include photo numbers here or on a separate sheet.)			

US Army Corps of Engineers

Northcentral and Northeast Region – Version 2.0

SOIL _

	tion: (Describe to the	depth nee				nfirm th	e absence of ind	licators.)
Depth (inches)	Matrix	%		Features %		Loc ²	Texture	Domorka
(inches) 0-6	Color (moist) 10YR 3 2	100	Color (moist)	70	Type	LUC	FSL	Remarks
6-24	10YR 4 3	<u> </u>			·		LS	
				_				
				_				
				_	·			
					·			
				_				
				_				
					·			
¹ Type: C=Concent	tration, D=Depletion, RM	Reduced Ma	trix, MS=Masked Sand Gr	ains.				² Location: PL=Pore Lining, M=Matrix
Hydric Soil Indica	tors:						Indicators for F	Problematic Hydric Soil ³ :
Histosol (A:	1)		Polyvalue Below 149B)	Surface (S	8) (LRR R,	MLRA	2 cm Muc	:k (A10) (LRR K, L, MLRA 149B)
Histic Epipe			Thin Dark Surface	e (S9) (LRR	R. MLRA	149B)		irie Redox (A16)(LRR K, L, R)
Black Histic			Loamy Mucky M			-		cky Peat or Peat (S3) (LRR K, L, R)
Hydrogen S			Loamy Gleyed M		. ,,		_	ace (S7) (LRR K, M)
Stratified La	avers (A5)		Depleted Matrix	(F3)			Polyvalue	Below Surface (S8) (LRR K, L)
_	elow Dark Surface (A11)		Redox Dark Surfa				Thin Dark	Surface (S9) (LRR K, L)
	Surface (A12)		Depleted Dark Su				Iron-Mag	anese Masses (F12) (LRR K, L, R)
	ky Mineral (S1)		Redox Depressio				_	Floodplain Soils (F19) (MLRA 149B)
	ed Matrix (S4)							dic (TA6) (MLRA 144A, 145, 149B)
Sandy Redo							_	nt Material (F21)
Stripped M	atrix (S6)						Very Shal	low Dark Surface (TF12)
Dark Surfac	ce (S7) (LRR R, MLRA 149 E	3)					🗌 Other (ex	plain in remarks)
Restrictive Layer	(if observed):]					
Туре:						I	Hydric Soil Present?	No
Depth (ii	nches):							
Remarks:					I			
1								

Site Photograph 1

Sampling Point: <u>u-50n26w18-aa1</u>



Latitude: 46.8168993853469

Longitude: -93.6798275728651

Direction: South

Remarks: Upland Cowardin Classification:

Circular 39:

Eggers & Reed:

Site Photograph 2



Latitude: 46.8168990500707

Longitude: -93.6798274890461

Direction: West

Remarks: Upland Cowardin Classification:

Circular 39:

Eggers & Reed: