WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Aitkin		Sampling Date: 2016-08-23		
Applicant/Owner: Enbridge		State: Minnesota	Sampling	g Point: <u>u-50n26w18-ag1</u>	
Investigator(s): ZCW, MGH	Section, Townsh	ip, Range: S18, T50N, R26V	V		
Landform (hillslope, terrace, etc.): Rise		Local Relief (concave, con	vex, none): VV	Slope (%): 3-7%	
Subregion (LRR or MLRA):	 Latitude: 4	6.8171584699 Longi	tude: -93.67736480	Datum: NAD83	
Soil Map Unit Name: 204B			NWI Class	sification: N/A	
Are climatic/hydrologic conditions on the s	ite typical for this time of yea	r? (if no. explain in Remarks		No	
Are Vegetation No_, Soil No_, or Hydro	ology <u>No</u> significantly distur	bed? Are "Normal Circums	tances" present? Yes		
Are Vegetation No , Soil No , or Hydrold			•		
Hydrophytic Vegetation Present?	No	Is the Sampled Area	ant leatures, etc.		
' ' ' -	No			No	
Hydric Soil Present?	No	within a Wetland? If yes, optional Wetland S		<u>NO</u>	
Wetland Hydrology Present? Remarks: (Explain alternative procedures		ii yes, optional wetiand s	ite ib.		
Climatic conditions are "wet" based on th					
Chinatic conditions are wer based on the	e results of a WETS analysis.				
HYDROLOGY					
Wetland Hydrology Indicators:			Secondary Indicato	ors (minimum of two required)	
Primary Indicators (minimum of one is req	uired; check all that apply)		Surface Soil	Cracks (B6)	
Surface Water (A1)	Water-Stained Leav	Water-Stained Leaves (B9) Drainage Patterns (B10)			
High Water Table (A2)	Aquatic Fauna (B13)	Aquatic Fauna (B13)		Moss Trim Lines (B16)	
Saturation (A3)	Marl Deposits (B15)		Dry-Season Water Table (C2)		
Water Marks (B1)	Hydrogen Sulfide Od	dor (C1)	Crayfish Burrows (C8)		
Sediment Deposits (B2)	Oxidized Rhizospher	res on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)		
Drift Deposits (B3)	Presence of Reduce	Presence of Reduced Iron (C4)		Stunted/Stressed Plants (D1)	
Algal Mat or Crust (B4)	Recent Iron Reducti	Recent Iron Reduction in Tilled Soils (C6)		Geomorphic Position (D2)	
Iron Deposits (B5)	Thin Muck Surface (Thin Muck Surface (C7) Shallow Aquit		ard (D3)	
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Re	marks)	Microtopographic Relief (D4)		
Sparsely Vegetated Concave Surface (B8)			FAC-Neutral 1	Test (D5)	
Field Observations:					
Surface Water Fresent.	No Depth (inches	1			
	No Depth (inches	·			
outuration reserves	No Depth (inches)	Wetland Hydrology Pre	sent? <u>No</u>	
(includes capillary fringe)					
Describe Recorded Data (stream gauge, mo	onitoring well, aerial photos, p	previous inspections), it avai	ilable:		
Remarks:					

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30	% Cover	Species?	Status	Number of Dominant Species
1. Populus tremuloides	35.00	Yes	FAC	That Are OBL, FACW, or FAC: 1 (A)
2. Tilia americana	25.00	Yes	FACU	Total Number of Dominant
3. Ostrya virginiana	15.00	No	FACU	Species Across All Strata: 7 (B)
4. Acer saccharum	10.00	No No	UPL	Percent of Dominant Species
5.				That Are OBL, FACW, or FAC: 14.2857142857 (A/B)
6.				Prevalence Index worksheet:
7.		_		Total % Cover of: Multiply by:
	85	= Total Cover	_	OBL species 0.00 x 1 0
Sapling/Shrub Stratum (Plot Size: 15				FACW species 0.00 x 2 0
1. Corylus cornuta	10.00	Yes	UPL	FACU species 95.00 x 3 380
2. Acer saccharum	10.00	Yes	UPL	
	10.00	163	_ 071	
3				Column Totals <u>200</u> (A) <u>835</u> (B)
4		_	_	Prevalence Index = B/A = 4.175
5			_	_ Hydrophytic Vegetation Indicators:
6		_	_	1 - Rapid Test for Hydrophytic Vegetation
7		_	_	no 2 - Dominance Test is > 50%
	20	_ = Total Cover		no 3 - Prevalence Index is $\leq 3.0^1$
Herb Stratum (Plot Size: 5				4 - Morphological Adaptations 1 (Provide
1. Carex woodi	40.00	Yes		supporting data in Remarks or on a separate sheet)
2. Pteridium aquilinum	30.00	Yes	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)
3. Eurybia macrophylla	25.00	Yes	FACU	Indicators of hydric soil and wetland hydrology must be present, unless
4				disturbed or problematic.
5				Definitions of Vegetation Strata:
6.	-			7
7.				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.				height (DBH), regardless of height.
9.				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
				or equal to 3.28 ft (1 m) tall.
10				+
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12			_	4
	95	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30				
1			_	
2.				Hydrophytic
3.				Vegetation No No
4.				
	0	=Total Cover		7
Remarks: (include photo numbers here or on a separate shee	+ \			
Remarks. (Include prioto flumbers here of on a separate snee	,			

Sampling Point: u-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Type¹ Loc² (inches) Color (moist) % Color (moist) % Texture Remarks 10YR 3 3 100 0-6 FSL 10YR 4 3 6-24 100 FSL ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-50n26w18-ag1



Circular 39: Eggers & Reed:
Eggers & Reed:

Site Photograph 2 Sampling Point: u-50n26w18-ag1



atitude: 46.8171337433595	Cowardin Classification:			
Longitude: -93.6773955636599	Circular 39:			
West	Eggers & Reed:			
narks:				
and				