	City/County: Aitkin			Sampling Date: 2016-08-22		
Applicant/Owner: Enbridge		State: Minnesota	Sampli	ng Point: u-50n26w18-p1		
Investigator(s): ZCW, MGH	Sectior	Section, Township, Range: S18, T50N, R26W				
Landform (hillslope, terrace, etc.): Rise		Local Relief (concave, convex, none): VV Slope (%): 3-7%				
Subregion (LRR or MLRA):		atitude: 46.8188618403	Longitude: -93.68387259			
Soil Map Unit Name: 928C				ssification: N/A		
Are climatic/hydrologic conditions on the				No		
		, , , , ,		110		
Are Vegetation <u>No</u> , Soil <u>No</u> , or Hyd	drology <u>No</u> significar	ntly disturbed? Are "Normal	Circumstances" present? Yes			
Are Vegetation <u>No</u> , Soil <u>No</u> , or Hydro	ology No naturally p	roblematic? (If needed, exp	lain any answers in Remarks)			
	0	•				
SUMMARY OF FINDINGS - Attach site	map showing sampling	ng point locations, transects,	, important features, etc.			
Hydrophytic Vegetation Present?	n Present? No Is the Sampled Area					
Hydric Soil Present?	No	within a Wetland	1?	No		
Wetland Hydrology Present?	No	If yes, optional We	etland Site ID:			
Remarks: (Explain alternative procedure	s here or in a separate	e report.)				
Climatic conditions are "wet" based on t	the results of a WFTS a	analysis				
HYDROLOGY						
Wetland Hydrology Indicators:			Secondary Indica	tors (minimum of two required		
Primary Indicators (minimum of one is re						
· · · · · · · · · · · · · · · · · · ·	quired; check all that	apply)	Surface So	il Cracks (B6)		
Surface Water (A1)		apply) tained Leaves (B9)		il Cracks (B6) atterns (B10)		
Surface Water (A1) High Water Table (A2)	Water-St			atterns (B10)		
	Water-St	tained Leaves (B9)	Drainage P Moss Trim	atterns (B10)		
High Water Table (A2)	Water-St Aquatic f Marl Dep	tained Leaves (B9) Fauna (B13)	Drainage P Moss Trim	atterns (B10) Lines (B16) Water Table (C2)		
High Water Table (A2) Saturation (A3)	Water-St Aquatic f Marl Dep Hydroge	tained Leaves (B9) Fauna (B13) posits (B15)	Drainage P Moss Trim Dry-Season Crayfish Bui	atterns (B10) Lines (B16) Water Table (C2)		
High Water Table (A2) Saturation (A3) Water Marks (B1)	Water-St Aquatic f Marl Deg Hydroge Oxidized	tained Leaves (B9) Fauna (B13) posits (B15) m Sulfide Odor (C1)	Drainage Pi Moss Trim Dry-Season Crayfish Bui Saturation \	atterns (B10) Lines (B16) Water Table (C2) rrows (C8)		
High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2)	Water-St Aquatic F Marl Dep Hydroge Oxidized Presence	tained Leaves (B9) Fauna (B13) posits (B15) In Sulfide Odor (C1) I Rhizospheres on Living Roots (C3)	Drainage Pa Moss Trim Dry-Season Crayfish Bu Saturation N Stunted/Str	atterns (B10) Lines (B16) Water Table (C2) rrows (C8) /isible on Aerial Imagery (C9)		
High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)	Water-St Aquatic F Marl Dep Hydrogei Oxidized Presence Recent Ir	tained Leaves (B9) Fauna (B13) posits (B15) In Sulfide Odor (C1) I Rhizospheres on Living Roots (C3) e of Reduced Iron (C4)	Drainage Pa Moss Trim Dry-Season Crayfish Bu Saturation N Stunted/Str	atterns (B10) Lines (B16) Water Table (C2) rrows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) c Position (D2)		
High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4)	Water-St Aquatic F Marl Dep Hydrogen Oxidized Presence Recent Ir Thin Mu	tained Leaves (B9) Fauna (B13) posits (B15) In Sulfide Odor (C1) I Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) ron Reduction in Tilled Soils (C6)	Drainage P. Moss Trim Dry-Season Crayfish But Saturation \ Stunted/Str Geomorphi Shallow Aqu	atterns (B10) Lines (B16) Water Table (C2) rrows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) c Position (D2)		
High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5)	Water-St Aquatic F Marl Dep Hydrogen Oxidized Presence Recent Ir Thin Mu	tained Leaves (B9) Fauna (B13) posits (B15) In Sulfide Odor (C1) I Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) ron Reduction in Tilled Soils (C6) ck Surface (C7)	Drainage P. Moss Trim Dry-Season Crayfish But Saturation \ Stunted/Str Geomorphi Shallow Aqu	atterns (B10) Lines (B16) Water Table (C2) rrows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) c Position (D2) uitard (D3) raphic Relief (D4)		
High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7)	Water-St Aquatic F Marl Dep Hydrogen Oxidized Presence Recent Ir Thin Mu	tained Leaves (B9) Fauna (B13) posits (B15) In Sulfide Odor (C1) I Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) ron Reduction in Tilled Soils (C6) ck Surface (C7)	Drainage Pa Moss Trim Dry-Season Crayfish Bui Saturation N Saturation Stunted/Str Geomorphi Shallow Aqu Microtopog	atterns (B10) Lines (B16) Water Table (C2) rrows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) c Position (D2) uitard (D3) raphic Relief (D4)		
High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8)	Water-St Aquatic F Marl Dep United Warl Dep Hydrogee Oxidized Presence Recent Ir Thin Muc Other (Ex	tained Leaves (B9) Fauna (B13) posits (B15) In Sulfide Odor (C1) I Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) ron Reduction in Tilled Soils (C6) ck Surface (C7)	Drainage P Moss Trim Dry-Season Crayfish Bui Saturation \ Saturation \ Stunted/Str Geomorphi Shallow Aqu Microtopog	atterns (B10) Lines (B16) Water Table (C2) rrows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) c Position (D2) uitard (D3) raphic Relief (D4)		
High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations:	Water-St Aquatic F Marl Dep Hydrogei Oxidized Presence Recent Ir Thin Muc Other (E)	tained Leaves (B9) Fauna (B13) posits (B15) In Sulfide Odor (C1) I Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) ron Reduction in Tilled Soils (C6) ck Surface (C7) xplain in Remarks)	Drainage P Moss Trim Dry-Season Crayfish Bui Saturation \ Saturation \ Stunted/Str Geomorphi Shallow Aqu Microtopog	atterns (B10) Lines (B16) Water Table (C2) rrows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) c Position (D2) uitard (D3) raphic Relief (D4)		
High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present?	Water-St Aquatic F Marl Dep Hydrogen Oxidized Presence Recent Ir Thin Mut Other (E) No Dept	tained Leaves (B9) Fauna (B13) posits (B15) In Sulfide Odor (C1) I Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) ron Reduction in Tilled Soils (C6) ck Surface (C7) xplain in Remarks) th (inches)	Drainage P Moss Trim Dry-Season Crayfish Bui Saturation \ Saturation \ Stunted/Str Geomorphi Shallow Aqu Microtopog	atterns (B10) Lines (B16) Water Table (C2) rrows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) c Position (D2) uitard (D3) raphic Relief (D4) I Test (D5)		
High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Water Table Present?	Water-St Aquatic F Marl Dep Hydrogen Oxidized Presence Recent Ir Thin Mut Other (E) No Dept	tained Leaves (B9) Fauna (B13) posits (B15) In Sulfide Odor (C1) I Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) ron Reduction in Tilled Soils (C6) ck Surface (C7) xplain in Remarks) th (inches) th (inches)	Drainage P. Moss Trim Dry-Season Crayfish Buu Saturation \ Stunted/Str Geomorphi Shallow Aqu Microtopog FAC-Neutra	atterns (B10) Lines (B16) Water Table (C2) rrows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) c Position (D2) uitard (D3) raphic Relief (D4) I Test (D5)		
High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Water Table Present? Saturation Present? (includes capillary fringe)	Water-St Aquatic F Marl Dep Hydroge Oxidized Presence Recent Ir Thin Muc Other (E) No Dept No Dept No Dept	tained Leaves (B9) Fauna (B13) posits (B15) In Sulfide Odor (C1) I Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) ron Reduction in Tilled Soils (C6) ck Surface (C7) xplain in Remarks) th (inches) th (inches)	Drainage Pa Moss Trim Dry-Season Crayfish Bui Saturation N Stunted/Str Geomorphi Shallow Aqu Microtopog FAC-Neutra	atterns (B10) Lines (B16) Water Table (C2) rrows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) c Position (D2) uitard (D3) raphic Relief (D4) I Test (D5)		
High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Water Table Present? Saturation Present?	Water-St Aquatic F Marl Dep Hydroge Oxidized Presence Recent Ir Thin Muc Other (E) No Dept No Dept No Dept	tained Leaves (B9) Fauna (B13) posits (B15) In Sulfide Odor (C1) I Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) ron Reduction in Tilled Soils (C6) ck Surface (C7) xplain in Remarks) th (inches) th (inches)	Drainage Pa Moss Trim Dry-Season Crayfish Bui Saturation N Stunted/Str Geomorphi Shallow Aqu Microtopog FAC-Neutra	atterns (B10) Lines (B16) Water Table (C2) rrows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) c Position (D2) uitard (D3) raphic Relief (D4) I Test (D5)		
High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Water Table Present? Saturation Present? (includes capillary fringe)	Water-St Aquatic F Marl Dep Hydroge Oxidized Presence Recent Ir Thin Muc Other (E) No Dept No Dept No Dept	tained Leaves (B9) Fauna (B13) posits (B15) In Sulfide Odor (C1) I Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) ron Reduction in Tilled Soils (C6) ck Surface (C7) xplain in Remarks) th (inches) th (inches)	Drainage Pa Moss Trim Dry-Season Crayfish Bui Saturation N Stunted/Str Geomorphi Shallow Aqu Microtopog FAC-Neutra	atterns (B10) Lines (B16) Water Table (C2) rrows (C8) /isible on Aerial Imagery (C9) essed Plants (D1) c Position (D2) uitard (D3) raphic Relief (D4) I Test (D5)		

VEGETATION - Use scientific names of plants.

Sampling Point: u-50n26w...

	Absolute	Dominant	Indicator	Dominance Test worksheet:	
Tree Stratum (Plot Size: <u>30</u>)	% Cover	Species?	Status	Number of Dominant Species	
1. Quercus rubra	30.00	Yes	FACU	That Are OBL, FACW, or FAC: 0(A)	
2. Acer saccharum	15.00	Yes	UPL	Total Number of Dominant	
3				Species Across All Strata: <u>5</u> (B)	
4				Percent of Dominant Species	
5				That Are OBL, FACW, or FAC: 0 (A/B)	
6				Prevalence Index worksheet:	
7				Total % Cover of: Multiply by:	
	45	= Total Cover		OBL species 0.00 x 1 0	
Sapling/Shrub Stratum (Plot Size: 15)				FACW species 0.00 x 2 0	
1. Acer saccharum	20.00	Yes	UPL	FACU species 50.00 x 3 200	
2. Corylus cornuta	10.00	Yes	UPL	UPL species 95.00 x 4 475	
3		-	-	Column Totals 160 (A) 720 (B)	
4.				Prevalence Index = B/A = 4.5	
5				Hydrophytic Vegetation Indicators:	
6				1 - Rapid Test for Hydrophytic Vegetation	
7				no 2 - Dominance Test is > 50%	
	30	= Total Cover		no 3 - Prevalence Index is $\leq 3.0^1$	
Herb Stratum (Plot Size: 5)				4 - Morphological Adaptations ¹ (Provide	
1. Carex woodii	50.00	Yes		supporting data in Remarks or on a separate sheet)	
2. Eurybia macrophylla	20.00	Yes	FACU	- Problematic Hydrophytic Vegetation ¹ (Explain)	
3. Clintonia borealis	15.00	No	FAC	· · · · · · · · · · · · · · · · · · ·	
4.				Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
5.				Definitions of Vegetation Strata:	
6.				Definitions of Vegetation Strata.	
				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast	
				height (DBH), regardless of height.	
8					
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.	
10				-	
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.	
12					
	85	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.	
Woody Vine Stratum (Plot Size: 30)					
1					
2				Hydrophytic	
3.				Vegetation Present? <u>No</u>	
4.		_	_		
	0	=Total Cover]	
Remarks: (include photo numbers here or on a separate sheet	.)				
	•)				

US Army Corps of Engineers

Northcentral and Northeast Region – Version 2.0

SOIL _

	tion: (Describe to the	depth need				nfirm th	e absence of ind	icators.)
Depth (inches)	Matrix Color (moist)	%	Color (moist)	Features %	Type ¹	1002	Texture	Remarks
(incries) 0-4	10YR 3 3	100		70	туре	LUC	FSL	Rellidiks
4-8	10YR 4 3	<u> </u>					FSL	
4-0							<u> </u>	
							·	
							·	
							·	
	tration, D=Depletion, RM:	Reduced Mat	rix, MS=Masked Sand Gr	ains.				² Location: PL=Pore Lining, M=Matrix
Hydric Soil Indica	tors:		Polyvalue Below	Surface (S	8) (I RR R	ΜΙΒΔ	Indicators for P	Problematic Hydric Soil ³ :
Histosol (A	1)		149B)	Surface (S	o, (Entrit,		2 cm Muc	k (A10) (LRR K, L, MLRA 149B)
Histic Epipe	edon (A2)		Thin Dark Surface	e (S9) (LRF	R, MLRA	149B)	Coast Prai	irie Redox (A16)(LRR K, L, R)
Black Histic	: (A3)		Loamy Mucky M	neral (F1)	(LRR K, L)		🗌 5 cm Muc	ky Peat or Peat (S3) (LRR K, L, R)
Hydrogen S	Sulfide (A4)		Loamy Gleyed M	atrix (F2)			Dark Surfa	ace (S7) (LRR K, M)
Stratified Li	ayers (A5)		Depleted Matrix	(F3)			Polyvalue	Below Surface (S8) (LRR K, L)
Depleted B	elow Dark Surface (A11)		Redox Dark Surfa	ice (F6)			Thin Dark	Surface (S9) (LRR K, L)
Thick Dark	Surface (A12)		Depleted Dark Su	ırface (F7)			Iron-Maga	anese Masses (F12) (LRR K, L, R)
_	ky Mineral (S1)		Redox Depressio				Piedmont	Floodplain Soils (F19) (MLRA 149B)
	ed Matrix (S4)			- (-)			_	dic (TA6) (MLRA 144A, 145, 149B)
Sandy Redo	ox (S5)						_	nt Material (F21)
Stripped M	atrix (S6)						Very Shall	low Dark Surface (TF12)
Dark Surfac	ce (S7) (LRR R, MLRA 149 E	3)					Other (exp	plain in remarks)
Restrictive Layer	(if observed):	✓						
Type: Rock						ŀ	Hydric Soil Present?	No
Depth (i	nches): <u>8</u>				$ \rightarrow $	1	., in contresent:	
Remarks:								
1								

Site Photograph 1



Latitude: 46.8189042527665

Longitude: -93.683862956328

Direction: West

Circular 39:

Eggers & Reed:

Cowardin Classification:

Remarks: Upland

Site Photograph 2



Latitude: 46.8189041689474

Longitude: -93.6838636268803

Direction: North

Remarks: Upland Cowardin Classification:

Eggers & Reed:

Circular 39: