	LAND DETERIVITINA	ATION DATA FORM - North Ce	ntral and Northeast Region						
Project/Site: SPP	City/Cou	nty: Aitkin	Sampling Date: 2016-08-22						
Applicant/Owner: Enbridge		State: Minnesota Sampling Point: u-50n26w18-r1							
Investigator(s): ZCW, MGH	Se	Section, Township, Range: S18, T50N, R26W							
Landform (hillslope, terrace, etc.): Side	Slope	Local Relief (conca	ave, convex, none): <u>VV</u> Slope (%): <u>8-15%</u>						
Subregion (LRR or MLRA):		Latitude: 46.8183050305	Longitude: -93.68441347 Datum: NAD83						
Soil Map Unit Name: 928C			NWI Classification: N/A						
Are climatic/hydrologic conditions on t	the site typical for th	nis time of year? (if no, explain in I	Remarks): No						
Are Vegetation <u>No</u> , Soil <u>No</u> , or H	Hydrology <u>No</u> sign	ificantly disturbed? Are "Normal	Circumstances" present? Yes						
Are Vegetation <u>No</u> , Soil <u>No</u> , or Hy	drology <u>No</u> natura	ally problematic? (If needed, exp	olain any answers in Remarks)						
SUMMARY OF FINDINGS - Attach s	ite map showing sa	mpling point locations, transects,	, important features, etc.						
Hydrophytic Vegetation Present?	No	Is the Sampled Ar	rea						
Hydric Soil Present?	No	within a Wetland	1? <u>No</u>						
Wetland Hydrology Present?	No	If yes, optional W	etland Site ID:						
HYDROLOGY									
Wetland Hydrology Indicators:			Secondary Indicators (minimum of two required						
Primary Indicators (minimum of one is			Surface Soil Cracks (B6)						
Surface Water (A1)		ater-Stained Leaves (B9)	Drainage Patterns (B10)						
High Water Table (A2) Saturation (A3)		uatic Fauna (B13) arl Deposits (B15)	Moss Trim Lines (B16) Dry-Season Water Table (C2)						
Water Marks (B1)		drogen Sulfide Odor (C1)	Crayfish Burrows (C8)						
Water manus (51)		urogen sumae such (si)							
Sediment Deposits (B2)		idized Rhizospheres on Living Roots (C3)							
Sediment Deposits (B2) Drift Deposits (B3)	Ox	idized Rhizospheres on Living Roots (C3) esence of Reduced Iron (C4)							
	Ox Pre) Saturation Visible on Aerial Imagery (C9)						
Drift Deposits (B3)	Ox Pre	esence of Reduced Iron (C4)	Saturation Visible on Aerial Imagery (C9)Stunted/Stressed Plants (D1)						
Drift Deposits (B3)	Ox Pre Rec Thi	esence of Reduced Iron (C4) cent Iron Reduction in Tilled Soils (C6))Saturation Visible on Aerial Imagery (C9)Stunted/Stressed Plants (D1)Geomorphic Position (D2)						
Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5)		esence of Reduced Iron (C4) cent Iron Reduction in Tilled Soils (C6) in Muck Surface (C7))Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3)						
Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B		esence of Reduced Iron (C4) cent Iron Reduction in Tilled Soils (C6) in Muck Surface (C7))Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4)						
Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (E		esence of Reduced Iron (C4) cent Iron Reduction in Tilled Soils (C6) in Muck Surface (C7))Saturation Visible on Aerial Imagery (C9)Stunted/Stressed Plants (D1)Geomorphic Position (D2)Shallow Aquitard (D3)Microtopographic Relief (D4)						
Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B Sparsely Vegetated Concave Surface (B Field Observations:		esence of Reduced Iron (C4) cent Iron Reduction in Tilled Soils (C6) in Muck Surface (C7) her (Explain in Remarks))Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4)						
Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (E Sparsely Vegetated Concave Surface (E Field Observations: Surface Water Present?		esence of Reduced Iron (C4) cent Iron Reduction in Tilled Soils (C6) in Muck Surface (C7) her (Explain in Remarks))Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4)						
Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B Sparsely Vegetated Concave Surface (B Field Observations: Surface Water Present? Water Table Present?	B7) Ox Pre Rec Thi Ott B8)	esence of Reduced Iron (C4) cent Iron Reduction in Tilled Soils (C6) in Muck Surface (C7) her (Explain in Remarks) Depth (inches) Depth (inches))Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) FAC-Neutral Test (D5)						
Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Sparsely Vegetated Concave Surface (E Field Observations: Surface Water Present? Water Table Present? Saturation Present?	B7) Ox Pre Rea Thi B8) <u>No</u> <u>No</u>	esence of Reduced Iron (C4) cent Iron Reduction in Tilled Soils (C6) in Muck Surface (C7) her (Explain in Remarks) Depth (inches) Depth (inches) Depth (inches))Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4) FAC-Neutral Test (D5) Wetland Hydrology Present? <u>No</u>						

VEGETATION - Use scientific names of plants.

Sampling Point: u-50n26w...

4.		Absolute	Dominant	Indicator	Dominance Test worksheet:
2. Tilia americana 15.00 Yes FACU Total Number of Dominant 3. Betula papyrifera 10.00 No FACU Species Across All Strats: 4 (B) 4.	e Stratum (Plot Size: <u>30</u>)	% Cover	Species?	Status	Number of Dominant Species
3. Betula papyrifera 10.00 No FACU Species Across All Strats: 4	Quercus rubra	40.00	Yes	FACU	That Are OBL, FACW, or FAC: 0(A)
4.	Tilia americana	15.00	Yes	FACU	Total Number of Dominant
5.	Betula papyrifera	10.00	No	FACU	Species Across All Strata: <u>4</u> (B)
6.					Percent of Dominant Species
7.					That Are OBL, FACW, or FAC: 0 (A/B)
65 = Total Cover OBL species 0.00 x 1 0 Saping/Shrub Stratum (Plot Size: 15 30.00 Yes UPL FACU species 80.00 x 3 320 2. Tilia americana 15.00 Yes FACU UPL species 90.00 x 4 450 2. Tilia americana 10.00 No FAC Column Totals 190 (A) 830 (I 4					Prevalence Index worksheet:
65 = Total Cover OBL species 0.00 x 1 0 Saping/Shrub Stratum (Plot Size: 15 30.00 Yes UPL FACU species 80.00 x 3 320 2. Tilia americana 15.00 Yes FACU UPL species 90.00 x 4 450 2. Tilia americana 10.00 No FAC Column Totals 190 (A) 830 (I 4					Total % Cover of: Multiply by:
1 Corylus cornuta 30.00 Yes UPL FACU species 80.00 x 3 320 2. Tilia americana 15.00 Yes FACU UPL species 90.00 x 4 450 3. Acer rubrum 10.00 No FAC Column Totals 190 (A) 830 (I) 4.		65 =	- Total Cover		OBL species 0.00 x 1 0
2. Tilla americana 15.00 Yes FACU UPI species 90.00 x 4 450 3. Acer rubrum 10.00 No FAC Column Totals 190 (A) 830 (I) 4.	oling/Shrub Stratum (Plot Size: 15)				FACW species 0.00 x 2 0
3. Acer rubrum 10.00 No FAC Column Totals 190 (A) 830 (I) 4.	Corylus cornuta	30.00	Yes	UPL	FACU species 80.00 x 3 320
4.	- Tilia americana	15.00	Yes	FACU	UPL species 90.00 x 4 450
4.	Acer rubrum	10.00	No	FAC	Column Totals 190 (A) 830 (B)
5.					
6.					
7.					
S5 = Total Cover no 3 - Prevalence Index is ≤ 3.0 ¹ Herb Stratum (Plot Size: 5					
Herb Stratum (Plot Size: 5) 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) 1. Carex woodii 60.00 Yes 2. Eurybia sibirica 10.00 No FAC 3		55 =	- Total Cover		
1. Carex woodii 60.00 Yes supporting data in Remarks or on a separate sheet) 2. Eurybia sibirica 10.00 No FAC Problematic Hydrophytic Vegetation ¹ (Explain) 3.	rb Stratum (Plot Size: 5)				4 - Mornhological Adaptations ¹ (Provide
2. Eurybia sibirica 10.00 No FAC Problematic Hydrophytic Vegetation ¹ (Explain) 3.		60.00 N	Yes		
3.				FAC	Problematic Hydrophytic Vegetation ¹ (Explain)
4. Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 5. Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 6. Definitions of Vegetation Strata: 7. Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 8. Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 9. Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 9. Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 10. Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 10. Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 11. Indicators of hydric soil and wetland hydrology must be present, unless disturbed or equal to 3.28 ft (1 m) tall. 12. Indicators of hydric soil and wetland hydrology plants, regardless of size woody plants less than 3.28 ft in height. 13. Indicators of hydric soil and wetland hydrology wines and hydrology wines greater than 3.28 ft in height. 14. Indicators of hydric soil and hydrology wines greater than 3.28 ft in height. 15. Indicators of hydric soil and hydrology wines greater than 3.28 ft in height. <td></td> <td></td> <td>-</td> <td></td> <td>······································</td>			-		······································
5.					¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic
6.		· · · ·			
7.					
8.					Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
9.					
10.					Sanling/Shrub Woody plants loss than 2 in DPH and greater than
11. Herb - All herbacecous (non-woody) plants, regardless of size woody plants less than 3.28 ft tall. 12. 70 Total Cover Woody vines - All woody vines greater than 3.28 ft in height. 1. - 2. Hydrophytic					
11.					
12. 70 = Total Cover Woody vines - All woody vines greater than 3.28 ft in height. Woody Vine Stratum (Plot Size: 30) 1. Hydrophytic					
Woody Vine Stratum (Plot Size: 30) Hydrophytic					
1		<u>70 </u>	- Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
2. Hydrophytic	ody Vine Stratum (Plot Size: 30)				
3Vegetation Present? No					
4					
0=Total Cover		0=	Total Cover		
Remarks: (include photo numbers here or on a separate sheet.)	marks: (include photo numbers here or on a separate sheet.	.)			

Northcentral and Northeast Region – Version 2.0

SOIL

Profile Descriptio Depth	n: (Describe to the Matrix	depth needed		e indicat o Features		nfirm th	e absence of ind	dicators.)
(inches)	Color (moist)	%	Color (moist)	reatures %	Type ¹	Loc ²	Texture	Remarks
0-3	10YR 3 3	100		70	Type	LUC	LS	Nethal KS
<u>3-7</u>	10YR 4 3	100					LS	
—								
								2
	ion, D=Depletion, RM=	-Reduced Matrix,	MS=Masked Sand Gr	ains.				² Location: PL=Pore Lining, M=Matrix
Hydric Soil Indicators	s:	-	Polyvalue Below	Surface (S	8) (LRR R,	MLRA		Problematic Hydric Soil ³ :
Histosol (A1)		Ĺ	149B)				2 cm Mu	ck (A10) (LRR K, L, MLRA 149B)
Histic Epipedo	n (A2)	[Thin Dark Surface	e (S9) (LRR	R, MLRA	149B)	Coast Pra	airie Redox (A16)(LRR K, L, R)
Black Histic (A3	3)	[Loamy Mucky Mi	neral (F1)	(LRR K, L)		📃 5 cm Mu	cky Peat or Peat (S3) (LRR K, L, R)
Hydrogen Sulfi	de (A4)	[Loamy Gleyed M	atrix (F2)			Dark Sur	face (S7) (LRR K, M)
Stratified Layer	rs (A5)	[Depleted Matrix	(F3)			Polyvalue	e Below Surface (S8) (LRR K, L)
Depleted Belov	w Dark Surface (A11)	[Redox Dark Surfa	ice (F6)			Thin Dark	Surface (S9) (LRR K, L)
Thick Dark Surf	face (A12)	[Depleted Dark Su	ırface (F7)			Iron-Mag	ganese Masses (F12) (LRR K, L, R)
Sandy Mucky N	Vineral (S1)	[Redox Depressio	ns (F8)			Piedmont	t Floodplain Soils (F19) (MLRA 149B)
Sandy Gleyed I			·				Mesic Spo	odic (TA6) (MLRA 144A, 145, 149B)
Sandy Redox (S								nt Material (F21)
Stripped Matri							_	llow Dark Surface (TF12)
Dark Surface (S	57) (LRR R, MLRA 1498)					Other (ex	xplain in remarks)
Restrictive Layer (if o								
Type: Rock	,							
Depth (inch	es): 7					ŀ	Hydric Soil Present?	<u>NO</u>
Remarks:								

Site Photograph 1



Latitude: 46.8182781245995

Longitude: -93.6844035890826

Direction: South

Remarks: Upland Cowardin Classification:

Eggers & Reed:

Circular 39:

Site Photograph 2



Latitude: 46.81827808269

Longitude: -93.6844038405397

Direction: West

Eggers & Reed: ____

Circular 39:

Cowardin Classification:

Remarks: Upland