			al and Northeast Region			
Project/Site: SPP	City/Coun	ıty: <u>Aitkin</u>	Sampling Date: 2016-08-19			
Applicant/Owner: Enbridge		State: Minnesota	Sampling Point: <u>u-50n26w6-a14</u>			
Investigator(s): ZCW, MGH	Sec	ction, Township, Range: <u>S18, T50N, R26W</u>	V			
Landform (hillslope, terrace, etc.): Ris	se	Local Relief (concave, conv	vex, none): <u>VV</u> Slope (%): <u>3-7%</u>			
Subregion (LRR or MLRA):		Latitude: 46.8260131963 Longit				
Soil Map Unit Name: 533			NWI Classification: N/A			
	n the site typical for thi	is time of year? (if no, explain in Remarks)				
Are Vegetation <u>No</u> , Soil <u>No</u> , or	[.] Hydrology <u>No</u> signif	ficantly disturbed? Are "Normal Circumst	tances" present? Yes			
Are Vegetation <u>No</u> , Soil <u>No</u> , or H	ydrology <u>No</u> natural	lly problematic? (If needed, explain any a	answers in Remarks)			
SUMMARY OF FINDINGS - Attach	site map showing sam	npling point locations, transects, importa	ant features, etc.			
Hydrophytic Vegetation Present?	No	Is the Sampled Area				
Hydric Soil Present?	Yes	within a Wetland?	No			
Wetland Hydrology Present?	<u>No</u>	If yes, optional Wetland Site ID:				
	· · · · ·					
Remarks: (Explain alternative proced Climatic conditions are "wet" based						
Climatic conditions are "wet" based			Secondary Indicators (minimum of two required			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators:	on the results of a WE	ETS analysis.				
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one	on the results of a WE	TS analysis.	Surface Soil Cracks (B6)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1)	on the results of a WE	TS analysis. hat apply) ter-Stained Leaves (B9)	Drainage Patterns (B10)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2)	on the results of a WE is required; check all th Wat Aqua	TS analysis. hat apply) ter-Stained Leaves (B9) latic Fauna (B13)	Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1)	is required; check all the matrix of a WE	that apply) ter-Stained Leaves (B9) tatic Fauna (B13) rl Deposits (B15)	Surface Soil Cracks (B6) Drainage Patterns (B10)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3)	ion the results of a WE is required; check all th	TS analysis. hat apply) ter-Stained Leaves (B9) latic Fauna (B13)	Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16) Dry-Season Water Table (C2)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1)	ion the results of a WE is required; check all th implicit the second seco	ter-Stained Leaves (B9) hatic Fauna (B13) rl Deposits (B15) lrogen Sulfide Odor (C1)	Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16) Dry-Season Water Table (C2) Crayfish Burrows (C8)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2)	ion the results of a WE is required; check all th Wat Aqua Aqua Mari Nari Oxid Oxid Pres	ETS analysis. <u>hat apply)</u> ter-Stained Leaves (B9) hatic Fauna (B13) rl Deposits (B15) Irogen Sulfide Odor (C1) dized Rhizospheres on Living Roots (C3)	Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16) Dry-Season Water Table (C2) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)	is required; check all the main of a WE	that apply) ter-Stained Leaves (B9) tatic Fauna (B13) rl Deposits (B15) lrogen Sulfide Odor (C1) dized Rhizospheres on Living Roots (C3) sence of Reduced Iron (C4)	Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16) Dry-Season Water Table (C2) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4)	is required; check all the main of a WE	that apply) ter-Stained Leaves (B9) tatic Fauna (B13) rl Deposits (B15) Irogen Sulfide Odor (C1) dized Rhizospheres on Living Roots (C3) sence of Reduced Iron (C4) ent Iron Reduction in Tilled Soils (C6)	Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16) Dry-Season Water Table (C2) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1) Geomorphic Position (D2)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5)	is required; check all the main of a WE	ter-Stained Leaves (B9) hat apply) ter-Stained Leaves (B9) hatic Fauna (B13) rl Deposits (B15) lrogen Sulfide Odor (C1) dized Rhizospheres on Living Roots (C3) sence of Reduced Iron (C4) ent Iron Reduction in Tilled Soils (C6) in Muck Surface (C7)	Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16) Dry-Season Water Table (C2) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery	is required; check all the main of a WE	ter-Stained Leaves (B9) hat apply) ter-Stained Leaves (B9) hatic Fauna (B13) rl Deposits (B15) lrogen Sulfide Odor (C1) dized Rhizospheres on Living Roots (C3) sence of Reduced Iron (C4) ent Iron Reduction in Tilled Soils (C6) in Muck Surface (C7)	Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16) Dry-Season Water Table (C2) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery Sparsely Vegetated Concave Surface	is required; check all th is required; check all th wate Aqua Mari Aqua Pres — Rece — Thin (B7) _ Othe (B8)	ter-Stained Leaves (B9) hat apply) ter-Stained Leaves (B9) hatic Fauna (B13) rl Deposits (B15) lrogen Sulfide Odor (C1) dized Rhizospheres on Living Roots (C3) sence of Reduced Iron (C4) ent Iron Reduction in Tilled Soils (C6) in Muck Surface (C7)	Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16) Dry-Season Water Table (C2) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one 	is required; check all th is required; check all th Wate Aqua Aqua Mari Mari Mari Pres Rece Thin (B7) Othe (B8)	ETS analysis. that apply) ter-Stained Leaves (B9) hatic Fauna (B13) rl Deposits (B15) Irogen Sulfide Odor (C1) dized Rhizospheres on Living Roots (C3) sence of Reduced Iron (C4) ent Iron Reduction in Tilled Soils (C6) in Muck Surface (C7) er (Explain in Remarks)	Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16) Dry-Season Water Table (C2) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4)			
Climatic conditions are "wet" based HYDROLOGY Wetland Hydrology Indicators: Primary Indicators (minimum of one Surface Water (A1) High Water Table (A2) Saturation (A3) Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery Sparsely Vegetated Concave Surface Field Observations: Surface Water Present?	is required; check all th is required; check all th wat Aqua Aqua Mari Aqua Pres (B7) No (B8) No C No C No C C No C C No C C C C C C C C C C C C C	ETS analysis. hat apply) ter-Stained Leaves (B9) hatic Fauna (B13) rl Deposits (B15) lrogen Sulfide Odor (C1) dized Rhizospheres on Living Roots (C3) sence of Reduced Iron (C4) ent Iron Reduction in Tilled Soils (C6) in Muck Surface (C7) er (Explain in Remarks) Depth (inches) Depth (inches)	Surface Soil Cracks (B6) Drainage Patterns (B10) Moss Trim Lines (B16) Dry-Season Water Table (C2) Crayfish Burrows (C8) Saturation Visible on Aerial Imagery (C9) Stunted/Stressed Plants (D1) Geomorphic Position (D2) Shallow Aquitard (D3) Microtopographic Relief (D4)			

Remarks:

VEGETATION - Use scientific names of plants.

Sampling Point: u-50n26w...

	Absolute	Dominant	Indicator	Dominance Test worksheet:		
Tree Stratum (Plot Size: <u>30</u>)	% Cover	Species?	Status	Number of Dominant Species		
1. Populus tremuloides	25.00	Yes	FAC	That Are OBL, FACW, or FAC: 2(A)		
2. Acer rubrum	15.00	Yes	FAC	Total Number of Dominant		
3.				Species Across All Strata: 6 (B)		
4.				Percent of Dominant Species		
5.				That Are OBL, FACW, or FAC: 33.33333333333 (A/B)		
6.				Prevalence Index worksheet:		
7.				Total % Cover of: Multiply by:		
···	40	= Total Cover		OBL species $0.00 \times 1 = 0$		
Sapling/Shrub Stratum (Plot Size: 15)				FACW species $0.00 \times 2 = 0$		
1. Corylus cornuta	40.00	Yes	UPL	FACU species 75.00 x 3 300		
2. Acer rubrum	15.00	Yes	FAC	UPL species 40.00 x 4 200		
3				Column Totals $\frac{170}{Prevalence Index = B/A = 3.9117647}$		
4						
5				Hydrophytic Vegetation Indicators:		
6				1 - Rapid Test for Hydrophytic Vegetation		
7				no 2 - Dominance Test is > 50%		
	55	= Total Cover		no 3 - Prevalence Index is $\leq 3.0^1$		
Herb Stratum (Plot Size: 5)				4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)		
1. Pteridium aquilinum	25.00	Yes	FACU	supporting data in Remarks or on a separate sneet)		
2. Eurybia macrophylla	25.00	Yes	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)		
3. Cornus canadensis	15.00	Yes	FACU	1 Indicators of hydric soil and wetland hydrology must be present, unless		
4. Aralia nudicaulis	10.00	No	FACU	disturbed or problematic.		
5				Definitions of Vegetation Strata:		
6						
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast		
8				height (DBH), regardless of height.		
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than		
10				or equal to 3.28 ft (1 m) tall.		
10				Herb - All herbaeceous (non-woody) plants, regardless of size, and		
11			·	woody plants less than 3.28 ft tall.		
12	75					
20	75	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.		
Woody Vine Stratum (Plot Size: 30)						
1				-		
2				Hydrophytic Vegetation		
3				Present? <u>No</u>		
4				1		
	0	=Total Cover				
Remarks: (include photo numbers here or on a separate sheet.)			•		

US Army Corps of Engineers

Northcentral and Northeast Region – Version 2.0

SOIL

-	-	depth ne	eded to document the			nfirm th	e absence of indi	cators.)
Depth	Matrix			Feature		. 2	_	
(inches)	Color (moist) 10YR 3 1	%	Color (moist)	%	Туре⁺	Loc ²	Texture	Remarks
0-5	-		10YR 5 6			·	<u>LS</u> -	
5-24	10YR 5 1	90	1018 5 6	_ 10	C	M	<u>S</u>	
							·	
							·	
							·	
				_				
¹ Type: C=Concen	tration, D=Depletion, RM	=Reduced M	atrix, MS=Masked Sand Gr	ains.				² Location: PL=Pore Lining, M=Matrix
Hydric Soil Indica	tors:						Indicators for Pi	roblematic Hydric Soil ³ :
Histosol (A:	1)		Polyvalue Below 149B)	Surface (58) (LRR R	, MLRA	2 cm Muck	< (A10) (LRR K, L, MLRA 149B)
Histic Epipe			Thin Dark Surface	e (S9) (LR	R R. MLRA	149B)	Coast Prair	ie Redox (A16)(LRR K, L, R)
Black Histic			Loamy Mucky M				_	xy Peat or Peat (S3) (LRR K, L, R)
Hydrogen S			Loamy Gleyed M	-		,		ce (S7) (LRR K, M)
Stratified La			Depleted Matrix					Below Surface (S8) (LRR K, L)
	elow Dark Surface (A11)		Redox Dark Surfa				_	urface (S9) (LRR K, L)
	Surface (A12)		Depleted Dark Su)			nese Masses (F12) (LRR K, L, R)
Sandy Muc	ky Mineral (S1)		Redox Depressio	ns (F8)			Piedmont F	loodplain Soils (F19) (MLRA 149B)
Sandy Gley	ed Matrix (S4)						Mesic Spod	lic (TA6) (MLRA 144A, 145, 149B)
Sandy Redo	ox (S5)						Red Parent	t Material (F21)
Stripped M	atrix (S6)						Very Shallo	ow Dark Surface (TF12)
Dark Surfac	ce (S7) (LRR R, MLRA 149E	4)					Other (exp	lain in remarks)
Restrictive Layer	(if observed):	Ľ						
Туре:							Hydric Soil Present?	Yes
Depth (ii	nches):					ſ	hydric son Present?	
Remarks:								

Site Photograph 1



Latitude: 46.8260208238352

Longitude: -93.6836192944028

Direction: North

Cowardin Classification:

Circular 39:

Remarks:

Eggers & Reed:

Site Photograph 2



Latitude: 46.8260200275544

Longitude: -93.6836186238506

Cowardin Classification:

Direction: East

Eggers & Reed:

Circular 39:

Remarks: