WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Aitkin		Sampling Date: 2016-08-19		
Applicant/Owner: Enbridge		State: Minnesota	Sampling Point: u-50n26w6-a16		
Investigator(s): ZCW, MGH	Section, Tow	rnship, Range: S18, T50N, F	 R26W		
Landform (hillslope, terrace, etc.): Rise		Local Relief (concave,			
Subregion (LRR or MLRA):		•	Longitude: -93.67891302 Datum: NAD83	_	
Soil Map Unit Name: 533			NWI Classification: N/A		
Are climatic/hydrologic conditions on t	the site typical for this time of	vear? (if no explain in Rem	-	_	
			· · · · · · · · · · · · · · · · · · ·		
Are Vegetation No_, Soil No_, or H	lydrology No significantly dis	sturbed? Are "Normal Circ	cumstances" present? Yes		
Are Vegetation No , Soil No , or Hydrology No naturally problematic? (If needed, explain any answers in Remarks)					
SUMMARY OF FINDINGS - Attach s			portant features, etc.	_	
Hydrophytic Vegetation Present?	No No	Is the Sampled Area			
Hydric Soil Present?	No No	within a Wetland?	<u>No</u>		
Wetland Hydrology Present?	<u>No</u>	If yes, optional Wetla	and Site ID:	_	
Remarks: (Explain alternative procedu		•			
Climatic conditions are "wet" based o	n the results of a WETS analysi	is.			
HYDROLOGY					
Wetland Hydrology Indicators: Secondary Indicators (minimum of two required)					
Primary Indicators (minimum of one is	required; check all that apply)	1	Surface Soil Cracks (B6)		
Surface Water (A1)					
High Water Table (A2)	Aquatic Fauna (B13)	Moss Trim Lines (B16)		
Saturation (A3)	Marl Deposits (i	B15)	Dry-Season Water Table (C2)		
Water Marks (B1)	Hydrogen Sulfid	le Odor (C1)	Crayfish Burrows (C8)		
Sediment Deposits (B2)	Oxidized Rhizos	pheres on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)	Saturation Visible on Aerial Imagery (C9)	
Drift Deposits (B3)	Presence of Rec	duced Iron (C4)	Stunted/Stressed Plants (D1)		
Algal Mat or Crust (B4)	Recent Iron Red	luction in Tilled Soils (C6)	Geomorphic Position (D2)	Geomorphic Position (D2)	
Iron Deposits (B5)	Thin Muck Surfa	ace (C7)	Shallow Aquitard (D3)		
Inundation Visible on Aerial Imagery (E	Inundation Visible on Aerial Imagery (B7) Other (Explain in Ren		Microtopographic Relief (D4)		
Sparsely Vegetated Concave Surface (I	38)		FAC-Neutral Test (D5)		
Field Observations:					
Surface Water Present?	No Depth (inc				
Water Table Present?		hes)			
Saturation Present?	No Depth (inc	hes)	Wetland Hydrology Present? No		
(includes capillary fringe)					
Describe Recorded Data (stream gauge	e, monitoring well, aerial photo	os, previous inspections), if	f available:		
Remarks:					
I .					

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species
1. Quercus rubra	55.00	Yes	FACU	That Are OBL, FACW, or FAC: 1 (A)
2. Acer rubrum	30.00	Yes	FAC	Total Number of Dominant
3.				Species Across All Strata: 6 (B)
4.				Percent of Dominant Species
5		-	-	That Are OBL, FACW, or FAC: 16.666666666 (A/B)
			· ·	Prevalence Index worksheet:
		-		
7			-	Total % Cover of: Multiply by:
	85	= Total Cover		OBL species <u>0.00</u> x 1 <u>0</u>
Sapling/Shrub Stratum (Plot Size: 15)				FACW species <u>0.00</u> x 2 <u>0</u>
1. Corylus cornuta	40.00	Yes	UPL	FACU species <u>135.00</u> x 3 <u>540</u>
2	-			UPL species <u>40.00</u> x 4 <u>200</u>
3				Column Totals <u>215</u> (A) <u>860</u> (B)
4				Prevalence Index = B/A = 4
5				Hydrophytic Vegetation Indicators:
6				1 - Rapid Test for Hydrophytic Vegetation
7				no 2 - Dominance Test is > 50%
	40	= Total Cover		no 3 - Prevalence Index is $\leq 3.0^1$
Herb Stratum (Plot Size: 5)				4 - Morphological Adaptations 1 (Provide
1. Eurybia macrophylla	35.00	Yes	FACU	supporting data in Remarks or on a separate sheet)
2. Pteridium aquilinum	25.00	Yes	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)
3. Vaccinium angustifolium	20.00	Yes	FACU	- [,
4. Clintonia borealis	10.00	No	FAC	Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
5.				Definitions of Vegetation Strata:
6.				Bernittons of Vegetation Strata.
		-		Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
7 8.				height (DBH), regardless of height.
	-		-	
9		-	_	Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10				1
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12		_	_	woody plants less than 5.20 it tall.
	90	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30)				
1				
2.				Hydrophytic
3.				Vegetation No
4.	-			Present?
4	0	-Total Cover	-	-
		_=Total Cover		<u> </u>
Remarks: (include photo numbers here or on a separate sheet	.)			

Sampling Point: u-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Type¹ Loc² (inches) Color (moist) % Color (moist) % Texture Remarks 10YR 3 3 8-0 100 LS 10YR 5 3 100 8-24 S ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-50n26w6-a16



Latitude:	46.8250059010897			Cowardin Classification:	
Longitude:	-93.678952502174			Circular 39:	
Direction: North Eggers & Reed:					
Remarks:					

Site Photograph 2 Sampling Point: u-50n26w6-a16



APPLIES TO THE STATE OF THE STA		
Latitude: 46.8250034284283	Cowardin Classification:	
Longitude: -93.6789732892939	Circular 39:	
Direction: West	Eggers & Reed:	
Remarks:		