	WETLAND DETERMINATION DATA FORM - North Central a PP City/County: Aitkin			Sampling Date: 2016-08-15				
Applicant/Owner: Enbridge	—	State: Minnesota Sampling Point: u-50n26w6-						
Investigator(s): ZCW/MGH	Section	State: <u>Winnesota</u> Sampling Point: <u>u-50120w0-a9</u> Section, Township, Range: S6, T50N, R26W						
<u> </u>								
Landform (hillslope, terrace, etc.): <u>Rise</u>		Local Relief (concave, convex, none): VL Slope (%): 0-29						
Subregion (LRR or MLRA):	La	titude: 46.8276974559	Longitude: <u>-93.68594527.</u>					
Soil Map Unit Name: 1353B				assification: <u>N/A</u>				
Are climatic/hydrologic conditions on the	e site typical for this tin	ne of year? (if no, explain in R	Remarks):	No				
Are Vegetation <u>No</u> , Soil <u>No</u> , or Hyd	drology <u>No</u> significar	itly disturbed? Are "Normal (Circumstances" present? Yes	_				
Are Vegetation <u>No</u> , Soil <u>No</u> , or Hydro	ology <u>No</u> naturally p	roblematic? (If needed, expl	lain any answers in Remarks)					
SUMMARY OF FINDINGS - Attach site	map showing samplin	g point locations, transects,	important features, etc.					
Hydrophytic Vegetation Present?	rophytic Vegetation Present? NO Is the Sampled Area							
Hydric Soil Present?	No	within a Wetland?	?	No				
Wetland Hydrology Present?	No	If yes, optional We	etland Site ID:					
Remarks: (Explain alternative procedure	s here or in a separate	report.)						
Climatic conditions are "wet" based on t	the results of a WETS a	inalvsis.						
HYDROLOGY								
Wetland Hydrology Indicators:			Secondary Indic	ators (minimum of two required				
Primary Indicators (minimum of one is re				pil Cracks (B6)				
	Surface Water (A1)Water-Stained Lea		Drainager					
High Water Table (A2) Aquatic Fauna (B13		(042)		Patterns (B10)				
Coturation (AD)			Moss Trim	Lines (B16)				
Saturation (A3)	Marl Dep	oosits (B15)	Moss Trim Dry-Seaso	ı Lines (B16) n Water Table (C2)				
Water Marks (B1)	Marl Dep	posits (B15) n Sulfide Odor (C1)	Moss Trim Dry-Seaso Crayfish Bu	i Lines (B16) n Water Table (C2) irrows (C8)				
Water Marks (B1) Sediment Deposits (B2)	Marl Dep Hydrogei Oxidized	oosits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3)	Moss Trim Dry-Seaso Crayfish Bu Saturation	Lines (B16) n Water Table (C2) urrows (C8) Visible on Aerial Imagery (C9)				
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3)	Marl Dep Hydrogen Oxidized Presence	oosits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3) e of Reduced Iron (C4)	Moss Trim Dry-Seaso Crayfish Bu Saturation Stunted/St	I Lines (B16) n Water Table (C2) ırrows (C8) Visible on Aerial Imagery (C9) ressed Plants (D1)				
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4)	Marl Dep Marl Dep Hydrogen Oxidized Presence Recent Ir	posits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) ron Reduction in Tilled Soils (C6)	Moss Trim Dry-Seaso Crayfish Bu Saturation Stunted/St Geomorph	Lines (B16) n Water Table (C2) urrows (C8) Visible on Aerial Imagery (C9) ressed Plants (D1) ic Position (D2)				
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5)	Marl Dep Hydrogen Oxidized Presence Recent Ir Thin Muc	oosits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) on Reduction in Tilled Soils (C6) ck Surface (C7)	Moss Trim Dry-Seaso Crayfish Bu Saturation Stunted/St Geomorph Shallow Ac	Lines (B16) n Water Table (C2) urrows (C8) Visible on Aerial Imagery (C9) ressed Plants (D1) ic Position (D2) uutard (D3)				
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7)	Marl Dep Hydrogen Oxidized Presence Recent Ir Thin Muc Other (E)	posits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) ron Reduction in Tilled Soils (C6)	Moss Trim Dry-Seaso Crayfish Bu Saturation Stunted/St Geomorph Shallow Ac Microtopo	Lines (B16) n Water Table (C2) nrows (C8) Visible on Aerial Imagery (C9) ressed Plants (D1) ic Position (D2) juitard (D3) graphic Relief (D4)				
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8)	Marl Dep Hydrogen Oxidized Presence Recent Ir Thin Muc Other (E)	oosits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) on Reduction in Tilled Soils (C6) ck Surface (C7)	Moss Trim Dry-Seaso Crayfish Bu Saturation Stunted/St Geomorph Shallow Ac	Lines (B16) n Water Table (C2) urrows (C8) Visible on Aerial Imagery (C9) ressed Plants (D1) ic Position (D2) uitard (D3) graphic Relief (D4)				
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations:	Marl Dep Hydrogen Oxidized Presence Recent Ir Thin Muc Other (Ex	posits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) fon Reduction in Tilled Soils (C6) ck Surface (C7) kplain in Remarks)	Moss Trim Dry-Seaso Crayfish Bu Saturation Stunted/St Geomorph Shallow Ac Microtopo	Lines (B16) n Water Table (C2) urrows (C8) Visible on Aerial Imagery (C9) ressed Plants (D1) ic Position (D2) uitard (D3) graphic Relief (D4)				
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present?	Marl Dep Hydrogen Oxidized Presence Recent Ir Thin Muc Other (E) <u>No</u> Dept	bosits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) on Reduction in Tilled Soils (C6) ck Surface (C7) kplain in Remarks)	Moss Trim Dry-Seaso Crayfish Bu Saturation Stunted/St Geomorph Shallow Ac Microtopo	Lines (B16) n Water Table (C2) urrows (C8) Visible on Aerial Imagery (C9) ressed Plants (D1) ic Position (D2) uitard (D3) graphic Relief (D4)				
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Water Table Present?	Marl Dep Hydroger Oxidized Presence Recent Ir Thin Muc Other (E) No Dept No Dept	bosits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3) to f Reduced Iron (C4) ton Reduction in Tilled Soils (C6) tok Surface (C7) kplain in Remarks) 	Moss Trim Dry-Seaso Crayfish Bu Saturation Stunted/St Geomorph Shallow Ac Microtopo FAC-Neutr	Lines (B16) n Water Table (C2) urrows (C8) Visible on Aerial Imagery (C9) ressed Plants (D1) ic Position (D2) uitard (D3) graphic Relief (D4) al Test (D5)				
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Water Table Present? Saturation Present?	Marl Dep Hydroger Oxidized Presence Recent Ir Thin Muc Other (E) No Dept No Dept	bosits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3) e of Reduced Iron (C4) on Reduction in Tilled Soils (C6) ck Surface (C7) kplain in Remarks)	Moss Trim Dry-Seaso Crayfish Bu Saturation Stunted/St Geomorph Shallow Ac Microtopo	Lines (B16) n Water Table (C2) urrows (C8) Visible on Aerial Imagery (C9) ressed Plants (D1) ic Position (D2) uutard (D3) graphic Relief (D4) al Test (D5)				
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Water Table Present? Saturation Present? (includes capillary fringe)	Marl Dept Hydrogen Oxidized Presence Recent Ir Thin Muc Other (E) No Dept No Dept	oosits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3) of Reduced Iron (C4) on Reduction in Tilled Soils (C6) ck Surface (C7) kplain in Remarks) ch (inches) ch (inches)	Moss Trim Dry-Seaso Crayfish Bu Saturation Stunted/St Geomorph Shallow Ac Microtopo FAC-Neutr	Lines (B16) n Water Table (C2) urrows (C8) Visible on Aerial Imagery (C9) ressed Plants (D1) ic Position (D2) uutard (D3) graphic Relief (D4) al Test (D5)				
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Water Table Present? Saturation Present?	Marl Dept Hydrogen Oxidized Presence Recent Ir Thin Muc Other (E) No Dept No Dept	oosits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3) of Reduced Iron (C4) on Reduction in Tilled Soils (C6) ck Surface (C7) kplain in Remarks) ch (inches) ch (inches)	Moss Trim Dry-Seaso Crayfish Bu Saturation Stunted/St Geomorph Shallow Ac Microtopo FAC-Neutr	Lines (B16) n Water Table (C2) urrows (C8) Visible on Aerial Imagery (C9) ressed Plants (D1) ic Position (D2) uutard (D3) graphic Relief (D4) al Test (D5)				
Water Marks (B1) Sediment Deposits (B2) Drift Deposits (B3) Algal Mat or Crust (B4) Iron Deposits (B5) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Field Observations: Surface Water Present? Water Table Present? Saturation Present? (includes capillary fringe)	Marl Dept Hydrogen Oxidized Presence Recent Ir Thin Muc Other (E) No Dept No Dept	oosits (B15) n Sulfide Odor (C1) Rhizospheres on Living Roots (C3) of Reduced Iron (C4) on Reduction in Tilled Soils (C6) ck Surface (C7) kplain in Remarks) ch (inches) ch (inches)	Moss Trim Dry-Seaso Crayfish Bu Saturation Stunted/St Geomorph Shallow Ac Microtopo FAC-Neutr	Lines (B16) n Water Table (C2) urrows (C8) Visible on Aerial Imagery (C9) ressed Plants (D1) ic Position (D2) uutard (D3) graphic Relief (D4) al Test (D5)				

VEGETATION - Use scientific names of plants.

Sampling Point: u-50n26w...

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: <u>30</u>)	% Cover	Species?	Status	Number of Dominant Species
1. Populus tremuloides	50.00	Yes	FAC	That Are OBL, FACW, or FAC: <u>1</u> (A)
2. Acer rubrum	10.00	No	FAC	Total Number of Dominant
3				Species Across All Strata: <u>4</u> (B)
4				Percent of Dominant Species
5.				That Are OBL, FACW, or FAC: 25 (A/B)
6.				Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	60	= Total Cover		OBL species 0.00 x 1 0
Sapling/Shrub Stratum (Plot Size: 15)				FACW species 0.00 x 2 0
1. Corylus cornuta	40.00	Yes	UPL	FACU species 60.00 x 3 240
2. Populus tremuloides	10.00	Yes	FAC	UPL species 55.00 x 4 275
3.				Column Totals 195 (A) 755 (B)
4	-			Prevalence Index = $B/A = 3.8717948$
5				Hydrophytic Vegetation Indicators:
6				1 - Rapid Test for Hydrophytic Vegetation
7				no 2 - Dominance Test is > 50%
	50	= Total Cover		no 3 - Prevalence Index is $\leq 3.0^{1}$
Herb Stratum (Plot Size: 5)				4 - Morphological Adaptations ¹ (Provide
1. Eurybia macrophylla	35.00	Yes	FACU	supporting data in Remarks or on a separate sheet)
2. Aralia nudicaulis	25.00	Yes	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)
3. Carex woodii	15.00	No	1400	
4. Clintonia borealis	10.00	No	FAC	¹ Indicators of hydric soil and wetland hydrology must be present, unless
	10.00		TAC	disturbed or problematic.
5				Definitions of Vegetation Strata:
6				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
7				height (DBH), regardless of height.
8			<u></u>	
9		<u> </u>	·	Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10				
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12				
	85	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30)				
1				
2.				Hydrophytic
3.				Vegetation Present? <u>No</u>
4.				
· · · · · · · · · · · · · · · · · · ·	0	=Total Cover		1
Remarks: (include photo numbers here or on a separate sheet.				
remarks: (include photo numbers here of on a separate sheet.	.)			

US Army Corps of Engineers

Northcentral and Northeast Region – Version 2.0

SOIL

Depth	tion: (Describe to the Matrix			Features				
(inches)	Color (moist)	%	Color (moist)	%		Loc ²	Texture	Remarks
0-4	10YR 3 1	100		_			LS	
4-10	10YR 4 3	100					LS	
		·		_				
		·		_				
		<u> </u>						
		<u> </u>						
		·						
		<u> </u>						
		<u> </u>						
		·						
		<u> </u>						
		·			·			
	tration, D=Depletion, RM=	Reduced Ma	itrix, MS=Masked Sand Gr	ains.				² Location: PL=Pore Lining, M=Matrix
Hydric Soil Indica	tors:		Polyvalue Below	Surface (S	8) (LRR R,	MLRA	Indicators for F	Problematic Hydric Soil ³ :
Histosol (A	1)		149B)		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		2 cm Muc	:k (A10) (LRR K, L, MLRA 149B)
Histic Epipe	edon (A2)		Thin Dark Surface	e (S9) (LRR	R, MLRA	149B)	Coast Pra	irie Redox (A16)(LRR K, L, R)
Black Histic	: (A3)		Loamy Mucky M	ineral (F1)	(LRR K, L)		📃 5 cm Muc	ky Peat or Peat (S3) (LRR K, L, R)
Hydrogen S	Sulfide (A4)		Loamy Gleyed M	atrix (F2)			Dark Surf	ace (S7) (LRR K, M)
Stratified L	ayers (A5)		Depleted Matrix	(F3)			Polyvalue	Below Surface (S8) (LRR K, L)
Depleted B	elow Dark Surface (A11)		Redox Dark Surfa	ice (F6)			Thin Dark	Surface (S9) (LRR K, L)
Thick Dark	Surface (A12)		Depleted Dark Su	urface (F7)			Iron-Mag	anese Masses (F12) (LRR K, L, R)
Sandy Muc	ky Mineral (S1)		Redox Depressio	ns (F8)			Piedmont	Floodplain Soils (F19) (MLRA 149B)
Sandy Gley	ed Matrix (S4)						Mesic Spo	dic (TA6) (MLRA 144A, 145, 149B)
Sandy Redo	ox (S5)						Red Parer	nt Material (F21)
Stripped M	atrix (S6)						Very Shal	low Dark Surface (TF12)
Dark Surfac	ce (S7) (LRR R, MLRA 149E	3)					🗌 Other (ex	plain in remarks)
Restrictive Layer	(if observed):	~	•					
Type: Rock						ŀ	Hydric Soil Present?	No
Depth (i	nches): 10inches						lyune son resent.	
Remarks:								

Site Photograph 1

Sampling Point: <u>u-50n26w6-a9</u>



Latitude: 46.8276714720268

Longitude: -93.685937645001

Direction: South

Cowardin Classification:

Circular 39:

Remarks: Upland Eggers & Reed:

Site Photograph 2



Latitude: 46.8276577676151

Longitude: -93.6859306880214

Direction: West

Cowardin Classification:

Circular 39:

Eggers & Reed:

Remarks: Upland