## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Ait	kin	Samplin	ng Date: 2016-08-11	
Applicant/Owner: Enbridge		State: Minnesota	Samplir	ng Point: u-50n26w6-e1	
Investigator(s): ZCW, MGH	Section, T	ownship, Range: S6, T50W,	R26W		
Landform (hillslope, terrace, etc.): Sid	e Slope	Local Relief (concav	ve, convex, none): VV	Slope (%): 3-7%	
Subregion (LRR or MLRA):	Latit	ude: 46.8557138834	Longitude: -93.67948969	Datum: NAD83	
Soil Map Unit Name: 504B			NWI Cla	ssification: N/A	
·	the site typical for this time	of year? (if no, explain in Re		No	
Are Vegetation No_, Soil No_, or	Hydrology NO significantly	disturbed? Are "Normal Ci	rcumstances" present? Yes		
Are Vegetation No_, Soil No_, or Hydrology No_ naturally problematic? (If needed, explain any answers in Remarks)					
SUMMARY OF FINDINGS - Attach :	site map showing sampling	point locations, transects, in	mportant features, etc.		
Hydrophytic Vegetation Present?	<u>No</u>	Is the Sampled Are	a		
Hydric Soil Present?	<u>No</u>	within a Wetland?		<u>No</u>	
Wetland Hydrology Present?	<u>No</u>	If yes, optional Wet	:land Site ID:		
Remarks: (Explain alternative proced	•				
Climatic conditions are "wet" based	on the results of a WETS ana	lysis.			
HYDROLOGY					
Wetland Hydrology Indicators:			Secondary Indica	tors (minimum of two required)	
Primary Indicators (minimum of one i	s required; check all that app	oly)	Surface So	il Cracks (B6)	
Surface Water (A1)			Drainage Patterns (B10)		
High Water Table (A2)	Aquatic Fau	na (B13)	Moss Trim	Lines (B16)	
Saturation (A3)	Marl Deposi	its (B15)	Dry-Season	Water Table (C2)	
Water Marks (B1)	Hydrogen Sı	ulfide Odor (C1)	Crayfish Bur	rows (C8)	
Sediment Deposits (B2)	Oxidized Rhi	izospheres on Living Roots (C3)	Saturation \	isible on Aerial Imagery (C9)	
Drift Deposits (B3)	Presence of	Reduced Iron (C4)	Stunted/Str	essed Plants (D1)	
Algal Mat or Crust (B4)	Recent Iron	Reduction in Tilled Soils (C6)	Geomorphic	Position (D2)	
Iron Deposits (B5)	Thin Muck S	Surface (C7)	Shallow Aqu	iitard (D3)	
Inundation Visible on Aerial Imagery	Inundation Visible on Aerial Imagery (B7) Other (Explain in Re		Microtopog	raphic Relief (D4)	
Sparsely Vegetated Concave Surface	B8)		FAC-Neutral	Test (D5)	
Field Observations:					
Surface Water Present?	No Depth (	inches)			
Water Table Present?	No Depth (	inches)			
Saturation Present?	No Depth (	inches)	Wetland Hydrology Pr	esent? <u>No</u>	
(includes capillary fringe)					
Describe Recorded Data (stream gaug	ge, monitoring well, aerial ph	notos, previous inspections),	, if available:		
Remarks:					

		Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum	(Plot Size: <u>30</u>	% Cover	Species?	Status	Number of Dominant Species
1				_	That Are OBL, FACW, or FAC: 1 (A)
2					Total Number of Dominant
3.					Species Across All Strata: 6 (B)
4.					Percent of Dominant Species
					That Are OBL, FACW, or FAC: 16.666666666 (A/B)
				_	Prevalence Index worksheet:
			_		-
7			- <del> </del>	_	Total % Cover of: Multiply by:
		0	_ = Total Cover		OBL species 0.00 x 1 0
Sapling/Shrub Stratum (I	Plot Size: 15				FACW species <u>0.00</u> x 2 <u>0</u>
1. Populus tremuloides		35.00	Yes	_ FAC	FACU species
2. Quercus rubra		30.00	Yes	_ FACU	UPL species
3. Corylus cornuta		25.00	Yes	UPL	Column Totals(A)(B)
4					Prevalence Index = B/A = 4.125
5				_	Hydrophytic Vegetation Indicators:
6					1 - Rapid Test for Hydrophytic Vegetation
7					no 2 - Dominance Test is > 50%
		90	= Total Cover		no $3$ - Prevalence Index is $\leq 3.0^1$
Herb Stratum (Plot Size:	5 )		_		4 - Morphological Adaptations (Provide
1. Carex pensylvanica		30.00	Yes		supporting data in Remarks or on a separate sheet)
2. Eurybia macrophylla		25.00	Yes	FACU	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Pteridium aquilinum		15.00	Yes	FACU	
4.		13.00			Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
5.		-			
-		-	· ·		Definitions of Vegetation Strata:
6					To Manda de la 176 and a serie discontra de la contra del contra de la contra del contra de la contra del contra de la contra del la contra dela
			-		Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height.
8					-
9					Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10.					or equal to 3.28 ft (1 ff) tall.
· · · · · · · · · · · · · · · · · · ·					Herb - All herbaeceous (non-woody) plants, regardless of size, and
12.					woody plants less than 3.28 ft tall.
		70	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum(Pl	at Cina. 30	<u>:</u>	= 10tal covel		woody vines greater than 3.20 term leight.
	ot Size: <u>30</u> )				
1		<del></del>			┨
2					Hydrophytic Vegetation
3					Present? No
4				_	_
		0	=Total Cover		
Remarks: (include photo	numbers here or on a separate shee	t.)			-
*					

Sampling Point: u-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc<sup>2</sup> (inches) Color (moist) % Color (moist) % Type<sup>1</sup> Texture Remarks 10YR 3 3 100 FSL 0-5 10YR 4 2 100 5-18 LS 10YR 5 2 10YR 58 LS 95 5 18-24 С M <sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil<sup>3</sup>: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-50n26w6-e1



Circular 39:		
Eggors & Pood		
Eggers & Reed:		

Site Photograph 2 Sampling Point: u-50n26w6-e1



Latitude:	46.8556683278148	Cowardin Classification:
Longitude:	-93.679438820196	Circular 39:
Direction: Wes	st	Eggers & Reed:
Remarks:		
Upland		