WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Aitkin		Sampling Date: 2016-08-12			
Applicant/Owner: Enbridge		State: Minnesota	Sampling Point: u-50n26w6-k1			
Investigator(s): ZCW, MGH	Section, Townshi	ip, Range:				
Landform (hillslope, terrace, etc.): Side Slope		Local Relief (concave, con	vex, none): VV Slope (%): 8-15%			
Subregion (LRR or MLRA):	Latitude: 4		itude: -93.68164904 Datum: NAD83			
Soil Map Unit Name: 504B			NWI Classification: N/A			
•	typical for this time of year	r? (if no explain in Remarks				
Are Vegetation No , Soil No , or Hydrolo	gy No significantly distur	bed? Are "Normal Circums	stances" present? Yes			
Are Vegetation No , Soil No , or Hydrology No naturally problematic? (If needed, explain any answers in Remarks)						
SUMMARY OF FINDINGS - Attach site map		1	ant features, etc.			
Hydrophytic Vegetation Present?	No	Is the Sampled Area				
Hydric Soil Present?	No No	within a Wetland?	<u>No</u>			
Wetland Hydrology Present?	No	If yes, optional Wetland S	ite ID:			
Remarks: (Explain alternative procedures he						
Climatic conditions are "wet" based on the r	esults of a WETS analysis.					
HYDROLOGY						
Wetland Hydrology Indicators:			Secondary Indicators (minimum of two required)			
Primary Indicators (minimum of one is required; check all that apply) Surface Soil Cracks (B6)						
Surface Water (A1)	Water-Stained Leave	es (B9)	Drainage Patterns (B10)			
High Water Table (A2)	Aquatic Fauna (B13)		Moss Trim Lines (B16)			
Saturation (A3)	Marl Deposits (B15)		Dry-Season Water Table (C2)			
Water Marks (B1)	Hydrogen Sulfide Oc	dor (C1)	Crayfish Burrows (C8)			
Sediment Deposits (B2)	ent Deposits (B2) Oxidized Rhizosphere		Saturation Visible on Aerial Imagery (C9)			
Drift Deposits (B3)	Presence of Reduced	d Iron (C4)	Stunted/Stressed Plants (D1)			
Algal Mat or Crust (B4)	Recent Iron Reduction	on in Tilled Soils (C6)	Geomorphic Position (D2)			
Iron Deposits (B5)	Thin Muck Surface (C7)	Shallow Aquitard (D3)			
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Re	marks)	Microtopographic Relief (D4)			
Sparsely Vegetated Concave Surface (B8)			FAC-Neutral Test (D5)			
Field Observations:						
Surface Water Present?		i				
	Depth (inches)	·				
Saturation Present? <u>No</u>	Depth (inches))	Wetland Hydrology Present? No			
(includes capillary fringe)						
Describe Recorded Data (stream gauge, mon	itoring well, aerial photos, p	previous inspections), if ava	ilable:			
Remarks:						

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30	% Cover	Species?	Status	Number of Dominant Species
1. Quercus rubra	50.00	Yes	FACU	That Are OBL, FACW, or FAC: 0 (A)
2. Acer saccharum	20.00	Yes	UPL	Total Number of Dominant
3. Populus tremuloides	15.00	No	FAC	Species Across All Strata: 5 (B)
4.		-		Percent of Dominant Species
				That Are OBL, FACW, or FAC: 0 (A/B)
			-	
6	-	-		Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	85	= Total Cover		OBL species <u>0.00</u> x 1 <u>0</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>0.00</u> x 2 <u>0</u>
1. Corylus cornuta	15.00	Yes	UPL	FACU species <u>125.00</u> x 3 <u>500</u>
2				UPL species <u>85.00</u> x 4 <u>425</u>
3				Column Totals <u>225</u> (A) <u>970</u> (B)
4				Prevalence Index = B/A = 4.3111111
5.				Hydrophytic Vegetation Indicators:
6.				1 - Rapid Test for Hydrophytic Vegetation
7.		-		no 2 - Dominance Test is > 50%
/·	15	- Total Cover		no 3 - Prevalence Index is $\leq 3.0^{1}$
Hards Chartering (Diet Cines 5	13	_ = Total Cover		
Herb Stratum (Plot Size: 5	50.00	V		4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
1. Carex woodii	50.00	Yes		-
2. Vaccinium angustifolium	35.00	Yes	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)
3. Pteridium aquilinum	20.00	No No	FACU	1 Indicators of hydric soil and wetland hydrology must be present, unless
4. Eurybia macrophylla	15.00	No No	FACU	disturbed or problematic.
5. Aralia nudicaulis	5.00	No	FACU	Definitions of Vegetation Strata:
6				
7		_	_	Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.				height (DBH), regardless of height.
9.				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
				or equal to 3.28 ft (1 m) tall.
10			_	-
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12		-	_	-
	125	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30)				
1		_	_	
2.				Hydrophytic
3.				Vegetation No
		-	-	Present?
4	0		-	-
		_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	.)			

Sampling Point: u-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Matrix **Redox Features** Type¹ Loc² (inches) Color (moist) % Color (moist) % Texture Remarks 10YR 3 2 0-5 100 ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) **✓** Restrictive Layer (if observed): Type: Rock Hydric Soil Present? No Depth (inches): 5 Remarks:

Site Photograph 1 Sampling Point: u-50n26w6-k1



Cowardin Classification:			
Circular 39:			
Eggers & Reed:			

Site Photograph 2 Sampling Point: u-50n26w6-k1



Latitude: 46.8428973248665	Cowardin Classification:	
Longitude: -93.6815802288183	Circular 39:	
Direction: East	Eggers & Reed:	
Remarks:		