WETLAND D	ETERMINATION DATA FORM - N	North Central and Northeast Region		
Project/Site: SPP	City/County: <u>Aitkin</u>	Samplin	Sampling Date: 2016-08-12	
Applicant/Owner: Enbridge	State: M	linnesota Samplin	g Point: <u>u-50n26w6-m1</u>	
Investigator(s): ZCW, MGH	Section, Township, Range:	S6, T50N, R26W		
Landform (hillslope, terrace, etc.): Side Slope	Local Rel	lief (concave, convex, none): VV	Slope (%): <u>3-7%</u>	
Subregion (LRR or MLRA):	Latitude: 46.8432007	7078 Longitude: -93.67941568	Datum: NAD83	
Soil Map Unit Name: 292		NWI Clas	sification: N/A	
Are climatic/hydrologic conditions on the site to	pical for this time of year? (if no, e	xplain in Remarks):	No	
Are Vegetation <u>No</u> , Soil <u>No</u> , or Hydrology Are Vegetation <u>No</u> , Soil <u>No</u> , or Hydrology <u>J</u> SUMMARY OF FINDINGS - Attach site maps	No naturally problematic? (If nee	eded, explain any answers in Remarks)		
Hydrophytic Vegetation Present?		mpled Area		
Hydric Soil Present?	III III III III III III III III I	Wetland?	No	
Wetland Hydrology Present?		otional Wetland Site ID:		
Climatic conditions are "wet" based on the res				
HYDROLOGY				
Wetland Hydrology Indicators:		Secondary Indicat	ors (minimum of two required)	
Primary Indicators (minimum of one is required	l; check all that apply)	Surface Soil	Cracks (B6)	
Surface Water (A1)	Water-Stained Leaves (B9)	Drainage Pa	Drainage Patterns (B10)	
High Water Table (A2)	Aquatic Fauna (B13)	Moss Trim L	Moss Trim Lines (B16)	
Saturation (A3)	Marl Deposits (B15)	Dry-Season	Dry-Season Water Table (C2)	
Water Marks (B1)	Hydrogen Sulfide Odor (C1)	Crayfish Burr	Crayfish Burrows (C8)	
Sediment Deposits (B2)	Oxidized Rhizospheres on Living	Roots (C3) Saturation Vi	Saturation Visible on Aerial Imagery (C9)	
Drift Deposits (B3)	Presence of Reduced Iron (C4)	Stunted/Stre	Stunted/Stressed Plants (D1)	
Algal Mat or Crust (B4)	Recent Iron Reduction in Tilled S	Goils (C6)Geomorphic	Geomorphic Position (D2)	
Iron Deposits (B5)	Thin Muck Surface (C7)	Shallow Aqui	Shallow Aquitard (D3)	
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Remarks)	Microtopogr	aphic Relief (D4)	
Sparsely Vegetated Concave Surface (B8)		FAC-Neutral	Test (D5)	

Field Observations:						
Surface Water Present?	No	Depth (inches)				
Water Table Present?	No	Depth (inches)				
Saturation Present?	No	Depth (inches)	Wetland Hydrology Present?			
(includes capillary fringe)						
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:						
Remarks:						

US Army Corps of Engineers

No

VEGETATION - Use scientific names of plants.

Sampling Point: u-50n26w...

	Absolute	Dominant	Indicator	Dominance Test worksheet:	
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species	
1. Populus tremuloides	20.00	Yes	FAC	That Are OBL, FACW, or FAC: 1(A)	
2.				Total Number of Dominant	
3				Species Across All Strata: <u>6</u> (B)	
4.				Percent of Dominant Species	
5.				That Are OBL, FACW, or FAC: 16.666666666666 (A/B)	
6.				Prevalence Index worksheet:	
7				Total % Cover of: Multiply by:	
	20			OBL species 0.00 x 1 0	
Sapling/Shrub Stratum (Plot Size: 15)				FACW species 0.00 x 2 0	
1. Populus tremuloides	30.00	Yes	FAC	FACU species 95.00 x 3 380	
2. Quercus rubra	20.00	Yes	FACU	UPL species 55.00 x 4 275	
3. Acer saccharum	15.00	Yes	UPL	Column Totals 200 (A) 805 (B)	
4.			·	Prevalence Index = B/A = 4.025	
5				Hydrophytic Vegetation Indicators:	
-				1 - Rapid Test for Hydrophytic Vegetation	
6 7.			·	no 2 - Dominance Test is > 50%	
/	65	- Tatal Causer		no 3 - Prevalence Index is $\leq 3.0^{1}$	
Hark Stratum (Dist Size 5	05	= Total Cover			
Herb Stratum (Plot Size: 5) 1. Eurybia macrophylla	45.00	Yes	FACU	4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)	
			FACO		
2. Carex woodii	40.00	Yes		Problematic Hydrophytic Vegetation ¹ (Explain)	
3. Aralia nudicaulis	30.00	Yes	FACU	¹ Indicators of hydric soil and wetland hydrology must be present, unless	
4				disturbed or problematic.	
5		<u></u>		Definitions of Vegetation Strata:	
6					
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height.	
8					
9				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.	
10					
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.	
12					
	115	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.	
Woody Vine Stratum (Plot Size: 30)					
1.					
2.				Hydrophytic	
3.				Vegetation No	
				Present?	
4	0	Tatal Cause			
		_=Total Cover			
Remarks: (include photo numbers here or on a separate sheet.)				

US Army Corps of Engineers

Northcentral and Northeast Region – Version 2.0

SOIL

Depth (inches) Color (0-4 10YF 4-24 10YF	100	Color (moist)	Feature: %				
4-24 10YF 4-24 10YF 			/0	Type ¹	Loc ²	Texture	Remarks
Type: C=Concentration, D=Dep Hydric Soil Indicators:				<u> </u>		FSL	
Hydric Soil Indicators: Histosol (A1) Histic Epipedon (A2)	852 80	10YR 4 6	80	<u>C</u>	M	<u>LS</u>	
Hydric Soil Indicators: Histosol (A1) Histic Epipedon (A2)							
Hydric Soil Indicators: Histosol (A1) Histic Epipedon (A2)				<u> </u>			
Hydric Soil Indicators: Histosol (A1) Histic Epipedon (A2)							
Hydric Soil Indicators: Histosol (A1) Histic Epipedon (A2)				<u> </u>			
Hydric Soil Indicators: Histosol (A1) Histic Epipedon (A2)							
Hydric Soil Indicators: Histosol (A1) Histic Epipedon (A2)							
Histosol (A1) Histic Epipedon (A2)	letion, RM=Reduced N	1atrix, MS=Masked Sand G	rains.				² Location: PL=Pore Lining, M=Matrix
Histic Epipedon (A2)			.	() () 55 5		Indicators for Prob	olematic Hydric Soil ³ :
		Polyvalue Below 149B)	Surface (S	58) (LRR R	, MLRA	2 cm Muck (A	10) (LRR K, L, MLRA 149B)
Black Histic (A3)		Thin Dark Surfac	e (S9) (LR I	R R, MLRA	149B)	Coast Prairie	Redox (A16)(LRR K, L, R)
		Loamy Mucky M	ineral (F1)	(LRR K, L)	5 cm Mucky F	Peat or Peat (S3) (LRR K, L, R)
Hydrogen Sulfide (A4)		Loamy Gleyed N	latrix (F2)			Dark Surface	(S7) (LRR K, M)
Stratified Layers (A5)		Depleted Matrix	Depleted Matrix (F3)		Polyvalue Below Surface (S8) (LRR K, L)		
Depleted Below Dark Surf	ace (A11)	Redox Dark Surf	Redox Dark Surface (F6)		Thin Dark Surface (S9) (LRR K, L)		
Thick Dark Surface (A12)		Depleted Dark S	urface (F7)		Iron-Maganes	se Masses (F12) (LRR K, L, R)
Sandy Mucky Mineral (S1)		Redox Depressio	Redox Depressions (F8)		Piedmont Floodplain Soils (F19) (MLRA 149B)		
Sandy Gleyed Matrix (S4)						Mesic Spodic ((TA6) (MLRA 144A, 145, 149B)
Sandy Redox (S5)						Red Parent M	laterial (F21)
Stripped Matrix (S6)						Very Shallow	Dark Surface (TF12)
Dark Surface (S7) (LRR R, I	MLRA 149B)					Other (explain	n in remarks)
Restrictive Layer (if observed):	[
Туре:					ŀ	Hydric Soil Present? Yes	s
Depth (inches):							
Remarks:				1			

Site Photograph 1



Latitude: 46.8431881769065

Longitude: -93.6794420053192

Cowardin Classification:

Direction: South

Remarks:

Eggers & Reed:

Circular 39:

Site Photograph 2

Sampling Point: u-50n26w6-m1



Latitude: 46.8431858299736

Longitude: -93.6794558354595

Cowardin Classification:

Direction: East

Remarks:

Eggers & Reed:

Circular 39: