## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Aitkin		Sampling Date: 2016-08-16	
Applicant/Owner: Enbridge		State: Minnesota	Sampling Point: u-50n26w7-d1	
Investigator(s): ZCW, MGH	Section, Townsh	Section, Township, Range: S7, T50N, R26W		
Landform (hillslope, terrace, etc.): Side Slope		Local Relief (concave, con		
Subregion (LRR or MLRA):		•	itude: -93.68288856 Datum: NAD83	
Soil Map Unit Name: 204B			NWI Classification: N/A	
Are climatic/hydrologic conditions on the sit	e typical for this time of year		<del></del>	
			·	
Are Vegetation No , Soil No , or Hydrol	ogy <u>No</u> significantly distur	bed? Are "Normal Circums	stances" present? Yes	
Are Vegetation No , Soil No , or Hydrolog	gy <u>No</u> naturally problemati	c? (If needed, explain any	answers in Remarks)	
SUMMARY OF FINDINGS - Attach site ma	n showing sampling point lo	ocations, transects, import	ant features, etc.	
Hydrophytic Vegetation Present?	No	Is the Sampled Area		
Hydric Soil Present?	No	within a Wetland?	No	
Wetland Hydrology Present?	No	If yes, optional Wetland S	iite ID:	
Remarks: (Explain alternative procedures he	ere or in a separate report.)			
Climatic conditions are "wet" based on the	results of a WETS analysis.			
	•			
HYDROLOGY Westland Hydrology Indicators			Consider the displace (minimum of two required)	
Wetland Hydrology Indicators:			Secondary Indicators (minimum of two required)	
Primary Indicators (minimum of one is requi	red; check all that apply)		Surface Soil Cracks (B6)	
Surface Water (A1)		Water-Stained Leaves (B9) Drainage Patterns (B10)		
High Water Table (A2)	Aquatic Fauna (B13)		Moss Trim Lines (B16)	
Saturation (A3)	Marl Deposits (B15)		Dry-Season Water Table (C2)	
Water Marks (B1)	Hydrogen Sulfide Oc		Crayfish Burrows (C8)	
Sediment Deposits (B2)		res on Living Roots (C3)	Saturation Visible on Aerial Imagery (C9)	
Drift Deposits (B3)	Presence of Reduced		Stunted/Stressed Plants (D1)	
Algal Mat or Crust (B4) Iron Deposits (B5)	<del></del>	on in Tilled Soils (C6)	Geomorphic Position (D2)	
Inundation Visible on Aerial Imagery (B7)	Thin Muck Surface (  Other (Explain in Re		Shallow Aquitard (D3) Microtopographic Relief (D4)	
Sparsely Vegetated Concave Surface (B8)	Other (Explain in Nei	iidiks)	FAC-Neutral Test (D5)	
Field Observations:			inc Neutral rest (BS)	
	Depth (inches)	,		
	Depth (inches)	i		
_	Depth (inches)	•	Wetland Hydrology Present? No	
(includes capillary fringe)	<u>beptif (inches)</u>	' <del></del>	wetiand Hydrology Fresent:	
Describe Recorded Data (stream gauge, mor	nitoring well perial photos r	previous inspections) if ava	ilahlo	
Describe Recorded Data (stream gauge, mor	iitoriiig weii, aeriai priotos, p	revious irispections), ir avai	mable.	
Remarks:				

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30	% Cover	Species?	Status	Number of Dominant Species
1. Acer saccharum	60.00	Yes	UPL	That Are OBL, FACW, or FAC: 1 (A)
2. Populus tremuloides	20.00	Yes	FAC	Total Number of Dominant
3. Betula papyrifera	15.00	No	FACU	Species Across All Strata: 5 (B)
4				Percent of Dominant Species
5.				That Are OBL, FACW, or FAC: 20 (A/B)
6.				Prevalence Index worksheet:
7.				Total % Cover of: Multiply by:
	95	= Total Cover	-	OBL species 0.00 x 1 0
		10tal cover		FACW species 0.00 x 2 0
	50.00	Yes	UPL	FACU species 30.00 x 3 120
	30.00	103	- 012	
2		-		
3		<del></del>	_	Column Totals <u>185</u> (A) <u>855</u> (B)
4		-	-	Prevalence Index = B/A = <u>4.6216216</u>
5		-		Hydrophytic Vegetation Indicators:
6				1 - Rapid Test for Hydrophytic Vegetation
7			_	no 2 - Dominance Test is > 50%
	50	_ = Total Cover		<u>no</u> 3 - Prevalence Index is $\leq 3.0^1$
Herb Stratum (Plot Size: 5				4 - Morphological Adaptations 1 (Provide
1. Acer saccharum	15.00	Yes	UPL	supporting data in Remarks or on a separate sheet)
2. Aralia nudicaulis	15.00	Yes	FACU	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Carex woodii	10.00	Yes		<u></u>
4.				Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
5.		- '		Definitions of Vegetation Strata:
6.			-	- · · · · · · · · · · · · · · · · · · ·
				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
	-			height (DBH), regardless of height.
	-			Continue (Church - Woods along to be a thora 2 in DDU and another than
9		_		Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10			_	4
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12				woody plants less than 5.20 it tall.
	40	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30)				
1.				
		_	_	Hydrophytic
2		_		Vegetation
3		_	_	Present?
4				4
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	.)			

Sampling Point: u-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Type<sup>1</sup> Loc<sup>2</sup> (inches) Color (moist) % Color (moist) % Texture Remarks 10YR 3 1 100 0-3 FSL 10YR 5 3 3-24 100 S <sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil<sup>3</sup>: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-50n26w7-d1



	7 00 4 400		Seattle and		
Latitude:	46.8307988020096	_		Cowardin Classification:	
Longitude:	-93.6829543580242	_		Circular 39:	
Direction: Nor	th		E	Eggers & Reed:	
Remarks:					
Upland					

Site Photograph 2 Sampling Point: u-50n26w7-d1



Latitude: 46.8307935214106	Cowardin Classification:		
Longitude: -93.6829466466733	Circular 39:		
Direction: East	Eggers & Reed:		
Remarks:			
Upland			