## WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Aitkin		Sampling Date: 2016-08-16		
Applicant/Owner: Enbridge		State: Minnesota	Sampling Point: u-50n2	6w7-h1	
Investigator(s): ZCW, MGH	Section, Townsh	ip, Range: <u>S7, T50N, R26W</u>			
Landform (hillslope, terrace, etc.): Side Slo	pe	Local Relief (concave, conv	ex, none): VL Slope (9	%): 3-7%	
Subregion (LRR or MLRA):	 Latitude: 4	6.8378398521 Longit	 ude: -93.68293357 Datum: NAI	 D83	
Soil Map Unit Name: 292	<u> </u>		NWI Classification: N/A		
•	site typical for this time of yea	r? (if no. explain in Remarks)			
Are climatic/hydrologic conditions on the site typical for this time of year? (if no, explain in Remarks):  Are Vegetation No , Soil No , or Hydrology No significantly disturbed? Are "Normal Circumstances" present? Yes					
Are vegetation <u>NO</u> , Soil <u>NO</u> , or Hydr	ology <u>No</u> significantly distur	bed? Are "Normal Circumst	ances" present? Tes		
Are Vegetation $\underline{\text{No}}$ , Soil $\underline{\text{No}}$ , or Hydrol	ogy No naturally problemat	ic? (If needed, explain any a	nswers in Remarks)		
SUMMARY OF FINDINGS - Attach site r	map showing sampling point l	ocations, transects, importa	nt features, etc.		
Hydrophytic Vegetation Present?	No	Is the Sampled Area	,		
Hydric Soil Present?	Yes	within a Wetland?	No		
Wetland Hydrology Present?	No	If yes, optional Wetland Sit	e ID:		
Remarks: (Explain alternative procedures	here or in a separate report.)				
Climatic conditions are "wet" based on th	ne results of a WETS analysis.				
HYDROLOGY			Considerate discharge (seinischer	f t	
Wetland Hydrology Indicators:			Secondary Indicators (minimum o	t two required)	
Primary Indicators (minimum of one is required; check all that apply)  Surface Soil Cracks (B6)					
Surface Water (A1)	Water-Stained Leav	es (B9)	Drainage Patterns (B10)		
High Water Table (A2)	Aquatic Fauna (B13	)	Moss Trim Lines (B16)		
Saturation (A3)	Marl Deposits (B15)		Dry-Season Water Table (C2)		
Water Marks (B1)	Hydrogen Sulfide O		Crayfish Burrows (C8)		
Sediment Deposits (B2)	<del></del>	res on Living Roots (C3)	Saturation Visible on Aerial Ima	gery (C9)	
Drift Deposits (B3)	Presence of Reduce		Stunted/Stressed Plants (D1)		
Algal Mat or Crust (B4)	<del></del>	on in Tilled Soils (C6)	Geomorphic Position (D2)		
Iron Deposits (B5)	Thin Muck Surface (		Shallow Aquitard (D3)		
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Re	marks)	Microtopographic Relief (D4)		
Sparsely Vegetated Concave Surface (B8)		<del></del>	FAC-Neutral Test (D5)		
Field Observations:	NO Denth (inches	,			
Surface Water Present?	Beptil (menes	i i			
Water Table Present?		· I	Vetland Hydrology Present?	No	
Saturation Present? (includes capillary fringe)	No Depth (inches	) ——	vetiand Hydrology Present?	140	
Describe Recorded Data (stream gauge, m	ponitoring wall parial photos	arovious inspections) if avail	phlo:		
Describe Recorded Data (stream gauge, m	ionitoring well, aerial photos, p	orevious irispections), ii avaii	able.		
Remarks:					

	Absolute	Dominant	Indicator	Dominance Test worksheet:
<u>Tree Stratum</u> (Plot Size: <u>30</u>	% Cover	Species?	Status	Number of Dominant Species
1. Quercus rubra	40.00	Yes	FACU	That Are OBL, FACW, or FAC: 0(A)
2. Betula papyrifera	15.00	Yes	FACU	Total Number of Dominant
3. Acer saccharum	10.00	No	UPL	Species Across All Strata: 7(B)
4.				Percent of Dominant Species
5.				That Are OBL, FACW, or FAC: 0 (A/B)
6.	-	· .		Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
··	65	= Total Cover		OBL species 0.00 x 1 0
Sapling/Shrub Stratum (Plot Size: 15 )		- Total Cover		FACW species 0.00 x 2 0
1. Corylus cornuta	35.00	Yes	UPL	FACU species 115.00 x 3 460
2. Quercus rubra	20.00	Yes	FACU	UPL species 60.00 x 4 300
3. Acer saccharum	15.00	Yes	UPL	
	13.00	163	OFL	,
4				Prevalence Index = B/A = 4.3055555
5	-	- I <del></del> -		Hydrophytic Vegetation Indicators:
6		-		1 - Rapid Test for Hydrophytic Vegetation
7				no 2 - Dominance Test is > 50%
	70	= Total Cover		no 3 - Prevalence Index is $\leq 3.0^1$
Herb Stratum (Plot Size: 5				4 - Morphological Adaptations (Provide
1. Eurybia macrophylla	15.00	Yes	FACU	supporting data in Remarks or on a separate sheet)
2. Aralia nudicaulis	15.00	Yes	FACU	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Pteridium aquilinum	10.00	Yes	FACU	Indicators of hydric soil and wetland hydrology must be present, unless
4. Clintonia borealis	5.00	No	FAC	disturbed or problematic.
5				Definitions of Vegetation Strata:
6				
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.				height (DBH), regardless of height.
9.				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
				or equal to 3.28 ft (1 m) tall.
10				Herb - All herbaeceous (non-woody) plants, regardless of size, and
11	-			woody plants less than 3.28 ft tall.
12		<del>-</del> -		-
	45	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30				
1		_		
2				Hydrophytic
3.				Present? No No
4.				
	0	=Total Cover		
Remarks: (include photo numbers here or on a separate sheet.	)	-		
	,			

Sampling Point: u-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc<sup>2</sup> (inches) Color (moist) % Color (moist) % Type<sup>1</sup> Texture Remarks 10YR 5 2 558 90 10 С 0-12 M FSL 10YR 6 2 10YR 5 6 80 12-24 20 С М LS <sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. <sup>2</sup>Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil<sup>3</sup>: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? Yes Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-50n26w7-h1



titude: 46.8378517544333	Cowardin Classification:
ongitude: -93.6829762347915	Circular 39:
tion: North	Eggers & Reed:
arks:	
nd	

Site Photograph 2 Sampling Point: u-50n26w7-h1



	Contract of the second	
Latitude:	46.8378622318123	Cowardin Classification:
Longitude:	: -93.6829657574125	Circular 39:
Direction: We	st	Eggers & Reed:
Remarks:		
Upland		