WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

| Project/Site: SPP | City/County: Aitkin | | Sampling Date: 2016-08-16 | | | |
|--|-----------------------------|---------------------------------|--|--|--|--|
| Applicant/Owner: Enbridge | | State: Minnesota | Sampling Point: u-50n26w7-i1 | | | |
| Investigator(s): ZCW, MGH | Section, Townshi | p, Range: <u>S7, T50N, R26W</u> | l . | | | |
| Landform (hillslope, terrace, etc.): Rise | | Local Relief (concave, cor | nvex, none): <u>VL</u> Slope (%): <u>0-2%</u> | | | |
| Subregion (LRR or MLRA): | Latitude: 46 | 5.836266443177 Long | gitude: -93.68228640 Datum: NAD83 | | | |
| Soil Map Unit Name: 204B | _ | | NWI Classification: N\A | | | |
| Are climatic/hydrologic conditions on the site type | oical for this time of year | ? (if no, explain in Remark | s): No | | | |
| Are Vegetation No_, Soil No_, or Hydrology | No significantly disturb | oed? Are "Normal Circum | stances" present? Yes | | | |
| Are Vegetation $\underline{\text{No}}$, Soil $\underline{\text{No}}$, or Hydrology $\underline{\text{No}}$ | o naturally problemation | c? (If needed, explain any | answers in Remarks) | | | |
| SUMMARY OF FINDINGS - Attach site map sh | owing sampling point lo | cations, transects, impor | tant features, etc. | | | |
| Hydrophytic Vegetation Present? | <u>No</u> | Is the Sampled Area | | | | |
| Hydric Soil Present? | No_ | within a Wetland? | <u>No</u> | | | |
| Wetland Hydrology Present? | <u>No</u> | If yes, optional Wetland | Site ID: | | | |
| Remarks: (Explain alternative procedures here of | or in a separate report.) | | | | | |
| Climatic conditions are "wet" based on the results of a WETS analysis. | | | | | | |
| HYDROLOGY | | | | | | |
| Wetland Hydrology Indicators: | | | Secondary Indicators (minimum of two required) | | | |
| Primary Indicators (minimum of one is required; | check all that apply) | | Surface Soil Cracks (B6) | | | |
| Surface Water (A1) | Water-Stained Leave | s (B9) | Drainage Patterns (B10) | | | |
| High Water Table (A2) | Aquatic Fauna (B13) | | Moss Trim Lines (B16) | | | |
| Saturation (A3) | Marl Deposits (B15) | | Dry-Season Water Table (C2) | | | |
| Water Marks (B1) | Hydrogen Sulfide Od | or (C1) | Crayfish Burrows (C8) | | | |
| Sediment Deposits (B2) | Oxidized Rhizosphere | es on Living Roots (C3) | Saturation Visible on Aerial Imagery (C9) | | | |
| Drift Deposits (B3) | Presence of Reduced | Iron (C4) | Stunted/Stressed Plants (D1) | | | |
| Algal Mat or Crust (B4) | Recent Iron Reductio | n in Tilled Soils (C6) | Geomorphic Position (D2) | | | |
| Iron Deposits (B5) | Thin Muck Surface (C | 27) | Shallow Aquitard (D3) | | | |
| Inundation Visible on Aerial Imagery (B7) | Other (Explain in Ren | narks) | Microtopographic Relief (D4) | | | |
| Sparsely Vegetated Concave Surface (B8) | | | FAC-Neutral Test (D5) | | | |
| Field Observations: | | | | | | |
| Surface Water Present? No | Depth (inches) | | | | | |
| Water Table Present? <u>No</u> | Depth (inches) | | | | | |
| Saturation Present? <u>No</u> | Depth (inches) | | Wetland Hydrology Present? No | | | |
| (includes capillary fringe) | | | | | | |
| Describe Recorded Data (stream gauge, monitor | ing well, aerial photos, p | revious inspections), if ava | ailable: | | | |
| Remarks: | | | | | | |

| 1. Populus tremuloides | | Absolute | Dominant | Indicator | Dominance Test worksheet: |
|---|---|----------|-----------------|----------------|--|
| 2. Tilis americana | Tree Stratum (Plot Size: 30) | % Cover | Species? | Status | Number of Dominant Species |
| Species Across All Strata: 5 (8) | 1. Populus tremuloides | 15.00 | Yes | FAC | That Are OBL, FACW, or FAC: 1 (A) |
| Percent of Dominant Species | 2. Tilia americana | 5.00 | Yes | FACU | Total Number of Dominant |
| Percent of Dominant Species That Aire OBL, FACW, or FAC: 20 | 3. | | | | Species Across All Strata: 5 (B) |
| That Are OBL, FACW, or FAC: 20 (A/8) | 4. | | | | |
| | | | | | · ' |
| Total % Cover of: | | - | _ | | |
| 20 | | - | _ | - | |
| FACW species 0.00 x2 0 | / | 20 | Tatal Carra | | |
| 1. Corylus cornuta | 45 | 20 | _ = Total Cover | | |
| 2. Populus tremuloides | | 60.00 | V | LIBI | |
| Column Totals 190 (A) 790 (B) Prevalence Index = 8/A = 4.1578947 | | | | - | |
| Prevalence Index = B/A = 4.1578947 | 2. Populus tremuloides | 15.00 | Yes | FAC | |
| Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation 7. | 3 | | | - | |
| 1. Rapid Test for Hydrophytic Vegetation 7. | 4 | | | | Prevalence Index = B/A = 4.1578947 |
| 7 | 5 | | | | Hydrophytic Vegetation Indicators: |
| Total Cover | 6 | | _ | - | 1 - Rapid Test for Hydrophytic Vegetation |
| ### Stratum (Plot Size: 5 | 7 | | _ | _ | no 2 - Dominance Test is > 50% |
| 1. Rubus idaeus 35.00 Yes FACU supporting data in Remarks or on a separate sheet) 2. Eurybia macrophylla 30.00 Yes FACU Problematic Hydrophytic Vegetation (Explain) 3. Pteridium aquilinum 15.00 No FACU indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 5. Definitions of Vegetation Strata: 6. Tree - Woody plants 3 in. (76 cm) or more in diameter at breast height (DBH), regardless of height. 8. Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. 10. Herb - All herbacecous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft in height. Woody Vine Stratum (Plot Size: 30 | | 75 | _ = Total Cover | | no 3 - Prevalence Index is ≤ 3.0 ¹ |
| 1. Rubus idaeus 35.00 Yes FACU supporting data in Remarks or on a separate sheet) 2. Eurybia macrophylla 30.00 Yes FACU Problematic Hydrophytic Vegetation (Explain) 3. Pteridium aquilinum 15.00 No FACU indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. 5. Definitions of Vegetation Strata: 6. Tree - Woody plants 3 in. (76 cm) or more in diameter at breast height (DBH), regardless of height. 8. Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. 10. Herb - All herbacecous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft in height. Woody Vine Stratum (Plot Size: 30 | Herb Stratum (Plot Size: 5 | | _ | | 4 - Morphological Adaptations (Provide |
| 3. Pteridium aquilinum 4. Aralia nudicaulis 5. Some services of size and well and substance of problematic. 5. Some services of size and well and substance of problematic. 5. Some services of size and well and well and hydrology must be present, unless disturbed or problematic. Definitions of Vegetation Strata: Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. 95 | 1. Rubus idaeus | 35.00 | Yes | FACU | |
| 3. Pteridium aquilinum 4. Aralia nudicaulis 5. Some services of size and well and substance of problematic. 5. Some services of size and well and substance of problematic. 5. Some services of size and well and well and hydrology must be present, unless disturbed or problematic. Definitions of Vegetation Strata: Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. 95 | 2. Eurybia macrophylla | 30.00 | Yes | FACU | Problematic Hydrophytic Vegetation ¹ (Explain) |
| 4. Aralia nudicaulis 5. Definitions of Vegetation Strata: 6. Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height. 8. Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. 10. Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. 95 = Total Cover Woody Vine Stratum (Plot Size: 30) 1. Hydrophytic Vegetation Present? No Present? No Present? | | 15.00 | No. | - | |
| Definitions of Vegetation Strata: Definitions of Vegetation Strata: Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Solvent in the stratum (Plot Size: 30 | | | _ | - | |
| Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft in height. 95 | | 15.00 | | | <u>'</u> |
| Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. 95 = Total Cover Woody Vine Stratum (Plot Size: 30) 1. | | - | | - - | Definitions of Vegetation Strata: |
| height (DBH), regardless of height. Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. 95 = Total Cover Woody Vine Stratum (Plot Size: 30 | | - | | | Tree Woody plants 2 in / 76 cm) or more in diameter at breest |
| Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb - All herbacceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. 95 = Total Cover Woody Vine Stratum (Plot Size: 30) 1. | | | | <u> </u> | |
| or equal to 3.28 ft (1 m) tall. Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. 95 = Total Cover Woody Vine Stratum (Plot Size: 30) 1. | 8 | - | _ - | - | - |
| 10. Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. 95 = Total Cover Woody Vine Stratum (Plot Size: 30 | 9 | | _ | | |
| Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. 95 = Total Cover Woody Vine Stratum (Plot Size: 30) 1 | 10 | | | | of equal to 3.20 ft (1 fif) tail. |
| 12. 95 = Total Cover Woody vines - All woody vines greater than 3.28 ft in height. | | | | | |
| 95 | | | | | woody plants less than 3.28 ft tall. |
| Moody Vine Stratum (Plot Size: 30 | | 95 | = Total Cover | | Woody vines - All woody vines greater than 3.28 ft in height. |
| 1. Hydrophytic 2. Vegetation 3. Present? No 0 =Total Cover | Woody Vino Stratum (Plot Size: 30 | | | | The state of the s |
| 2. Hydrophytic Vegetation Present? No 0 =Total Cover | | | | | |
| Vegetation No | 1 | | _ | _ | - Iliyaharahyatia |
| 3 | 2 | | _ | _ | Vegetation |
| | 3 | | | | |
| | 4 | | | | 4 |
| Remarks: (include photo numbers here or on a separate sheet.) | | 0 | _=Total Cover | | |
| | Remarks: (include photo numbers here or on a separate sheet | :.) | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Sampling Point: u-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 3 1 0-4 100 LS 10YR 5 2 10YR 4 6 85 4-24 15 С M LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-50n26w7-i1



| | E TO TO | |
|------------|-------------------|--------------------------|
| Latitude: | 46.8362534931366 | Cowardin Classification: |
| Longitude: | -93.6822912656643 | Circular 39: |
| Direction: | | Eggers & Reed: |
| Remarks: | | |
| Upland | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Site Photograph 2 Sampling Point: u-50n26w7-i1



| Latitude: | 46.8362524034892 | | Cowardin Classification: | |
|------------|-------------------|--|--------------------------|--|
| Longitude: | -93.6822921876737 | | Circular 39: | |
| Direction: | | | Eggers & Reed: | |
| Remarks: | | | | |
| Upland | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |