WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Ait	City/County: Aitkin		Sampling Date: 2016-08-17	
Applicant/Owner: Enbridge		State: Minnesota	Samplin	g Point: u-50n26w7-l1	
Investigator(s): ZCW, MGH	Section, T	ownship, Range: S7, T50N, R	26W		
Landform (hillslope, terrace, etc.): Rise		Local Relief (concave,	, convex, none): VV	Slope (%): 3-7%	
Subregion (LRR or MLRA):	Latit	ude: 46.8406518549 L	Longitude: -93.68052461	Datum: NAD83	
Soil Map Unit Name: 292			NWI Cla	ssification: N/A	
Are climatic/hydrologic conditions on th	ne site typical for this time	of year? (if no, explain in Ren		No	
	••	, , , ,	•		
Are Vegetation No , Soil No , or Hy	drology NO significantly	disturbed? Are "Normal Circ	cumstances" present? Yes		
Are Vegetation No , Soil No , or Hyd	rology No naturally prof	olematic? (If needed, explain	any answers in Remarks)		
SUMMARY OF FINDINGS - Attach sit	e map showing sampling	point locations, transects, im	portant features, etc.		
Hydrophytic Vegetation Present?	<u>No</u>	Is the Sampled Area			
Hydric Soil Present?	Yes	within a Wetland?		No	
Wetland Hydrology Present?	<u>No</u>	If yes, optional Wetla	and Site ID:	-	
Remarks: (Explain alternative procedur	es here or in a separate re	eport.)			
Climatic conditions are "wet" based on	the results of a WETS and	llysis.			
LIVEROLOGY					
HYDROLOGY			Constant to disco	(a) (a) (a) (a) (a) (a) (b) (a) (a) (b) (a) (a) (b) (a) (b) (a) (b) (a) (b) (a) (b) (b) (a) (b) (b) (b) (b) (b) (b) (b) (b) (b) (b	
Wetland Hydrology Indicators:			Secondary Indicat	tors (minimum of two required)	
Primary Indicators (minimum of one is i	equired; check all that ap	ply)	Surface Soi	l Cracks (B6)	
Surface Water (A1)	Water-Stair	Water-Stained Leaves (B9)		Drainage Patterns (B10)	
High Water Table (A2)	Aquatic Fau	na (B13)	Moss Trim Lines (B16)		
Saturation (A3)	Marl Depos	its (B15)	Dry-Season Water Table (C2)		
Water Marks (B1)	Hydrogen S	ulfide Odor (C1)	Crayfish Bur	Crayfish Burrows (C8)	
Sediment Deposits (B2)	Oxidized Rh	izospheres on Living Roots (C3)		Saturation Visible on Aerial Imagery (C9)	
Drift Deposits (B3)		Reduced Iron (C4)	Stunted/Stressed Plants (D1)		
Algal Mat or Crust (B4)		Reduction in Tilled Soils (C6)		Geomorphic Position (D2)	
Iron Deposits (B5)	Thin Muck S			Shallow Aquitard (D3)	
Inundation Visible on Aerial Imagery (B7		ain in Remarks)	Microtopographic Relief (D4)		
Sparsely Vegetated Concave Surface (B8	;)		FAC-Neutral	Test (D5)	
Field Observations:	No Denth	, , , ,			
Surface Water Present?	Deptil ((inches)			
Water Table Present?		(inches)		.a No	
Saturation Present?	No Depth	(inches)	Wetland Hydrology Pr	esent? <u>No</u>	
(includes capillary fringe)					
Describe Recorded Data (stream gauge,	monitoring well, aerial pr	notos, previous inspections), if	f available:		
Remarks:					

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30)	% Cover	Species?	Status	Number of Dominant Species
1.				That Are OBL, FACW, or FAC: 1 (A)
2.				Total Number of Dominant
3.				Species Across All Strata: 3 (B)
4.				Percent of Dominant Species
		-		That Are OBL, FACW, or FAC: 33.333333333 (A/B)
	-	-	_	
6	-	-	-	Prevalence Index worksheet:
7		-	-	Total % Cover of: Multiply by:
	0	_ = Total Cover		OBL species <u>0.00</u> x 1 <u>0</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>0.00</u> x 2 <u>0</u>
1. Populus tremuloides	70.00	Yes	FAC	FACU species <u>30.00</u> x 3 <u>120</u>
2				UPL species <u>40.00</u> x 4 <u>200</u>
3				Column Totals <u>145</u> (A) <u>545</u> (B)
4			_	Prevalence Index = B/A = 3.7586206
5.				Hydrophytic Vegetation Indicators:
6.				1 - Rapid Test for Hydrophytic Vegetation
7.				no 2 - Dominance Test is > 50%
/·	70		-	no 3 - Prevalence Index is $\leq 3.0^{1}$
Hards Chartery (Diet Circ. 5	70	_ = Total Cover		
Herb Stratum (Plot Size: 5	40.00	V		4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
1. Carex woodii	40.00	Yes		┥ ,
2. Aralia nudicaulis	20.00	Yes	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)
3. Eurybia macrophylla	10.00	No No	FACU	Indicators of hydric soil and wetland hydrology must be present, unless
4. Clintonia borealis	5.00	No	FAC	disturbed or problematic.
5		_		Definitions of Vegetation Strata:
6				_
7				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
8.				height (DBH), regardless of height.
9.				Sapling/Shrub - Woody plants less than 3 in. DBH and greater than
				or equal to 3.28 ft (1 m) tall.
10		_	_	-
11				Herb - All herbaeceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12		- -	- -	-
	75	_ = Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30)				
1				
2.				Hydrophytic
3.		_	_	Vegetation No
		-	_	Present?
4			_	-
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	.)			

Sampling Point: u-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 3 2 100 0-3 FSL 10YR 4 2 10YR 58 95 3-15 С M LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) **✓** Restrictive Layer (if observed): Type: Rok Hydric Soil Present? Yes Depth (inches): 15 Remarks:

Site Photograph 1 Sampling Point: u-50n26w7-l1



Latitude: 46.840644353113	Cowardin Classification:
Longitude: -93.6805346702167	Circular 39:
Direction: West	Eggers & Reed:
Remarks:	
Upland	

Site Photograph 2 Sampling Point: u-50n26w7-l1



Latitude:	46.8406231888075	Cowardin Classification:
Longitude:	-93.680522265	Circular 39:
Direction: Nort	th	- Eggers & Reed:
Remarks:		
Upland		