WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

| Project/Site: SPP | City/County: Aith | City/County: Aitkin | | Sampling Date: 2016-08-17 | |
|--|---------------------------------|--|----------------------------|---|--|
| Applicant/Owner: Enbridge | | State: Minnesota | Samplir | ng Point: <u>u-50n26w7-n1</u> | |
| Investigator(s): ZCW, MGH | Section, To | ownship, Range: S7, T50N, | R26W | | |
| Landform (hillslope, terrace, etc.): Sid | le Slope | Local Relief (concav | ve, convex, none): VL | Slope (%): 3-7% | |
| Subregion (LRR or MLRA): | Latit | ude: 46.8395257043 | Longitude: -93.67992203 | Datum: NAD83 | |
| Soil Map Unit Name: 292 | | | NWI Cla | ssification: N/A | |
| Are climatic/hydrologic conditions on | the site typical for this time | of year? (if no, explain in Re | emarks): | No | |
| Ana Manatatian No. Sail No. | II. daalaan No siaaifiaa atk | المصورة المال المصادرة المصادرة المالية | | | |
| Are Vegetation No_, Soil No_, or | Hydrology NO significantly | disturbed? Are "Normai Ci | ircumstances" present? res | | |
| Are Vegetation $\underline{\text{No}}$, Soil $\underline{\text{No}}$, or H | ydrology No naturally prob | lematic? (If needed, expla | in any answers in Remarks) | | |
| SUMMARY OF FINDINGS - Attach | site map showing sampling r | ooint locations. transects. i | mportant features, etc. | | |
| Hydrophytic Vegetation Present? | No No | Is the Sampled Are | - | | |
| Hydric Soil Present? | No | within a Wetland? | | No | |
| Wetland Hydrology Present? | No | If yes, optional Wet | tland Site ID: | | |
| Remarks: (Explain alternative proced | dures here or in a separate re | | | | |
| Climatic conditions are "wet" based | | | | | |
| | | • | | | |
| | | | | | |
| | | | | | |
| HYDROLOGY | | | | | |
| Wetland Hydrology Indicators: | | | <u>Secondary Indica</u> | tors (minimum of two required) | |
| Primary Indicators (minimum of one | is required; check all that app | oly) | Surface So | l Cracks (B6) | |
| Surface Water (A1) | Water-Stain | Water-Stained Leaves (B9) | | Drainage Patterns (B10) | |
| High Water Table (A2) | Aquatic Faur | Aquatic Fauna (B13) | | Moss Trim Lines (B16) | |
| Saturation (A3) | Marl Deposi | Marl Deposits (B15) | | Dry-Season Water Table (C2) | |
| Water Marks (B1) | Hydrogen Su | Hydrogen Sulfide Odor (C1) | | rows (C8) | |
| Sediment Deposits (B2) | Oxidized Rhi | Oxidized Rhizospheres on Living Roots (C3) | | Saturation Visible on Aerial Imagery (C9) | |
| Drift Deposits (B3) | Presence of | Presence of Reduced Iron (C4) Stunted/Stressed Plants (D1) | | | |
| Algal Mat or Crust (B4) | Recent Iron I | Recent Iron Reduction in Tilled Soils (C6) | | Geomorphic Position (D2) | |
| Iron Deposits (B5) | | Thin Muck Surface (C7) | | Shallow Aquitard (D3) | |
| Inundation Visible on Aerial Imagery | | Other (Explain in Remarks) | | Microtopographic Relief (D4) | |
| Sparsely Vegetated Concave Surface | (B8) | | FAC-Neutra | Test (D5) | |
| Field Observations: | Na | | | | |
| Surface Water Present? | | inches) | | | |
| Water Table Present? | | inches) | | .a. No | |
| Saturation Present? | No Depth (| inches) | Wetland Hydrology Pr | esent? <u>No</u> | |
| (includes capillary fringe) | | | | | |
| Describe Recorded Data (stream gau | ge, monitoring well, aerial ph | otos, previous inspections), | , if available: | | |
| | | | | | |
| Remarks: | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | | Absolute | Dominant | Indicator | Dominance Test worksheet: | | |
|--------------------------|-------------------------------------|----------|-----------------|-------------|--|------------------------------|--|
| Tree Stratum | (Plot Size: <u>30</u> | % Cover | Species? | Status | Number of Dominant Species | | |
| 1 | | | | _ | That Are OBL, FACW, or FAC: 3 | (A) | |
| 2 | | | | | Total Number of Dominant | | |
| 3. | | | | | Species Across All Strata: 5 | (B) | |
| 4. | | | | | Percent of Dominant Species | | |
| - | | | _ | _ | That Are OBL, FACW, or FAC: 60 | (A/B) | |
| | | | _ | _ | Prevalence Index worksheet: | (1,4,5) | |
| 7. | | | _ | | -1 | Aultinly by | |
| /· | | 0 | - | | | Multiply by: | |
| | 45 | <u>U</u> | _ = Total Cover | | OBL species <u>0.00</u> | x 1 0 | |
| Sapling/Shrub Stratum (I | Plot Size: 15 | | | | FACW species 0.00 | x 2 <u>0</u> | |
| Populus tremuloides | | 35.00 | Yes | FAC | FACU species 85.00 | x 3 <u>340</u> | |
| 2. Quercus rubra | | 25.00 | Yes | <u>FACU</u> | UPL species <u>0.00</u> | x 4 <u>0</u> | |
| 3. Acer rubrum | | 15.00 | Yes | FAC | Column Totals 155 (| A) <u>550</u> (B) | |
| 4 | | | | | Prevalence Index = B/A = <u>3.5483870</u> | | |
| 5 | | | | | Hydrophytic Vegetation Indicators: | | |
| 6 | | | | _ | 1 - Rapid Test for Hydrophytic | C Vegetation | |
| 7 | | | | | yes 2 - Dominance Test is > 50% | | |
| | | 75 | = Total Cover | | no 3 - Prevalence Index is $\leq 3.0^1$ | | |
| Herb Stratum (Plot Size: | 5) | | _ | | 4 - Morphological Adaptation | S (Provide | |
| 1. Rubus idaeus | · | 35.00 | Yes | FACU | supporting data in Remarks or on a s | | |
| 2. Clintonia borealis | | 20.00 | Yes | FAC | Problematic Hydrophytic Vegetation ¹ (Exp | olain) | |
| 3. Aralia nudicaulis | | 15.00 | No | FACU | | , | |
| 4. Eurybia macrophylla | | 10.00 | No | FACU | Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. | | |
| 5. | | 10.00 | | 17100 | | | |
| · | | | · · | | Definitions of Vegetation Strata: | | |
| 6 | | | | | Tana Waada alaah 2 in / 76 am) aa aa | ! | |
| | | | - | _ | Tree - Woody plants 3 in. (.76 cm) or more height (DBH), regardless of height. | re in diameter at breast | |
| 8 | | | | | - | | |
| 9 | | | | _ | Sapling/Shrub - Woody plants less than 3 in. DBH and greater than | | |
| 10. | | | | | or equal to 3.28 ft (1 m) tall. | | |
| | | | | | Herb - All herbaeceous (non-woody) plan | its, regardless of size, and | |
| 12. | | | | | woody plants less than 3.28 ft tall. | | |
| | | 80 | = Total Cover | | Woody vines - All woody vines greater th | nan 3 28 ft in height | |
| Woody Vine Stratum (Plo | ot Sizo: 30 | | 10101 00001 | | The state of the s | Jizo ic iii neigite | |
| | ot Size: <u>30</u>) | | | | | | |
| 1 | | · - | | _ | | | |
| 2 | | | | | Hydrophytic Vegetation | | |
| 3 | | | | _ | Present? No | | |
| 4 | | | | _ | 1 | | |
| | | 0 | =Total Cover | | | | |
| Remarks: (include photo | numbers here or on a separate sheet | i.) | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Sampling Point: u-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Depth Matrix **Redox Features** Loc² (inches) Color (moist) Color (moist) % Type¹ Texture Remarks ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks: Sample point taken along existing forest road. No digging.

Site Photograph 1 Sampling Point: u-50n26w7-n1



| Latitude: 46.8395091500569 | Cowardin Classification: | | | | |
|------------------------------|--------------------------|--|--|--|--|
| Longitude: -93.6799507030227 | Circular 39: | | | | |
| Direction: West | Eggers & Reed: | | | | |
| Remarks: | | | | | |
| Upland | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Site Photograph 2 Sampling Point: u-50n26w7-n1



| Latitude: | 46.8395089824189 | Cowardin Classification: | |
|----------------|-------------------|--------------------------|--|
| Longitude: | -93.6799504515656 | Circular 39: | |
| Direction: Sou | th | Eggers & Reed: | |
| Remarks: | | | |
| Upland | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 1 | | | |