WETLAND DETERMINATION DATA FORM - North Central and Northeast Region

Project/Site: SPP	City/County: Aitkin		Sampling Date: 2016-08-17			
Applicant/Owner: Enbridge		State: Minnesota	Sampling Point: u-50n26w7-o1			
Investigator(s): ZCW, MGH						
Landform (hillslope, terrace, etc.): Rise		Local Relief (concave, cor	nvex, none): VV Slope (%): 0-2%			
Subregion (LRR or MLRA):	Latitude: 40	•	itude: -93.68032780 Datum: NAD83			
Soil Map Unit Name: 292			NWI Classification: N/A			
·	typical for this time of year	r? (if no explain in Remark				
	Are climatic/hydrologic conditions on the site typical for this time of year? (if no, explain in Remarks):					
Are Vegetation No , Soil No , or Hydrole	ogy No significantly distur	bed? Are "Normal Circums	stances" present? Yes			
Are Vegetation No_, Soil No_, or Hydrolog	y <u>No</u> naturally problemati	c? (If needed, explain any	answers in Remarks)			
SUMMARY OF FINDINGS - Attach site ma	n showing sampling point l	ocations, transects, import	ant features, etc.			
Hydrophytic Vegetation Present?	No	Is the Sampled Area				
Hydric Soil Present?	No	within a Wetland?	No			
Wetland Hydrology Present?	No	If yes, optional Wetland S	Site ID:			
Remarks: (Explain alternative procedures he	re or in a separate report.)					
Climatic conditions are "wet" based on the	results of a WETS analysis.					
	•					
HYDROLOGY						
Wetland Hydrology Indicators:			Secondary Indicators (minimum of two required)			
Primary Indicators (minimum of one is requi	red; check all that apply)		Surface Soil Cracks (B6)			
Surface Water (A1)	Water-Stained Leave	es (B9)	Drainage Patterns (B10)			
High Water Table (A2)	Aquatic Fauna (B13)	1	Moss Trim Lines (B16)			
Saturation (A3)	Marl Deposits (B15)		Dry-Season Water Table (C2)			
Water Marks (B1)	Hydrogen Sulfide Oc		Crayfish Burrows (C8)			
Sediment Deposits (B2)			Saturation Visible on Aerial Imagery (C9)			
Drift Deposits (B3)	Presence of Reduced		Stunted/Stressed Plants (D1)			
Algal Mat or Crust (B4)		on in Tilled Soils (C6)	Geomorphic Position (D2)			
Iron Deposits (B5)			Shallow Aquitard (D3)			
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Re	marks)	Microtopographic Relief (D4)			
Sparsely Vegetated Concave Surface (B8) Field Observations:			FAC-Neutral Test (D5)			
Surface Water Present? N	O Depth (inches)	١				
	O Depth (inches)	i				
_	O Depth (inches)	•	Wetland Hydrology Present? No			
(includes capillary fringe)	<u> </u>	/	wedana riyarology riesene.			
Describe Recorded Data (stream gauge, mon	itoring well aerial photos r	previous inspections) if ava	ailable:			
Describe necoraed Bata (stream gauge, mor	ttoring wen, derial priotos, p	nevious inspections,, it uve	masic.			
Remarks:						

	Absolute	Dominant	Indicator	Dominance Test worksheet:
Tree Stratum (Plot Size: 30	% Cover	Species?	Status	Number of Dominant Species
1. Quercus rubra	20.00	Yes	FACU	That Are OBL, FACW, or FAC: 2 (A)
2. Tilia americana	15.00	Yes	FACU	Total Number of Dominant
3. Portulaca grandiflora	10.00	Yes	UPL	Species Across All Strata: 7 (B)
4.			-	Percent of Dominant Species
5		-	-	That Are OBL, FACW, or FAC: 28.5714285714 (A/B)
		· -	-	
6			-	Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	45	= Total Cover		OBL species <u>0.00</u> x 1 <u>0</u>
Sapling/Shrub Stratum (Plot Size: 15				FACW species <u>0.00</u> x 2 <u>0</u>
1. Populus tremuloides	30.00	Yes	FAC	FACU species <u>92.00</u> x 3 <u>368</u>
2. Acer rubrum	15.00	Yes	FAC	UPL species <u>40.00</u> x 4 <u>200</u>
3				Column Totals <u>177</u> (A) <u>703</u> (B)
4				Prevalence Index = B/A = <u>3.9717514</u>
5				Hydrophytic Vegetation Indicators:
6				1 - Rapid Test for Hydrophytic Vegetation
7.				no 2 - Dominance Test is > 50%
	45	= Total Cover		no 3 - Prevalence Index is ≤ 3.0 ¹
Herb Stratum (Plot Size: 5		-		4 - Morphological Adaptations 1 (Provide
1. Carex woodii	30.00	Yes		supporting data in Remarks or on a separate sheet)
2. Eurybia macrophylla	25.00	Yes	FACU	Problematic Hydrophytic Vegetation ¹ (Explain)
3. Pteridium aquilinum	17.00	No	FACU	
4. Aralia nudicaulis	15.00	No No	FACU	Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
	15.00			
	-			Definitions of Vegetation Strata:
6				Tree - Woody plants 3 in. (.76 cm) or more in diameter at breast
7		_	_	height (DBH), regardless of height.
8		-		1
9			_	Sapling/Shrub - Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10		_		o. equa. to 5:25 it (2 iii) taiii
11.				Herb - All herbaeceous (non-woody) plants, regardless of size, and
12.				woody plants less than 3.28 ft tall.
	87	= Total Cover		Woody vines - All woody vines greater than 3.28 ft in height.
Woody Vine Stratum (Plot Size: 30		_		, , , ,
1.				
2				Vegetation
3			_	Present? No No
4		_	_	-
	0	_=Total Cover		
Remarks: (include photo numbers here or on a separate sheet	.)			

Sampling Point: u-50n26w... **SOIL** Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.) Matrix **Redox Features** Depth Loc² (inches) Color (moist) % Color (moist) % Type¹ Texture Remarks 10YR 3 1 0-4 100 FSL 10YR 4 2 10YR 58 90 4-24 10 С M LS ¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix. Indicators for Problematic Hydric Soil³: Hydric Soil Indicators: Polyvalue Below Surface (S8) (LRR R, MLRA Histosol (A1) 2 cm Muck (A10) (LRR K, L, MLRA 149B) Histic Epipedon (A2) Coast Prairie Redox (A16)(LRR K, L, R) Thin Dark Surface (S9) (LRR R, MLRA 149B) Black Histic (A3) Loamy Mucky Mineral (F1) (LRR K, L) 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) Hydrogen Sulfide (A4) Dark Surface (S7) (LRR K, M) Loamy Gleyed Matrix (F2) Stratified Layers (A5) Depleted Matrix (F3) Polyvalue Below Surface (S8) (LRR K, L) Depleted Below Dark Surface (A11) Redox Dark Surface (F6) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Depleted Dark Surface (F7) Iron-Maganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Redox Depressions (F8) Piedmont Floodplain Soils (F19) (MLRA 149B) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Gleyed Matrix (S4) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (explain in remarks) Restrictive Layer (if observed): Hydric Soil Present? No Depth (inches): Remarks:

Site Photograph 1 Sampling Point: u-50n26w7-o1



Latitude: 46.8388868775655	Cowardin Classification:		
Longitude: -93.6799810455122	Circular 39:		
virection: North	Eggers & Reed:		
Remarks:			
Jpland			

Site Photograph 2 Sampling Point: u-50n26w7-o1



Latitude:	46.838886919475	Cowardin Classification:		
Longitude:	-93.6799799558648	Circular 39:		
Direction: East		Eggers & Reed:		
Remarks:				
Upland				